




JOHN DEERE


Parts Catalog

720 AND 730 SERIES DIESEL TRACTORS


PC532




John Deere 720 Series General-Purpose Diesel Tractor Equipped with V-4 Gasoline Cranking Engine
(Serial No. 7200000-7299999)




John Deere 720 Series Standard Diesel Tractor Equipped with V-4 Gasoline Cranking Engine
(Serial No. 7200000-7299999)




John Deere 720 Series General-Purpose Diesel Tractor Equipped with Electric Cranking Motor
(Serial No. 7222600-7299999)




John Deere 720 Series Standard Diesel Tractor Equipped with Electric Cranking Motor
(Serial No. 7222600-7299999)




John Deere 730 Series General-Purpose Diesel Tractor Equipped with V-4 Gasoline Cranking Engine
(Serial No. 7300000-)




John Deere 730 Series Standard Diesel Tractor Equipped with V-4 Gasoline Cranking Engine
(Serial No. 7300000-)




John Deere 730 Series General-Purpose Diesel Tractor Equipped with Electric Cranking Motor
(Serial No. 7300000-)




John Deere 730 Series Standard Diesel Tractor Equipped with Electric Cranking Motor
(Serial No. 7300000-)




DOUBLE




SINGLE



ROLL-O-MATIC




48"-80" TREAD




38" TREAD

Front Wheel Equipment for 720 and 730 Diesel Series, General-Purpose Tractors



55-1/2" FIXED TREAD
(STANDARD)



ADJUSTABLE TREAD
(STANDARD)

Front Wheel Equipment for 720 and 730 Diesel Series, Standard Tractors

SECTIONAL INDEX

	Page		Page
Section 5 - General Information	5-1 to 5-9	Section 55 - Front End Equip-	
Section 10 - Front End Support		ment and Rear	
and Engine and		Wheels	55-2 to 55-27
Transmission Case	10-1 to 10-6	Section 60 - Hood, Grille,	
Section 15 - Engine	15-1 to 15-19	Fenders, and	
Section 20 - Pulley and Clutch . .	20-2 to 20-9	Miscellaneous . . .	60-2 to 60-29
Section 25 - Cooling System . . .	25-2 to 25-7	Section 65 - Powershaft and	
Section 30 - Governor	30-2 to 30-9	Powershaft	
Section 35 - Fuel System	35-2 to 35-19	Clutch.	65-2 to 65-11
Section 40 - Electrical System. .	40-2 to 40-52	Section 70 - Hydraulic System. .	70-2 to 70-35
Section 45 - Transmission, Dif-		Section 75 - Hitch	75-2 to 75-16
ferential, Final		Section 80 - Gasket Sets and	
Drive, and Brakes.	45-1 to 45-19	Decals	80-1 to 80-11
Section 50 - Power and Manual		Section 85 - Cranking Engine. . .	85-2 to 85-29
Steering	50-2 to 50-19	Section 90 - Numerical Index. . .	90-1 to 90-20

TRACTOR AND DIESEL ENGINE
ALPHABETICAL INDEX

A	Page		Page
Air cleaner	35-2	Draft link	75-4
Air stack	35-4	Draft link support	75-12
		Drag links and tie rods (standard)	55-20
B		Drawbar	75-12, 14, 16
Battery box	60-22, 24	Drive shaft and drive shaft housing	
Brakes.	45-16, 18	(Hi-Crop).	45-14
Brake, pulley	20-4, 6		
Breakaway coupler.	70-24, 26	E	
Breather, crankcase (Elec.)	10-6	Exhaust pipe.	15-16, 18
Bulk flexible oil lines.	70-27		
		F	
C		Fan	25-6
Cab	60-7	Fan and power steering pump.	50-4
Cam followers	15-14	Fan shaft	25-6, 50-4
Camshaft.	15-14	Fan shaft support.	25-6, 50-4
Case, engine and transmission	10-3	Fenders	60-6, 8
Cigarette lighter	40-24, 25, 26, 27	Final drive.	45-10, 12
Clutch operating parts	20-4, 6	Float-ride seat	60-27, 28
Clutch, powershaft	65-4	Flywheel.	15-8
Clutch, pulley	20-8	Front axle (standard)	55-17, 18
Connecting rods	15-10	Front axle housing (48" to 80" tread).	55-8
Control, governor	30-4	Front axle housing (38" fixed tread).	55-12
Control, powershaft clutch	65-8	Front axle housing (Hi-Crop)	55-14
Control, rockshaft	70-12, 14	Front axle knee (48" to 80" tread).	55-10
Control, throttle	30-6	Front axle knee (38" fixed tread)	55-13
Controls, remote cylinder	70-12, 14	Front axle knee (Hi-Crop).	55-15
Controls, starting	30-8	Front end support.	10-4
Cooling system.	25-2, 4, 5	Front mounted rockshaft	70-32
Countershaft.	45-4	Front wheels (except single front wheel).	55-22
Cover, crankcase	10-4	Fuel bleed	35-10
Cover, first and third shifter shaft.	15-8	Fuel filters.	35-12
Cover, first reduction gear	20-2	Fuel guage.	35-11
Cover, flywheel	15-8	Fuel injection pump.	35-16, 17
Cover, transmission case.	45-1	Fuel injection system.	35-14
Cranking motor and mounting bracket		Fuel pump.	35-12
(Elec.)	40-12	Fuel strainer.	35-10
Cranking motor (parts) (Elec.)	40-14, 18	Fuel tank.	35-8
Crankshaft	15-6		
Cylinder block	15-10	G	
Cylinder head.	15-12	Gasket sets.	80-1, 2, 3, 4, 5, 6, 7
Cylinder remote	70-30	Gauges	60-10, 11, 12
		Gear, camshaft and governor idler	15-14
D		Gear, countershaft idler	45-4
Dash pot	75-2	Gear, powershaft idler	65-2
Decalcomania set	80-8, 9, 10, 11	Gearshift	45-1
Differential	45-7, 9	Gearshift forks	45-2
Double front wheel	55-2	Gears, transmission drive and first	
		reduction	45-4

	Page		Page
Generator and mounting bracket	40-2, 3	Radiator	25-2
Generator, ignition and starting wiring. .	40-40, 42	Radius rod (Hi-Crop)	55-16
Generator parts.	40-4, 6, 8, 9	Radius rod (Standard).	55-17
Governor.	30-2	Rear axle shafts	45-10, 12
Governor control	30-4	Rear view mirror.	60-2
Grille	60-18, 20	Rear wheels.	55-24, 26, 27
		Regulator, voltage	40-10, 11
H		Replacement assemblies.	10-2
Head lamp wiring	40-44, 45, 46, 48	Reusable couplings	70-27
Heavy-duty drawbar (standard).	75-14	Rim, demountable	55-24, 26, 27
Hood	60-14, 15, 16, 17	Rockshaft assembly	70-6
Hose, remote cylinder	70-30	Rockshaft control linkage	70-10
Housing, dual remote cylinder valve . . .	70-20, 22	Rockshaft valve housing	70-8
Housing, powershaft.	65-10	Roll-O-Matic.	55-4
Housing, rockshaft and powershaft. . . .	70-2, 4		
Housing, rockshaft valve.	70-8	S	
Housing, single remote cylinder valve. .	70-18	Seat, float-ride	60-27, 28
Housing, timing gear.	15-8	Seat, regular	60-26
		Shaft, steering and wheel	50-14, 16
I		Shifter shafts	45-2
Implement warning lamp	40-50, 52	Single front wheel.	55-6
Injector nozzle	35-18, 19	Sliding Gear Shaft.	45-4
Instrument panel and gauges	60-10, 11, 12	Socket, electrical outlet.	60-24, 26
Instrument panel wiring	40-28, 30	Solenoid switch (Elec.).	40-16, 17
		Spark plug cable and lead wire kit . . .	70-35
L		Speed-hour meter	60-13
Lamp dash	40-24, 25, 26, 27	Starting controls	30-8
Lamps and wiring	40-32, 34, 36, 38	Steering spindle (manual steering). . . .	50-19
Lamps, front and rear (parts)	40-20	Steering spindle (power steering).	50-12
Lamp, warning	40-50, 52	Steering worm and housing (manual steering).	50-14, 18
Lift arms	70-6	Steering worm and housing (power steering).	50-6, 8
Lift links	75-6, 8	Step, tractor	60-4, 5
Load control.	75-2	Support, draft link.	75-12
		Support, steering shaft	50-14, 16
M		Switch, ignition	40-24, 25, 26, 27
Main bearings.	15-6		
Manuals, operator's	60-2	T	
Muffler and exhaust pipe.	15-16	Tail pipe.	15-18
Muffler and tail pipe	15-18	Tappets.	15-14
		Thermostat	25-4
N		Tool box	10-4, 60-8
Nozzle, injector	35-18, 19	Tools	60-4
		Transmission	45-4
O		Three-point hitch (Hi-Crop)	75-10
Oil filter and oil pipes	15-4	Transmission case cover and gearshift . .	45-1
Oil heater	60-3	Tubes, oil, power steering	50-11
Oil pump and oil pipes.	15-2	Tubes, oil, powr-trol.	70-24
Oil pump drive	15-1		
O-ring packing kit.	70-34	U	
Oil tubes, power steering	50-11	Upper link.	75-4
Oil tubes, powr-trol.	70-24		
		V	
P		Valve housing, dual remote cylinder . . .	70-20, 22
Pedal, decompression.	30-8	Valve housing, single remote cylinder. .	70-18
Pedestal and steering spindle (manual steering).	50-19	Valve, power steering	50-10
Pedestal and steering spindle (power steering).	50-12	Valves	15-12
Piston rings	15-10	Voltage regulator	40-10, 11
Pistons	15-10		
Platform	60-8, 22, 24	W	
Powershaft	65-2	Warning lamp.	50-52
Powershaft clutch	65-4	Warning lamp flasher.	40-22
Pre-cleaner	35-6	Water heater	60-3
Pulley.	20-8	Water pump.	25-5
Pump, fuel injection	35-16, 17	Weatherbrake.	60-7
Pump, oil	15-2	Weatherbrake cab.	60-7
Pump, powershaft	65-4	Weight, front end support	10-2
Pump, power steering.	50-4	Wheels, front (except single front wheel). .	55-22
Pump, powr-trol.	70-28	Wheel, single front	55-6
Pump, water	25-5	Wheels, rear	50-24, 26, 27
		Wheels, rear, power adjusted.	55-26
		Wiring	40-28, 42

CRANKING ENGINE ALPHABETICAL INDEX

A		Page	G		Page
Air cleaner		85-11	Gasket set		80-7
C			Governor		85-18
Cam followers		85-9	M		
Camshaft		85-9	Main bearing		85-6
Carburetor		85-14	Manifold		85-10
Choke lever		85-18	O		
Clutch		85-26	Oil pump		85-4
Connecting rods		85-6	P		
Control, throttle		85-18	Piston rings		85-6
Cooling system		85-16	Pistons		85-6
Cover, crankcase		85-2	Pump, oil		85-4
Cover, timing gear		85-2	Pump, water		85-16
Cranking motor		85-22, 24	S		
Crankshaft		85-6	Switch, ignition		40-8
Cylinder block		85-2	Switch, pressure		85-12
Cylinder head		85-8	T		
D			Tappets		85-8
Distributor		85-20	Transmission		85-28
E			V		
Exhaust pipe		85-10	Valves		85-8
F			W		
Flywheel		85-6	Water pump		85-16
Fuel shutoff		85-12			
Fuel tank		85-12			

NOTICE

"720" and "730" Diesel Tractors are started by one of two methods:

- (1) Gasoline cranking engine starting.
- (2) Electric cranking motor starting.

In this catalog, parts or assemblies which apply only to tractors started by gasoline cranking engine are identified by (C.E.) in the heading or description column.

Parts or assemblies which apply only to tractors started by electric cranking motor are identified by (ELEC.).

EXPLANATION OF SERIAL NUMBERS

Serial number information given on any page is applicable only to parts listed and illustrated on that page.

When the parentheses include only the dash..... (-)
the part is used on all tractors.

When a serial number appears before the dash..... (0000000-)
the part was introduced beginning with that serial number and is still being used.

When a serial number appears after the dash..... (-0000000)
the part was used up to and including that serial number but was not used after that serial number.

When serial numbers appear both before and after the dash..... (0000000-0000000)
the part was used beginning with the first serial number but was not used after the second serial number.

When a serial number begins with SRCV, DRCV, or 3-1/2RC..... (SRCV000-)
it refers to the remote cylinder valve housing, or remote cylinder, and not to the tractor.

Cranking engines have separate serial numbers on tractors with Serial No. 7214900 and up..... (SE0000-)

PACKAGED PARTS

For added protection and ease of handling between the factory, branch houses, parts depots, and most dealers, some parts which appear in this catalog, such as gaskets, are packed in packages which contain more than one of the part—usually five or ten. Dealers should order packaged quantities. Parts packaged in quantity will be furnished as individual parts only in extreme emergencies.

These parts should not be confused with other packaged items which are packaged in certain quantities but cannot be ordered individually.

Both types of packaged parts are identified by a statement which appears in the Description Column.

When the statement reads:

“Packed 5 in a pkg. or packed 10 in a pkg., etc.,” dealers should order the packaged quantities. The packages bear the same part number indicated by quantity as the individual parts.

When the statement reads:

“Pkg. of 2” or “Pkg. of 4,” etc., the parts cannot be ordered individually. The number which appears in the Parts Number Column is a “package” number and not the part number of the individual part.

ENGINE REPLACEMENT ASSEMBLIES
(Serial No. 7200000-)
CRANKSHAFT WITH BEARING GROUP

Description**Serial No.**

This group is made up of three assemblies—(1) of crankshaft, (2) of main bearing housings with bushings, center main bearing, and connecting rod bearings, (3) of gaskets.

CRANKSHAFT WITH BEARING GROUP (7200000-7214899)

Order: 1-AF 3748 R Crankshaft (sub. for AF2193R)
1-AF 3941 R Main bearing housings, with bushings, center main bearing, and connecting rod bearings
(sub. for AF3358R)
1-AF 3356 R Gasket set*

CRANKSHAFT WITH BEARING GROUP (7214900-)

Order: 1-AF 3748 R Crankshaft
1-AF 3941 R Main bearing housings, with bushings, center main bearing, and connecting rod bearings
(sub. for AF3908R) (7214900-7216149)
1-AF 3941 R Main bearing housings, with bushings, center main bearings, and connecting rod bearings (7216150-)
1-AF 3356 R Gasket set*

CYLINDER BLOCK, PISTONS, RING, AND GASKET SET

This group is made up of three assemblies—(1) of cylinder block, (2) of pistons with rings and pins, (3) of gaskets.

CYLINDER BLOCK, PISTONS, RINGS, AND GASKET GROUP (7200000-7214899)

Order: 1-AF 3703 R Cylinder block (sub. for AF2188R)
1-AF 3761 R Pistons, with rings and pins (sub. for AF3314R)
1-AF 3906 R Gasket set* (sub. for AF2248R)

CYLINDER BLOCK, PISTONS, RINGS, AND GASKET GROUP (7214900-)

Order: 1-AF 3703 R Cylinder block
1-AF 3761 R Pistons, with rings and pins
1-AF 3906 R Gasket set*

COMBINATION CYLINDER BLOCK AND CRANKSHAFT GROUP

This group is made up six assemblies (or two groups)—crankshaft with bearings and cylinder block with pistons, rings, gaskets, etc.—(1) crankshaft, (2) main bearing housings with bushings, center main bearing, and connecting rod bearings, (3) cylinder block, (4) pistons with rings and pins, (5 and 6) gaskets.

CYLINDER BLOCK AND CRANKSHAFT GROUP (7200000-7214899)

Order: 1-AF 3703 R Cylinder block (sub. for AF2188R)
1-AF 3761 R Pistons, with rings and pins (sub. for AF3314R)
1-AF 3748 R Crankshaft (sub. for AF2193R)
1-AF 3941 R Main bearing housings, with bushings, center main bearing, and connecting rod bearings
(sub. for AF3358R)
1-AF 3906 R Gasket set* (sub. for AF2248R)
1-AF 3356 R Gasket set*


CYLINDER BLOCK AND CRANKSHAFT GROUP (7214900-)

Order: 1-AF 3703 R Cylinder block
1-AF 3761 R Pistons, with rings and pins
1-AF 3748 R Crankshaft
1-AF 3941 R Main bearing housings, with bushings, center main bearing, and connecting rod bearings
(sub. for AF3908R) (7214900-7216149)
1-AF 3941 R Main bearing housings, with bushings, center main bearings, and connecting rod bearings
(7216150-)
1-AF 3906 R Gasket set*
1-AF 3356 R Gasket set*

*For illustrations and contents of gasket sets, see Gasket Set grouping.

ENGINE AND TRANSMISSION CASE AND COVERS


(Serial No. 7200000-)



66244

Key	Part No.	Serial No.	Description
1	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used) (C. E.)
	12H 303	(-)	Washer, lock, 5/16" (2 used) (C. E.)
2	F 1802 R	(-)	Cover, crankcase, L.H. (C. E.)
3	F 1804 R	(-)	Gasket (packed 5 in a pkg.) (C. E.)
4	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (5 used) (C. E.)
	12H 303	(-)	Washer, lock, 5/16" (5 used) (C. E.)
5	F 1801 R	(-)	Cover, crankcase, R.H. (C. E.)
6	F 1803 R	(-)	Gasket (packed 5 in a pkg.)
7	F 1549 R	(-)	Stud, 3/4" x 3-1/8" (8 used)
8	AF 3235 R	(-7299999)	Case, F2601R, engine and transmission (sub. AR21742R)
	AR 21742 R	(7300000-)	Case, R20400R or R21610R, engine and transmission (sub. for AR20529R)
9	F 2236 R	(-)	Stud, 3/4" x 4-1/2" (4 used)
10	D 2266 R	(-)	Stud, 3/4" x 3-3/4" (4 used) (General-Purpose)
	D 2266 R	(-)	Stud, 3/4" x 3-3/4" (2 used) (Standard)
11	F 2236 R	(-)	Stud, 3/4" x 4-1/2" (2 used) (Standard)
12	AF 2616 R	(-)	Cap, with dip stick
13	R 1590 R	(-)	Gasket (packed 5 in a pkg.)
14	R 1589 R	(-)	Tube, crankcase oil level rod
15	15H 585	(7300000-)	Plug, pipe, 3/4"
16	A 4827 R	(-)	Washer (aluminum) (2 used)
17	F 3128 R	(-)	Plug, drain (2 used)
18	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
19	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1/2"
20	R 1445 R	(-)	Nipple
21	A 4235 R	(-)	Gasket (packed 2 in a pkg.)
22	A 4233 R	(-)	Cap

FRONT END SUPPORT (Serial No. 7200000-)



FRONT END SUPPORT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 2777 R	(-7214899)	Support, F3010R or F3011R, front end, with bolt lock straps (sub. AF3701R)
2	AF 3701 R	(7214900-)	Support, F3501R or F3502R, front end, with bolt lock straps
3	F 1196 R	(-)	Strap, bolt lock (2 used)
4	A 4322 R	(-)	Screw, drive (4 used)
5	8H 2472*	(-)	Bolt, mach., 3/8" x 10-1/2" (2 used)
6	12H 294*	(-)	Washer, lock, 5/8" (4 used)
7	14H 800*	(-)	Nut, 5/8" (4 used)
8	3H 1605*	(-)	Bolt, cge., 5/8" x 4" (2 used)
9	A 5347 R	(-)	WEIGHT, FRAME, L.H. (ATTACHMENT) (EXCEPT TRACTORS EQUIPPED WITH 38" FIXED TREAD FRONT AXLE)
10	A 5351 R*	(-)	Stud, 5/8" x 3-1/2" (2 used)
11	24H 1378*	(-)	Washer, 11/16" x 1-1/2" x .134" (2 used)
12	A 5352 R*	(-)	Nut, special (2 used)
13	F 3042 R*	(-)	Screw, special cap
14	B 3310 R*	(-)	Washer
15	A 5345 R	(-)	WEIGHT, FRAME, FRONT (ATTACHMENT) (EXCEPT TRACTORS EQUIPPED WITH 38" FIXED TREAD FRONT AXLE)
16	A 1892 R	(-)	Nut, special hex., (2 used) (packed 25 in a pkg.)
17	A 5292 R	(-)	Stud, 5/8" x 2-1/4" (2 used) (packed 25 in a pkg.)
18	A 5346 R	(-)	WEIGHT, FRAME, R.H. (ATTACHMENT) (EXCEPT TRACTORS EQUIPPED WITH 38" FIXED TREAD FRONT AXLE)
19	19H 1847	(-)	Screw, cap, high-strength, 5/8" x 2-1/2" (2 used)
20	12H 294	(-)	Washer, lock, 5/8" (2 used)
21	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (6 used)
22	19H 294	(-)	Washer, lock, 5/8" (6 used)
23	19H 1936	(7222600-)	Screw, cap, high-strength, 3/8" x 4-1/4" (4 used) (Elec.)
24	12H 304	(7222600-)	Washer, lock, 3/8" (4 used) (Elec.)
25	19H 1948	(7222600-)	Screw, cap, high-strength, 1/4" x 3/4" (Elec.)
26	24H 1136	(7222600-)	Washer, 11/32" x 11/16" x .060" (Elec.)
27	R 20216 R	(7222600-)	Bracket tool box (Elec.)
28	14H 786	(7222600-)	Nut, 1/4" (Elec.)
29	12H 302	(7222600-)	Washer, lock, 1/4" (Elec.)
30	AR 20252 R	(7222600-)	Box, tool (Elec.)
31	19H 2000	(-)	Screw, cap, high-strength, 3/4" x 5" (2 used)
32	12H 236	(-)	Washer, lock, 3/4" (2 used)
33	B 3310 R	(-)	Washer (2 used)
34	F 2236 R	(-)	Stud, 3/4" x 4-1/2" (2 used) (standard)
35	D 2266 R	(-)	Stud, 3/4" x 3-3/4" (4 used) (general-purpose)
36	D 2266 R	(-)	Stud, 3/4" x 3-3/4" (2 used) (standard)
37	12H 236	(-)	Washer, lock, 3/4" (4 used)
38	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)


Part listed below is an assembly of certain parts in this grouping.

AF 2853 R	(-)	BOLTS, STUDS AND CAP SCREW, FRONT END WEIGHT (ATTACHMENT) (ASSEMBLY CONTAINS PARTS MARKED (*))
-----------	-------	--

Parts listed below are not illustrated.

A 5348 R	(-)	WEIGHT, AUXILIARY FRAME (ATTACHMENT)
AF 2854 R	(-)	STUDS AND CAP SCREW FOR ATTACHING ONE A5348R (ATTACHMENT) (ASSEMBLY CONSISTS OF TWO A5353R STUDS AND ONE F3043R CAP SCREW)
AF 2855 R	(-)	STUDS AND CAP SCREW FOR ATTACHING TWO A5348R (ATTACHMENT) (ASSEMBLY CONSISTS OF TWO F3044R STUDS AND ONE F3045R CAP SCREW)
14H 812	(-)	Nut, 3/8", front weight eye bolt (2 used)
R 21125 R	(-)	Bolt, front weight eye (2 used)
R 21130 R	(-)	WEIGHT, FRONT END (125 LBS.) (ATTACHMENT)


CRANKCASE COVER AND BREATHER (Elec.)
(Serial No. 7222600-)




Key	Part No.	Serial No.	Description
1	19H 1780	(7222600-)	Screw, cap, high-strength, 1/4" x 2-3/8" (4 used)
2	F 2116 R	(7222600-)	Washer (copper) (4 used) (packed 2 in a pkg.)
3	B 2986 R	(7222600-)	Plug, cap
4	AF 3737 R	(7222600-)	Breather, crankcase and air cleaner (sub. for AR20326R and AR21524R) (not furnished)
5	F 2190 R	(7222600-)	Gasket
6	AB 1629 R	(7222600-)	Clamp, with bolt
7	B 1569 R	(7222600-)	Bolt, clamp
8	R 1906 R	(7222600-)	Cup, oil
9	F 2115 R	(7222600-)	Gasket (packed 2 in a pkg.)
10	AR 21693 R	(7222600-)	Support
11	19H 1758	(7222600-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R)
12	12H 303	(7222600-)	Washer, lock, 5/16"
13	14H 785	(7222600-)	Nut, 5/16" (2 used)
14	12H 303	(7222600-)	Washer, lock, 5/16" (2 used)
15	R 20226 R	(7222600-)	Gasket (packed 2 in a pkg.)
16	19H 1900	(7222600-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used)
17	12H 303	(7222600-)	Washer, lock, 5/16" (2 used)
18	19H 1924	(7222600-)	Screw, cap, 7/16" x 3/4" (2 used)
	12H 293	(7222600-)	Washer, lock, 7/16" (2 used)
	AR 20324 R	(7222600-)	Cover, crankcase, with weld screws
	F 1803 R	(7222600-)	Gasket (packed 5 in a pkg.)

ENGINE OIL PUMP DRIVE

(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	A 562 R	(-)	Snap ring
2	F 1982 R	(-)	Washer, thrust
3	JD 7939	(-)	Bearing (2 used)
4	F 1979 R	(-)	Gear, oil pump idler
5	F 1980 R	(-)	Spacer
6	F 1981 R	(-)	Washer, thrust
7	AF 2069 R	(-)	Shaft, oil pump idler gear, with pin
8	R 726 R	(-)	Pin, dowel
9	C 1387 R	(-)	Nut, slotted, 5/8" (2 used) (packed 10 in a pkg.)
10	11H 236	(-)	Pin, cotter, 1/8" x 1" (2 used)
11	F 1821 R	(-)	Gear, oil pump drive
12	26H 17	(-)	Key, Woodruff, 3/16" x 7/8" (2 used)
13	AF 1999 R	(-)	Shaft, oil pump drive, with nuts
14	19H 1822	(-)	Screw, cap, high-strength, 7/16" x 1" (4 used)
15	A 4605 R	(-)	Plate, lock (4 used)
16	AF 1998 R	(-)	Housing, F1819R, oil pump drive, with bushings
17	F 3162 R	(-)	Bushing (2 used)
18	R 198 R	(-)	Washer, shim, 0.0025"
	R 200 R	(-)	Washer, shim, 0.010"
19	R 197 R	(-)	Washer, thrust
20	F 1823 R	(-)	Shim (paper) (packed 20 in a pkg.)
	F 1825 R	(-)	Shim (steel)
21	F 1822 R	(-)	Gear, bevel, oil pump drive

DIESEL ENGINE OIL PUMP
(Serial No. 7200000-)

39205


DIESEL ENGINE OIL PUMP -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 2004 R	(-)	Pipe, oil pump discharge
2	R 415 R	(-)	Shim (paper) 0.005" (packed 5 in a pkg.)
	B 251 R	(-)	Gasket (packed 5 in a pkg.)
3	R 220 R	(-)	Gear, bevel, oil pump drive
4	AR 445 R	(-)	Screen, oil pump
5	(-)	Wire, 16 gauge x 15" long
6	B 387 R	(-)	Snap ring (2 used) (packed 5 in a pkg.)
7	R 410 R	(-7328999)	Body, oil pump (sub. AR21892R)
	R 21715 R	(7329000-)	Body, oil pump
8	19H 456	(-)	Screw, cap, high-strength, 1/2" x 1-3/8" (3 used)
	12H 301	(-)	Washer, lock, 1/2" (3 used)
9	R 413 R	(-7328999)	Shaft, oil pump drive
	R 21716 R	(7329000-)	Shaft, oil pump drive
10	R 400 R	(-7328999)	Shaft, oil pump idler gear
	R 21714 R	(7329000-)	Shaft, oil pump idler gear
11	26H 70	(-)	Key, Woodruff, 1/8" x 1/2" (2 used)
12	AR 881 R	(-7328999)	Gear, oil pump (pkg. of two R398R) (1 pkg. used)
	AR 21891 R	(7329000-)	Gear, oil pump (pkg. of two R21713R) (1 pkg. used)
13	B 246 R	(-)	Gasket (packed 5 in a pkg.)
14	P 247 R	(-)	Cover, oil pump
15	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (4 used)
	12H 304	(-)	Washer, lock, 3/8" (4 used)

Part listed below is an assembly of some of the parts in this grouping.

AR 21892 R	(-)	Pump, oil, heavy-duty replacement assembly, consisting of: one oil pump, two gaskets, two shims and one Woodruff key
------------	-------	---

OIL FILTER AND OIL PIPES (Serial No. 7200000-)




OIL FILTER AND OIL PIPES -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AR 453 R	(-7214899)	Pipe, oiler, tappet lever, with clips and elbow
2	R 425 R	(-7214899)	Elbow, tappet lever oiler
3	AF 3710 R	(-7214899)	Pipe, oil, cylinder to tappet lever oiler (sub. for AF2007R)
4	21H 1144	(-)	Screw, mach., rd. hd., 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
5	AF 3710 R	(7214900-)	Pipe, oiler, tappet lever, with clips
6	F 357 R	(-)	Elbow
7	AF 2003 R	(-)	Pipe, oil, case to main bearing, L.H.
8	A 2069 R	(-)	Nut, bushing
9	D 417 R	(-)	Elbow (2 used)
10	AF 3287 R	(-)	Pipe, oil, filter to case, L.H.
11	AF 3288 R	(-)	Pipe, oil, center main bearing
12	F 357 R	(-)	Elbow
13	D 3041 R	(-)	Tee
14	F 1826 R	(-)	Head, oil filter
15	M 886 T	(-)	Ball, oil filter by-pass valve (sub. for A174R)
16	D 2428 R	(-7317426)	Cap, oil filter by-pass valve (sub. R21635R cap and B439R spring)
	R 21635 R	(7317427-)	Cap, oil filter by-pass valve
17	A 521 R	(-)	Washer (copper)
18	D 2001 R	(-7215106)	Spring, oil filter by-pass valve (sub. R21635R cap and B439R spring)
	F 3463 R	(7215107-7317426)	Spring, oil filter by-pass valve (sub. R21635R cap and B439R spring)
	B 439 R	(7317427-)	Spring, oil filter by-pass valve
19	A 258 R	(-)	Connector
20	AF 2006 R	(-)	Pipe, oil, camshaft
21	D 417 R	(-)	Elbow
22	AF 2005 R	(-)	Pipe, oil, filter relief
23	AF 2001 R	(-)	Pipe, oil, main bearing, R.H.
24	R 420 R	(-)	Tee
25	B 2568 R	(-7213536)	Bushing, oil pressure relief valve (sub. F3468R)
	F 3468 R	(7213537-)	Bushing, oil pressure relief valve
26	16H 658	(-)	Rivet, R. L. O. H., 1/4" x 5/8"
27	AB 3453 R	(-)	Spring, leaf, oil pressure relief valve, with pilot
28	D 2425 R	(-)	Pilot, oil pressure relief coil spring
29	R 741 R	(-)	Spring, oil pressure adjusting
30	B 2307 R	(-)	Screw, oil pressure adjusting
31	B 2308 R	(-)	Gasket (packed 2 in a pkg.)
32	AR 452 R	(-)	Housing, B2305R, oil pressure relief valve, with spring and adjusting screw
33	A 5364 R	(-)	Washer (2 used) (packed 5 in a pkg.)
34	14H 732	(-)	Nut, jam, 3/8"
35	B 427 R	(-)	Nut, cap
36	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
37	19H 99	(-7225046)	Screw, cap, high-strength, 5/16" x 9/16" (3 used)
	19H 1813	(7225047-)	Screw, cap, high-strength, 5/16" x 5/8" (3 used)
	12H 303	(-)	Washer, lock, 5/16" (3 used)
38	AR 21268 R	(-7225046)	Plate, oil filter body, with gasket and cap screws
	R 20250 R	(7225047-)	Plate, oil filter body
39	A 1152 R	(-7225046)	Body, oil filter (sub. R20248R)
	R 20248 R	(7225047-)	Body, oil filter
40	A 1149 R	(-7225046)	Gasket (packed 2 in a pkg.) (sub. R20249R)
	R 20249 R	(7225047-)	Gasket (packed 2 in a pkg.)
41	B 1745 R	(-)	Stud, 1/2" x 8-7/8"
42	AA 2096 R	(-)	Outlet, oil filter
43	AR 28110 R	(-)	Element, oil filter (pkg. of 4) (sub. for AA3680R or AR21777R)
44	A 2444 R	(-)	Snap ring (packed 10 in a pkg.)
45	A 2530 R	(-)	Spacer
46	AA 2095 R	(-)	Plate, end and spacer
47	A 2441 R	(-)	Spring (packed 5 in a pkg.)
48	24H 1660	(-)	Washer, 5-7/64" x 1-3/8" x .060"
49	A 519 R	(-)	Gasket (rubber) (packed 5 in a pkg.)
50	A 522 R	(-)	Cover
51	A 521 R	(-)	Washer (copper)
52	AF 2889 R	(-)	Nut

CRANKSHAFT AND MAIN BEARINGS

(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 80 R	(7214900-)	Snap ring
2	19H 1777	(-)	Screw, cap, high-strength, 1/2" x 1-3/4" (4 used)
3	F 262 R	(-)	Plate, lock, (4 used) (sub. for F2220R)

CRANKSHAFT AND MAIN BEARINGS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
4	F 1925 R	(-7214899)	Gear, crankshaft
	F 3562 R	(7214900-)	Gear, crankshaft
5	AF 2045 R	(-7214899)	Housing, F1920R, L.H. main bearing, with bushing (exchange credit allowable) (sub. AF3753R)
	AF 3753 R	(7214900-)	Housing, F3571R, L.H. main bearing, with bushing and thrust washer (exchange credit allowable)
	AF 2199 R	(-7214899)	Housing, F1920R, L.H. main bearing, with .002" undersize bushing (exchange credit allowable) (sub. AF3754R)
	AF 3754 R	(7214900-)	Housing, F3571R, L.H. main bearing, with thrust washer and .002" undersize bushing (exchange credit allowable)
	AF 2203 R	(-7214899)	Housing, F1920R, L.H. main bearing, with .004" undersize bushing (exchange credit allowable) (sub. AF3755R)
	AF 3755 R	(7214900-)	Housing, F3571R, L.H. main bearing, with thrust washer and .004" undersize bushing (exchange credit allowable)
6	A 3959 R	(-)	Pin, dowel (2 used)
7	F 1921 R	(-)	Bushing, main bearing (2 used) (to be sized after installing in housing (always provide .0055" to .0075" clearance)
8	R 1407 R	(7214900-)	Washer, thrust
9	26H 30	(-)	Key, Woodruff, 1/4" x 1-1/4"
10	AF 2193 R	(-7214899)	Crankshaft, F1910R, with counterweight and inner race (sub. AF3748R)
	AF 3748 R	(7214900-)	Crankshaft, F3560R or F3561R, with counterweight and inner race
11	F 1912 R	(-)	Plate, lock
12	14H 794	(-)	Nut, 3/4" (sub. for A5405R)
13	AF 3292 R	(-)	Bearing, center main (pkg. of two F3313R) (1 pkg. used)
	AF 3293 R	(-)	Bearing, center main, .002" undersize (pkg. of two F3264R) (1 pkg. used)
	AF 3294 R	(-)	Bearing, center main, .004" undersize (pkg. of two F3265R) (1 pkg. used)
	AF 3300 R	(-)	Bearing, center main, .020" undersize (pkg. of two F3223R) (1 pkg. used)
	AF 3301 R	(-)	Bearing, center main, .022" undersize (pkg. of two F3224R) (1 pkg. used)
	AF 3302 R	(-)	Bearing, center main, .030" undersize (pkg. of two F3225R) (1 pkg. used)
	AF 3303 R	(-)	Bearing, center main, .032" undersize (pkg. of two F3226R) (1 pkg. used)
14	AF 3286 R	(-)	Housing, F1915R and F3312R, center main bearing
15	26H 85	(-)	Key, Woodruff, 1/4" x 1"
16	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
17	19H 2377	(-)	Screw, cap, high-strength, 3/8" x 3" (sub. for F1916R) (2 used)
18	F 2358 R	(-)	Plate, lock (3 used)
19	19H 1654	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (6 used)
20	8H 3785	(-)	Bolt, mach., 3/4" x 10"
21	F 1922 R	(-)	Gasket (packed 2 in a pkg.)
22	AF 3230 R	(-7216149)	Housing, F2721R, R.H. main bearing, with oil seal and bushing (exchange credit allowable) (sub. AF3922R)
	AF 3922 R	(7216150-)	Housing, F3676R, R.H. main bearing, with oil seal and bushing (exchange credit allowable)
	AF 3232 R	(-7216149)	Housing, F2721R, R.H. main bearing, with oil seal and .002" undersize bushing (exchange credit allowable) (sub. AF3937R)
	AF 3937 R	(7216150-)	Housing, F3676R, R.H. main bearing, with oil seal and .002" undersize bushing (exchange credit allowable)
	AF 3233 R	(-7216149)	Housing, F2721R, R.H. main bearing, with oil seal and .004" undersize bushing (exchange credit allowable) (sub. AF3939R)
	AF 3939 R	(7216150-)	Housing, F3676R, R.H. main bearing, with oil seal and .004" undersize bushing (exchange credit allowable)
23	AF 2653 R	(-)	Baffle, transmission oil, with support
24	(-)	Wire, 16 gauge x 9" long
25	D 916 R	(-)	Screw, cap, 3/8" x 3/4" (drilled)
26	AF 2659 R	(-)	Seal, oil
27	F 2524 R	(-)	Gear, powershaft drive
28	F 1334 R	(-)	Snap ring
29	F 1228 R	(-)	Disk, drive
30	19H 1835	(-)	Bolt, mach., 3/4" x 1-1/2"
	12H 236	(-)	Washer, lock, 3/4"
31	R 20136 R	(-7220102)	Washer (sub. for D141R)
	R 20136 R	(7220103-)	Washer
32	19H 1777	(-)	Screw, cap, high-strength, 1/2" x 1-3/4" (6 used)
33	F 262 R	(-)	Plate, lock (6 used)
34	A 4847 R	(-)	Gasket (packed 2 in a pkg.)
Part listed below is not illustrated.			
	AF 3356 R	(-)	Gasket set, crankshaft and bearing replacement (see gasket set group for illustrations and contents)

FLYWHEEL, FLYWHEEL COVER, AND TIMING GEAR HOUSING
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	19H 95	(-)	Screw, cap, high-strength, 5/16" x 7/16" (6 used)
	12H 303	(-)	Washer, lock, 5/16" (6 used)
2	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (C.E.)
	12H 304	(-)	Washer, 3/8" (C.E.)
3	14H 812	(7222600-)	Nut, 3/8" (Elec.)
4	12H 304	(7222600-)	Washer, lock, 3/8" (Elec.)
5	F 1932 R	(-)	Cover, flywheel
6	A 3311 R	(-7323120)	Felt (3 used)
	R 21676 R	(7323121-)	Seal, flywheel dust cover, upper
	R 21677 R	(7323121-)	Seal, flywheel dust cover, lower
7	29H 3126	(7222600-)	Spacer, flywheel cover (Elec.) (sub. for R20131R)
8	R 20132 R	(7222600-)	Stud, 3/8" x 3-3/4", flywheel cover spacer (Elec.)
9	A 3312 R	(-)	Nut, lock
10	8H 1496	(-)	Bolt, mach., 3/4" x 4-3/4" (2 used)
11	14H 794	(-)	Nut, 3/4" (2 used) (sub. for A5405R)

FLYWHEEL, FLYWHEEL COVER, AND TIMING GEAR HOUSING -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
12	AF 2194 R	(-7214899)	Flywheel, F1913R, with starter gear
	AF 3751 R	(7214900-)	Plywheel, F3570R, with starter gear
13	A 2238 R	(-)	Gear, starter
14	D 2009 R	(-)	Pin, spacer drive
15	19H 95	(-)	Screw, cap, high-strength, 5/16" x 7/16" (4 used)
	12H 303	(-)	Washer, lock, 5/16" (4 used)
16	24H 1305	(-)	Washer, 13/32" x 13/16" x .060"
17	AF 2427 R	(-7299999)	Plate, flywheel cover back, with felts (C.E.) (sub. AR21847R, R21676R, and R21677R)
	AR 20494 R	(7300000-7323120)	Plate, flywheel cover back, with felts (C.E.) (sub. AR21847R, R21676R, and R21677R)
	AR 21847 R	(7323121-)	Plate, flywheel cover back, with seals (C.E.)
	AR 20147 R	(7226000-7299999)	Plate, flywheel cover back, with felts (Elec.) (sub. AR21848R, R21676R, and R21677R)
	AR 20495 R	(7300000-7323120)	Plate, flywheel cover back, with felts (Elec.) (sub. AR21848R, R21676R, and R21677R)
	AR 21848 R	(7323121-)	Plate, flywheel cover back, with seals (Elec.)
	R 21678 R	(7323121-)	Seal, dust, flywheel cover back plate, upper
	R 21679 R	(7323121-)	Seal, dust, flywheel cover back plate, lower
18A	19H 1139	(-7214899)	Screw, cap, high-strength, 3/8" x 1-1/8" (5 used)
	12H 304	(-7214899)	Washer, lock, 3/8" (5 used)
18B	19H 1139	(7214900-)	Screw, cap, high-strength, 3/8" x 1-1/8" (5 used)
	12H 304	(7214900-)	Washer, lock, 3/8" (5 used)
19A	F 1928 R	(-7214899)	Cover, crankshaft thrust
19B	F 3563 R	(7214900-7316360)	Housing, crankshaft oil slinger (sub. AR21755R)
	AR 21754 R	(7316361-)	Housing, R21625R, flywheel spacer oil seal, with oil seal and washer
	AF 2426 R	(7316361-)	Seal, oil, flywheel spacer
	AR 21755 R	(7214900-7316360)	Seal, flywheel spacer, consists of: AR21753R spacer, flywheel, with packing, AR21754R housing, flywheel spacer oil seal with AF2426 oil seal and R21626R felt washer, R20232R gasket, oil seal housing spacer and R21628R set screw, special, in cylinder head
20A	F 1929 R	(-7214899)	Shim (paper) (2 used) (packed 5 in a pkg.)
	F 2443 R	(-7214899)	Shim (steel)
20B	R 20232 R	(7214900-)	Gasket (sub. for F3564R)
21A	AA 5409 R	(-7214899)	Spacer, A3324R, with packing
21B	AF 3757 R	(7214900-7316360)	Spacer, F3565R, with packing (sub. AR21755R)
	AR 21753 R	(7316361-)	Spacer, R21624R, with packing
22	A 4224 R	(-)	Packing (packed 5 in a pkg.)
23A	F 1926 R	(-7214899)	Washer, crankshaft thrust (2 used)
23B	F 3566 R	(7214900-)	Washer, crankshaft thrust
24	F 1927 R	(-7214899)	Plate, crankshaft thrust
25	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (5 used)
	12H 293	(-)	Washer, lock, 7/16" (5 used)
26	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4" (6 used)
	12H 293	(-)	Washer, lock, 7/16" (6 used)
27	AF 2779 R	(-7299999)	Housing, F2588R, timing gear, with bushing (sub. AR20496R)
	AR 20496 R	(7300000-)	Housing, R20380R, timing gear, with bushing
28	F 2145 R	(-)	Pin, special dowel (2 used)
29	F 2589 R	(-)	Gasket (packed 2 in a pkg.)
30	F 1925 R	(-7214899)	Gear, crankshaft
	F 3562 R	(7214900-)	Gear, crankshaft
31	R 80 R	(7214900-)	Snap ring
32	A 3907 R	(-)	Bushing
33	R 228 R	(-)	Plug, drain
34	R 229 R	(-)	Washer (aluminum)
35	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2" (9 used)
	12H 304	(-)	Washer, lock, 3/8" (9 used)
36	A 3910 R	(-)	Plug
37	F 2996 R	(-)	Gasket (packed 2 in a pkg.)
38	F 2995 R	(-)	Bearing, first and third shifter shaft
39	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
40	19H 1189	(-)	Screw, cap, 7/16" x 3-1/4"
	12H 293	(-)	Washer, lock, 7/16"


Part listed below is not illustrated.

AR 21950 R (-7214899)

Kit, oil slinger service consisting of:

- One - AR21951R spacer, flywheel with A4224R packing
- One - AR21952R housing, R21803R, flywheel spacer, with AF2426 oil seal, R21626R felt washer and F1743R pin
- Two - F1926R washer, thrust
- Six - F1929R shim, .005" steel
- Five - F2443R shim, .005" paper
- One - R21804R locator, thrust washer

CYLINDER BLOCK, CONNECTING RODS, AND PISTONS
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	19H 1189	(-)	Screw, cap, 7/16" x 3-1/4" (2 used)
2	A 3439 R	(-)	Washer (aluminum) (2 used) (packed 10 in a pkg.) (sub. for B214R)
3	R 60 R	(-7223363)	Cover, cylinder (C. E.)
	R 20591 R*	(7223364-)	Cover, cylinder (C. E.)
	R 20591 R	(722600-)	Cover, cylinder (Elec.)

CYLINDER BLOCK, CONNECTING RODS, AND PISTONS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
4	R 61 R	(-)	Gasket (packed 5 in a pkg.)
5	14H 391	(-)	Nut, 1/2" (4 used)
6	12H 301	(-)	Washer, lock, 1/2" (4 used)
7	D 488 R	(-)	Stud, 1/2" x 2" (4 used)
8	R 1254 R	(-)	Stud, 3/4" x 7-7/16" (10 used)
9	AF 2188 R	(-7214899)	Cylinder, F1956R, with studs (sub. AF3703R)
	AF 3703 R	(7214900-)	Cylinder, F3510R, with studs
10	R 26650 R	(7214900-)	Pin, dowel (2 used) (sub. for A4879R)
11	F 1777 R	(-)	Gasket (packed 5 in a pkg.)
12	F 1776 R	(-)	Outlet, cylinder water (C. E.)
13	19H 2313	(-)	Screw, cap, high-strength, 5/16" x 1-3/4" (2 used) (sub. for F2271R (C. E.))
	12H 303	(-)	Washer, lock, 5/16" (2 used) (C. E.)
14	19H 2127	(7222600-)	Screw, cap, high-strength, 5/16" x 7/8" (2 used) (Elec.)
	12H 303	(7222600-)	Washer, lock, 5/16" (2 used) (Elec.)
15	R 20134 R	(7222600-)	Cover, cylinder water outlet (Elec.)
16	14H 794	(-)	Nut, 3/4" (12 used) (sub. for A5405R)
17	F 2236 R	(-)	Stud, 3/4" x 4-1/2" (4 used)
18	F 2251 R	(-)	Gasket (packed 5 in a pkg.)
19	AF 3314 R	(-7214899)	Piston, two F3120R, with rings and pins (sub. AF3761R)
	AF 3761 R	(7214900-)	Piston, two AF3765R, with rings and pins
	AF 3315 R	(-7214899)	Piston, two F3121R, .045" oversize, with rings (sub. AF3763R)
	AF 3763 R	(7214900-)	Piston, two AF3767R, .045" oversize, with rings
	AF 3765 R	(-)	Piston, only
20	F 1794 R	(-)	Pin, piston, standard (2 used) (packed 2 in a pkg.) (sub. two for one AF2221R)
	F 2178 R	(-)	Pin, piston, .003" oversize (marked with yellow) (2 used) (packed 2 in a pkg.) (sub. two for one AF2222R)
	F 2179 R	(-)	Pin, piston, .005" oversize (marked with red) (2 used) (packed 2 in a pkg.) (sub. two for one AF2223R)
21	R 239 R	(-)	Snap ring (4 used)
22	AF 2440 R	(-)	Rod, F2432R, connecting, with piston pin bushing only (2 used)
23	R 1884 R	(-)	Bushing, piston pin (2 used) (packed 2 in a pkg.) (sub. two for one AR1395R)
24	AR 1020 R	(-)	Bolt, connecting rod, with nut (4 used)
25	R 1236 R	(-)	Nut, special lock (4 used) (packed 10 in a pkg.)
26	AF 2226 R	(-)	Bearing, connecting rod (pkg. of two F1799R) (2 pkgs. used)
	AF 2227 R	(-)	Bearing, connecting rod, .002" undersize (pkg. of two F2180R) (2 pkgs. used)
	AF 2228 R	(-)	Bearing, connecting rod, .004" undersize (pkg. of two F2181R) (2 pkgs. used)
	AF 3304 R	(-)	Bearing, connecting rod, .020" undersize (pkg. of two F3227R) (2 pkgs. used)
	AF 3305 R	(-)	Bearing, connecting rod, .022" undersize (pkg. of two F3328R) (2 pkgs. used)
	AF 3306 R	(-)	Bearing, connecting rod, .030" undersize (pkg. of two F3329R) (2 pkgs. used)
	AF 3307 R	(-)	Bearing, connecting rod, .032" undersize (pkg. of two F3230R) (2 pkgs. used)
27	AF 2276 R	(-)	Ring, piston, oil control, skirt end (pkg. of 2) (1 pkg. used)
	AF 2278 R	(-)	Ring, piston, .045" oversize, oil control, skirt end (pkg. of 2) (1 pkg. used)
28	AF 2275 R	(-)	Ring, piston, oil control, slotted (pkg. of 2) (1 pkg. used)
	AF 2277 R	(-)	Ring, piston, .045" oversize, oil control, slotted (pkg. of 2) (one pkg. used)
29	AF 2224 R	(-7214899)	Ring, piston (set of 4 oil control and 8 compression)
	AF 3768 R	(7214900-)	Ring, piston (set of 4 oil control and 8 compression) (also parts from 7200000-7214899 when pistons marked AF3765R are used)
	AF 2225 R	(-7214899)	Ring, piston, .045" oversize (set of 4 oil control and 8 compression)
	AF 3769 R	(7214900-)	Ring, piston, .045" oversize (set of 4 oil control and 8 compression) (also parts from 7200000-7214899 when pistons marked AF3767R are used)
	AR 21887 R	(-7214899)	Ring, piston, heavy-duty (set of 4 oil control, 8 compression and 4 expanders)
	AR 21888 R	(7214900-)	Ring, piston, heavy-duty (set of 4 oil control, 8 compression and 4 expanders) (also parts from 7200000-7214899 when pistons marked AF3765R are used)
	AR 21983 R	(-)	Ring, piston, heavy-duty, oil control (set of 4 rings for grooves 5 and 6, and 2 expanders for grooves 6)
30	F 1549 R	(-)	Stud, 3/4" x 3-1/8" (special) (8 used)
Parts listed below are not illustrated.			
	AF 2248 R	(-7214899)	Gasket set, rings, and cylinder replacement (see gasket set grouping for illustrations and contents) (sub. AF3906R)*
	AF 3906 R	(7214900-)	Gasket set, rings and cylinder replacement (see gasket set grouping for illustrations and contents)

*Parts for 7200000-7223363 where AR20874R injection pump fuel bleed system has been installed.


CYLINDER HEAD, VALVES, AND TAPPET COVER
(Serial No. 7200000-)

CYLINDER HEAD, VALVES, AND TAPPET COVER -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 1897 R	(-)	Cover, tappet lever
2	19H 1924	(-)	Screw, cap, high-strength, 7/16" x 3/4" (3 used)
3	A 3439 R	(-)	Washer (aluminum) (3 used) (packed 10 in a pkg.)
4	F 1898 R	(-)	Gasket (packed 5 in a pkg.)
5	A 2332 R	(-)	Lock, retainer (8 used)
6	A 2333 R	(-7219424)	Cap, valve spring (4 used) (sub. R1917R on 720 diesel only)
	R 1917 R	(7219425-)	Cap, valve spring (4 used)
7	F 2143 R	(-)	Spring, valve (4 used) (packed 2 in a pkg.)
8	A 2467 R	(-)	Guide valve (4 used) (packed 4 in a pkg.) (sub. four for one AA4897R)
9	14H 794	(-)	Nut, 3/4" (8 used) (sub. for A5405R)
10	264 R	(-)	Washer, lead (10 used) (packed 100 in a pkg.)
11	R 59 R	(-)	Nut, coupling (2 used)
12	12H 293	(-)	Washer, lock, 7/16"
13	F 1899 R	(-)	Support, tappet lever
14	21H 1018	(-7214899)	Screw, mach., fill hd., 1/4" x 3/8" (2 used)
	12H 302	(-7214899)	Washer, lock, 1/4" (2 used)
15	24H 1287	(-7214899)	Washer, 9/32" x 5/8" x .060" (2 used)
16	AF 3190 R	(-7214899)	Sleeve, injector nozzle (2 used)
17	R 1225 R	(-7214899)	Packing, O-ring (2 used) (packed 5 in a pkg.)
18	AF 3186 R	(-7214899)	Head, F3211R, cylinder, with valve guides, injector nozzle sleeves, studs, and pins (sub. AF3706R)
	AF 3706 R	(7214900-)	Head, F3511R, cylinder, with valve guides, studs, and pins
	R 21628 R	(7214900-7316359)	Screw, special set, in cylinder head
19	D 488 R	(-)	Stud, 1/2" x 2" (4 used)
20	F 3212 R	(-7214899)	Gasket, cylinder head (sub. R21449R)
	F 3512 R	(7214900-7317261)	Gasket, cylinder head (sub. R21449R)
	R 21449 R	(7317262-)	Gasket, cylinder head (packed 5 in a pkg.)
21	F 3213 R	(-)	Valve, intake (2 used) (packed 2 in a pkg.) (sub. two for one AF3191)
	F 3214 R	(-)	Valve, exhaust (2 used) (packed 2 in a pkg.) (sub. two for one AF3192R)
22	A 2093 R	(-)	Plug, drain (packed 5 in a pkg.)
Part listed below is not illustrated.			
	AF 3907 R	(-)	Gasket set, valve replacement (see gasket set group for illustrations and contents)

CAMSHAFT AND TAPPET ASSEMBLY

(Serial No. 7200000-)



65544


CAMSHAFT AND TAPPET ASSEMBLY -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2" (2 used)
2	R 1143 R	(-)	Shaft, tappet lever
3	24H 1660	(-)	Washer, 57/64" x 1-3/8" x .060" (3 used)
4	R 146 R	(-)	Lever, exhaust tappet, L.H.
5	F 1896 R	(-)	Bracket (2 used)
6	R 144 R	(-)	Lever, inlet tappet (2 used)
7	R 1360 R	(-)	Spring
8	19H 1471	(-7303992)	Screw, cap, 3/4" x 3-1/2" (2 used)
	19H 2113	(7303993-)	Screw, cap, 3/4" x 3-1/4" (2 used)
9	14H 846	(-)	Nut, 3/8" (4 used)
10	R 145 R	(-)	Lever, exhaust, R.H.
11	F 2559 R	(-)	Screw, adjusting (4 used)
12	F 1743 R	(-7303992)	Pin, dowel (2 used)
	R 21068 R	(7303993-)	Pin, dowel (2 used)
13	F 1895 R	(-)	Rod, tappet (4 used)
14	F 1894 R	(-)	Follower, cam (4 used)
15	R 2609 R	(-)	Bushing, camshaft, R.H. (sub. for AR710R and R1017R)
16	R 726 R	(-)	Pin, dowel
17	AF 2034 R	(-7223363)	Camshaft, with pin (C. E.) (sub. one AR20247R camshaft and one AR20874R injection pump fuel bleed system)
	AR 20247 R	(7223364-)	Camshaft, with pin (C. E.)
	AR 20247 R	(7222600-)	Camshaft, with pin (Elec.)
18	26H 85	(-)	Key, Woodruff, 1/4" x 1"
19	R 129 R	(-)	Nut, locking
20	F 1892 R	(-)	Plate, lock
21	F 1891 R	(-7206038)	Gear, camshaft (sub. F3324R)
	F 3324 R	(7206039-)	Gear, camshaft
22	F 1893 R	(-7224880)	Screw, special set (sub. R20242R)
	R 20242 R	(7224881-)	Screw, special set
23	14H 473	(-)	Nut, jam, 1/2"
24	F 1890 R	(-)	Bearing, camshaft, L.H.
25	R 2608 R	(-)	Bushing, camshaft, center (sub. for AR711R and R1019R)
26	19H 1828	(7300000-)	Screw, cap, high-strength, 7/16" x 4"
27	A 4605 R	(7300000-7303126)	Plate, lock
	R 21076 R	(7303127-)	Plate, lock
28	R 20374 R	(7300000-)	Washer, special
29A	AF 2037 R	(-7299999)	Gear, camshaft and governor idler
29B	AR 20493 R	(7300000-)	Gear, camshaft and governor idler, with bearing
	(7300000-)	Bearing (not furnished)
	AR 21616 R	(-7299999)	Gear, camshaft and governor idler, with R21523R O. S. shaft
30A	F 1900 R	(-7299999)	Shaft, camshaft and governor idler gear
30B	R 20373 R	(7300000-)	Shaft, camshaft and governor idler gear
31	A 378 R	(-7299999)	Snap ring
32	A 1401 R	(-7299999)	Snap ring (2 used)
33	JD 8531	(-7299999)	Bearing

Part listed below is not illustrated.


AR 20874 R	(7200000-7223363)	Pump, injection, fuel bleed system (use in conjunction with AR2024 camshaft)
------------	-------------------	--

*Parts for 7200000-7223363 where AR20874R injection pump fuel bleed system has been installed.

EXHAUST PIPE AND MUFFLER
(Serial No. 7200000-)

EXHAUST PIPE AND MUFFLER -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1085	(-)	Screw, cap, high-strength, 1/2" x 2-1/4" (2 used)
2	24H 1341	(-)	Washer, 17/32" x 15/16" x .060" (4 used)
3	19H 2123	(-)	Screw, cap, high-strength, 1/2" x 4-1/4" (2 used)
4	F 1763 R	(-)	Outlet, exhaust
5	19H 1777	(-)	Screw, cap, high-strength, 1/2" x 1-3/4" (2 used)
6	14H 809	(-)	Nut, 1/2" (2 used)
7	AF 1972 R	(-7299999)	Pipe, exhaust, with flange (sub. AR20517R)
	AR 20517 R	(7300000-)	Pipe, exhaust, with flange
8A	AA 300 R	(-7214899)	Muffler (sub. AF3770R)
	AF 3770 R	(7214900-7299999)	Muffler
8B	AR 20450 R	(7300000-)	Muffler (can be installed on tractors 7200000-2799999)
9	A 4646 R	(7300000-)	Nut, 3/8" (brass) (4 used) (packed 5 in a pkg.)
10	12H 304	(7300000-)	Washer, lock, 3/8" (4 used)
11	R 21057 R	(7300000-)	Spacer
12	R 20443 R	(7300000-)	Stud, 3/8" x 3-3/8" (4 used)
13	19H 1936	(-7299999)	Screw, cap, high-strength, 3/8" x 3/4" (4 used) (sub. for F2272R)
	12H 304	(-7299999)	Washer, lock, 3/8" (4 used)
14	F 1764 R	(-)	Gasket (2 used) (packed 2 in a pkg.)


REAR EXHAUST MUFFLER AND TAIL PIPE (720 Series)
(Serial No. 7200000-7299999)

REAR EXHAUST MUFFLER AND TAIL PIPE (720 Series) -- Continued
(Serial No. 7200000-7299999)

Key	Part No.	Serial No.	Description
1	A 4374 R	(-)	Cover, muffler opening
2	AF 2164 R	(-7299999)	Muffler
	AR 21307 R	(7300000-)	MUFFLER AND TAIL PIPE FASTENINGS (ATTACHMENT)
3	19H 1831	(-)	Screw, cap, high-strength, 1/2" x 2" (2 used)
4	14H 809	(-)	Nut, 1/2" (2 used)
5	14H 809	(-)	Nut, 1/2" (2 used)
6	19H 1777	(-)	Screw, cap, high-strength, 1/2" x 1-3/4" (2 used)
7	24H 1309	(-)	Washer, 13/32" x 1-1/16" x .120" (3 used)
8	F 1451 R	(-)	Clamp
9	24H 1305	(-)	Washer, 13/32" x 13/16" x .060"
10	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2"
	12H 304	(-)	Washer, lock, 3/8"
11	AF 2994 R	(-7299999)	PIPE, TAIL, WITH FLANGE (ATTACHMENT)
	AR 21303 R	(7300000-)	PIPE, TAIL, WITH FLANGE (ATTACHMENT)
12	F 1452 R	(-)	U-bolt
13	F 3062 R	(-)	Bracket, tail pipe
14	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (2 used)
15	12H 303	(-)	Washer, lock, 5/16" (2 used)
16	14H 785	(-)	Nut, 5/16" (2 used)

Parts listed below are for field installation. Refer to attachment catalog.


AF 2996 R	(-7299999)	MUFFLER AND TAIL PIPE FASTENINGS (ATTACHMENT) (SUB. AR21305R)
AR 21305 R	(7300000-)	MUFFLER AND TAIL PIPE FASTENINGS (ATTACHMENT)

FIRST REDUCTION GEAR COVER
(Serial No. 7200000-)

FIRST REDUCTION GEAR COVER -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2504 R	(-)	Gasket (packed 2 in a pkg.)
2	R 20106 R*	(7218700-)	Gasket (2 used)
3	R 20105 R*	(7218700-)	Cover, inspection (2 used)
4	A 3098 R*	(7218700-)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
5	19H 1731*	(7281700-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
6	A 4827 R	(-7218699)	Washer
7	F 3128 R	(-7218699)	Plug
8	F 1246 R	(-)	Bushing
9	A 4233 R	(-)	Cap
10	A 4235 R	(-)	Gasket (packed 2 in a pkg.)
11	A 4234 R	(-)	Nipple
12	AF 2619 R	(-7214899)	Cover, F2500R, with bushings, oil filter nipple, cap and plugs (sub. one AF3811R first reduction gear cover, one F3611R pin, one F3586R pulley brake operating pin stop, twelve F3587R shim, one F3590R shim, one R459R packing O-ring, two 14H813 nuts, one F3612R pulley brake, one 22H178 set screw, and one F3613R pin)
	AF 3811 R	(7214900-7218699)	Cover, F3610R, with bushings, pin, plugs and covers
	AR 20092 R	(7218700-)	Cover, R20095R, with bushings, pin and plugs
13	R 796 R	(-)	Bushing
14	30H 13	(-)	Plug, expansion, 1"
15	A 120 R	(-)	Pin, dowel (2 used)
16	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
17	F 1396 R	(-)	Gasket (packed 2 in a pkg.)
18	F 1393 R	(-7204625)	Seal, pulley oil (sub. F3379R)
	F 3379 R	(7204626-)	Seal, pulley oil
19	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (6 used)
	12H 304	(-)	Washer, lock, 3/8" (6 used)
20	F 1397 R	(-)	Guard, pulley
21	12H 304	(-)	Washer, lock, 3/8" (3 used)
22	14H 812	(-)	Nut, 3/8" (3 used)
23	R 32042R	(-)	Stud, 3/8" x 1-3/8" (3 used) (sub. for A119R)
24	19H 1139	(-)	Screw, cap, high-strength, 3/8" x 1-1/2" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
25	A 3816 R	(-)	Cover
26	A 3817 R	(-)	Gasket (packed 5 in a pkg.)
27	19H 1139*	(7218700-)	Screw, cap, high-strength, 3/8" x 1-1/8" (2 used)
	12H 304*	(7218700-)	Washer, lock, 3/8" (2 used)
28	30H 13	(-)	Plug, expansion, 1"
29	19H 2324	(-)	Screw, cap, high-strength, 7/16" x 4-1/2" (4 used)
	12H 293	(-)	Washer, lock, 7/16" (4 used)
30	19H 2106	(-)	Screw, cap, high-strength, 7/16" x 2-3/4"
	12H 293	(-)	Washer, lock, 7/16"
31	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (7 used)
	12H 293	(-)	Washer, lock, 7/16" (7 used)
32	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1/2"
33	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)

*Parts for 7200000-7218699 where AF3811R first reduction gear cover with R20105R inspection covers has been install

CLUTCH OPERATING PARTS
(Serial No. 7200000-7218699)


CLUTCH OPERATING PARTS -- Continued
(Serial No. 7200000-7218699)

Key	Part No.	Serial No.	Description
1	A 1892 R	(-)	Nut, special hex. (packed 25 in a pkg.) (tractors without powershaft)
2	F 2597 R	(-)	Nut, special (tractors with powershaft)
3	AF 2884 R	(-)	Lever, F3094R, clutch operating, with bushing
4	A 1197 R	(-)	Bushing
5	11H 236	(-)	Pin, cotter, 1/8" x 1"
6	D 1994 R	(-)	Pin (packed 5 in a pkg.)
7	D 2031 R	(-)	Bolt, pivot
8	F 2505 R	(-)	Rod, clutch operating
9	14H 794	(-)	Nut, special (sub. for A5405R)
10	D 1994 R	(-)	Pin (packed 5 in a pkg.)
11	11H 236	(-)	Pin, cotter, 1/8" x 1"
12	F 3025 R	(-)	Yoke
13	F 1401 R	(-)	Shaft, clutch fork
14	F 1399 R	(-7218699)	Collar, clutch
15	(-7218699)	Wire, 16 gauge x 6" long (2 used)
16	D 178 R	(-7218699)	Pivot, fork (2 used)
17	F 1398 R	(-7218699)	Fork, clutch
18	F 1402 R	(-)	Spring, clutch fork shaft
19	F 2884 R*	(7214900-7218699)	Stud, 7/16" x 1-1/2" (2 used)
20	F 3611 R*	(7214900-7218699)	Pin, pulley brake operating
21	F 3587 R*	(7214900-7218699)	Shim (steel) (.005") (12 used)
22	F 3590 R*	(7214900-7218699)	Shim (steel) (.062")
23	R 459 R*	(7214900-)	Packing, O-ring (packed 5 in a pkg.)
24	F 3586 R*	(7214900-7218699)	Stop, pulley brake operating pin
25	14H 813*	(7214900-7218699)	Nut, 7/16" (2 used)
26	11H 211*	(-)	Pin, cotter, 1/8" x 3/4"
27	R 20448 R	(-7214899)	Pin, pivot (sub. for F1446R)
	F 3613 R*	(7214900-)	Pin, pivot
28	22H 169	(-7214899)	Screw, set, 1/2" x 1-3/4"
	22H 178*	(7214900-7218699)	Screw, set, 1/2" x 2-1/4"
	14H 473	(-7218699)	Nut, jam, 1/2"
30	AB 4748 R	(-)	Lining, brake, with adapter (packed 10 in a pkg.)
31	F 2587 R	(-7214899)	Brake, pulley
	F 3612 R*	(7124900-7218699)	Brake, pulley
32	R 673 R	(-)	Spring
33	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
34	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
35	F 2362 R	(-7214899)	Pin, pulley brake operating
36	24H 1303	(-7214899)	Washer, 13/32" x 11/16" x .060"
37	24H 1302	(-7214899)	Washer, 13/32" x 11/16" x .036"
38	24H 1317	(-7214899)	Washer, 27/64" x 3/4" x .018" (2 used)
39	R 1820 R	(-7214899)	Washer
40	A 3917 R	(-7214899)	Packing, O-ring (packed 5 in a pkg.)
41	R 1472 R	(-7214899)	Plug, special expansion

*NOTE: Parts for 7200000-7214899 where AF3811R first reduction gear cover has been installed.

CLUTCH OPERATING PARTS


(Serial No. 7218700-)



CLUTCH OPERATING PARTS -- Continued
(Serial No. 7218700-)

Key	Part No.	Serial No.	Description
1	A 1892 R	(-)	Nut, special hex. (packed 25 in a pkg.) (tractors without powershaft)
2	F 2597 R	(-)	Nut, special (tractors with powershaft)
3	AF 2884 R	(-)	Lever, F3094R, clutch operating, with bushing
4	A 1197 R	(-)	Bushing
5	11H 236	(-)	Pin, cotter, 1/8" x 1"
6	D 1994 R	(-)	Pin (packed 5 in a pkg.)
7	D 2031 R	(-)	Bolt, pivot
8	F 2505 R	(-)	Rod, clutch operating
9	14H 794	(-)	Nut, special (sub. for A5405R)
10	D 1994 R	(-)	Pin (packed 5 in a pkg.)
11	11H 236	(-)	Pin, cotter, 1/8" x 1"
12	F 3025 R	(-)	Yoke
13	F 1401 R	(-)	Shaft, clutch fork
14	19H 1732	(7218700-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used)
15	14H 732	(7218700-)	Nut, jam, 3/8" (2 used)
16	R 20100 R	(7218700-)	Collar, clutch
17	R 20101 R	(7218700-)	Pivot, fork (2 used)
18	R 1887 R	(7218700-)	Plate, lock
19	AR 20094 R	(7218700-)	Fork, R20096R, clutch, with springs
20	R 20097 R	(7218700-)	Spring (2 used)
21	R 20098 R	(7218700-)	Spring, reinforcing (2 used)
22	R 20099 R	(7218700-)	Plate (2 used) (packed 2 in a pkg.)
23	16H 749	(7218700-)	Rivet, R. L. O. H., 1/4" x 1-3/4" (4 used)
24	F 1402 R	(-)	Spring, clutch fork shaft
25	R 459 R	(-)	Packing, O-ring (packed 5 in a pkg.)
26	R 20103 R	(7218700-)	Pin, pulley brake operating
27	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
28	F 3613 R	(-)	Pin, pivot
29	14H 865	(7218700-)	Nut, 1/2"
30	22H 729	(7218700-7309609)	Screw, special set, 1/2" x 2-1/4" (sub. R21158R)
	R 21158 R	(7309610-)	Screw, special set, 1/2" x 2-1/4"
31	19H 2116	(7218700-)	Screw, cap, high-strength, 3/8" x 2-1/2" (sub. for R20104R) pulley brake stop
32	14H 732	(7218700-)	Nut, jam, 3/8"
33	R 20102 R	(7218700-)	Brake, pulley
34	AB 4748 R	(-)	Lining, brake, with adapter (packed 10 in a pkg.)
35	R 673 R	(-)	Spring
36	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (packed in a pkg.)
37	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)

PULLEY AND CLUTCH
(Serial No. 7200000-)




PULLEY AND CLUTCH -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2522 R	(-7204625)	Gear, pulley (sub. F3378R)
	F 3378 R	(7204626-)	Gear, pulley
2	D 279 R	(-)	Key
3	AF 3851 R	(-7204625)	Sleeve, clutch operating (sub. for F2521R)
	F 3377 R*	(7204626-7214899)	Sleeve, clutch operating (sub. AF3851R)
	AF 3851 R	(7214900-)	Sleeve, F3622R, clutch operating, with retainer and grease fitting
4	F 3623 R	(7214900-)	Retainer, grease
5	JD 7760*	(7214900-)	Fitting, grease, 67-1/2°, 1/8"
6	A 5866 R	(-7204625)	Pin, drive (sub. for B2346R)
	F 3317 R	(7204626-)	Pin, drive
7	F 1390 R	(-)	Bushing
8	F 1389 R	(-)	Snap ring
9	AF 2597 R	(-7204625)	Pulley, F2520R, with bushing, snap ring, drive pin and springs (sub. AF3475R)
	AF 3475 R	(7204626-)	Pulley, F3376R, with bushing, snap ring, drive pin and springs
10	F 1391 R	(-)	Spring, dust cover (3 used)
11	16H 630	(-)	Rivet, R. L. O. H., 1/4" x 3/8" (3 used)
12	F 1388 R	(-)	Pin, clutch drive (3 used)
13	C 614 R	(-)	Facing, clutch (2 used) (packed 10 in a pkg.)
14	F 1394 R	(-)	Retainer, bearing
15	JD 7576	(-)	Race, inner
16	JD 7943	(-)	Race, outer, with rollers
17	F 1395 R	(-)	Washer, bearing
18	11H 236	(-)	Pin, cotter, 1/8" x 1" (6 used)
19	C 74 R	(-)	Dog, clutch (3 used)
20	C 434 R	(-)	Toggle, clutch dog (3 used)
21	D 355 R	(-)	Pin, clutch dog (3 used)
22	11H 216	(-)	Pin, cotter, 3/16" x 1" (3 used)
23	F 1392 R	(-)	Bolt, clutch operating (3 used)
	AR 21803 R	(-)	Washer, spring steel, on clutch operating bolt (set of 3)
24	D 2789 R	(-)	Nut, slotted, 9/16" (3 used) (packed 25 in a pkg.)
25	F 1228 R	(-)	Disk, fixed clutch drive
26	D 141 R	(-7220102)	Washer (sub. R20136R)
	R 20136 R	(7220103-)	Washer
27	12H 236	(-)	Washer, lock, 3/4"
28	19H 1835	(-)	Bolt, mach., 3/4" x 1-1/2"
29	AA 6129 R	(-)	Disk, clutch facing, with facings (2 used)
30	D 1760 R	(-)	Facing (4 used) (packed 10 in a pkg.)
31	D 2309 R	(-)	Rivet (24 used) (packed 100 in a pkg.)
32	A 4355 R	(-)	Disk, sliding drive (2 used)
33	F 1400 R	(-)	Disk, clutch adjusting
34	F 821 R	(-)	Cover, dust
35	A 352 R	(-)	Spring (3 used) (packed 10 in a pkg.)

*NOTE: Parts for 7200000-7214899 where AF3851R clutch operating sleeve has been installed.


RADIATOR
(Serial No. 7200000-)



RADIATOR -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	F 3122R	(-)	Tank, top
2	AA 5756 R	(-7299999)	Neck, filler, with adapter and tube
	AR 20515 R	(7300000-)	Neck, filler, with adapter and tube
3	AA 5757 R	(-)	Cap, radiator
4	F 1677 R	(-)	Baffle
5	R 183 R	(-)	Clip
6	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2"
	12H 303	(-)	Washer, lock, 5/16"
7	A 4960 R	(-7299999)	Tube, radiator vent drain
	R 20438 R	(7300000-)	Tube, radiator vent drain
8	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
9	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
10	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (4 used)
11	A 4961 R	(-)	Clip
12	R 2591 R	(-)	Side, radiator (2 used) (sub. for F1315R)
13	19H 1139	(-)	Bolt, mach., 3/8" x 1-1/8" (4 used)
14	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
15	AR 1627 R	(-)	Core, radiator
16	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (13 used)
17	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (2 used)
18	F 661 R	(-)	Gasket (2 used) (packed 5 in a pkg.)
19	A 192 R	(-)	Strap (4 used)
20	A 4781 R	(-)	Baffle, frame, L.H.
21	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (2 used)
22	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
23	F 2241 R	(-)	Tank, bottom
24	A 4445 R	(-)	Baffle, frame, R.H.
25	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
26	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (12 used)
27	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (2 used)
28	F 455 R	(-)	Shroud, fan
29	19H 2021	(-)	Screw, cap, high-strength, 3/8" x 5/8" (6 used)
	12H 304	(-)	Washer, lock, 3/8" (6 used)

RADIATOR UPPER CONNECTION (Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	F 1317 R	(-)	Gasket (packed 2 in a pkg.)
2	F 2696 R	(-)	Inlet, radiator water
3	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
4	F 2699 R	(-)	Gasket (packed 2 in a pkg.)
5	AB 4744 R	(-)	Thermostat (range 160° - 180° F.) (sub. R36846R)
	AB 4745 R	(-)	Thermostat (range 180° - 202° F.) (sub. R36846R)
6	F 2698 R	(-)	Housing, thermostat
7	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4"
	12H 293	(-)	Washer, lock, 7/16"
8	A 5322 R	(-)	Washer, packing (packed 5 in a pkg.)
9	A 5323 R	(-)	Gland, packing
10	F 2245 R	(-)	Pipe, water by-pass
11	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4"
	12H 293	(-)	Washer, lock, 7/16"
12	F 3450 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.) (sub. for F1319R)
13	F 2248 R	(-)	Pipe, upper water
14	R 375 R	(-)	Packing, O-ring (packed 5 in a pkg.)
15	F 1779 R	(-)	Gasket (2 used) (packed 2 in a pkg.)
16	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4"
17	F 2697 R	(-)	Outlet, cylinder head water (C.E.)
	R 20133 R	(7222600-)	Outlet, cylinder head water (Elec.)

WATER PUMP
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	A 4897 R	(-)	Belt, generator and water pump
2	A 4898 R	(-)	Pulley
3	JD 8515	(-)	Bearing, ball
4	R 1529 R	(-)	Retainer, spring
5	19H 1805	(-)	Screw, cap, high-strength, 1/2" x 2-1/4" (4 used)
	12H 301	(-)	Washer, lock, 1/2" (4 used)
6	F 1053 R	(-)	Gasket (packed 2 in a pkg.)
7	R 32622 R	(-)	Seal, water pump (sub. for AF2057R)
8	A 5319 R	(-)	Impeller
9	F 2241 R	(-)	Tank, bottom
10	F 2244 R	(-)	Housing
11	F 1056 R	(-)	Packing, O-ring (2 used) (packed 5 in a pkg.)
12	AF 2097 R	(-)	Pipe, lower water, with nut retainer (C.E.)
	R 20245 R	(7222600-)	Pipe, lower water (Elec.)
13	F 1054 R	(-)	Inlet, cylinder head water (C.E.)
14	F 519 R	(-)	Gasket (packed 5 in a pkg.)
15	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (2 used)
	12H 301	(-)	Washer, lock, 1/2"
16	R 20244 R	(7222600-)	Inlet, cylinder head water (Elec.)
17	15H 238	(7222600-)	Plug, pipe, 3/4" (Elec.)

Part listed below is an assembly of some of the parts in this grouping.

.. AF 2368 R (-) Water pump assembly consisting of:
Seal, bearing, housing, impeller, and retainer

FAN (Manual Steering)
(Serial No. 7200000-)




FAN (Manual Steering) -- Continued
(Serial No. 720000-)

Key	Part No.	Serial No.	Description
1	D 1736 R*	(-)	Washer (2 used) (packed 5 in a pkg.)
2	B 2127 R*	(-)	Packing (packed 5 in a pkg.)
3	F 806 R*	(-)	Retainer
4	A 846 R	(-)	Spring
5	JD 7655*	(-7221079)	Cup, bearing (2 used)
	JD 8589	(7221080-)	Cup, bearing (2 used)
6	JD 7657*	(-7221079)	Retainer, with balls (2 used)
	JD 8591	(7221080-)	Retainer, with balls (2 used)
7	JD 7656*	(-7221079)	Cone, bearing (2 used)
	JD 8590	(7221080-)	Cone, bearing (2 used)
8	JD 7654*	(-7221079)	Bearing, complete (2 used)
	JD 8588	(7221080-)	Bearing, complete (2 used)
9	24H 1503	(-)	Washer, 1-19/64" x 2-7/32" x .060"
10	B 297 R	(-)	Washer, felt (sub. for AB518R)
11	B 298 R*	(-)	Retainer, felt
12	A 3190 R*	(-)	Packing, O-ring (packed 10 in a pkg.)
13	F 1513 R	(-7221079)	Pulley, generator drive
	R 20116 R	(7221080-)	Pulley, generator drive
14	F 808 R	(-)	Spring
15	AB 3314 R	(-)	Disk, friction (pkg. of 2) (1 pkg. used)
16	D 399 R*	(-)	Washer, friction (2 used) (packed 5 in a pkg.)
17	A 4059 R	(-)	Cup, fan drive (2 used)
18	AF 825 R	(-)	Fan, with two A4059R cups
19	A 3654 R	(-)	Keeper, fan
20	D 1720 R	(-)	Lock, retainer (2 used)
21	AF 2116 R	(-)	Shaft, fan
22	26H 17	(-)	Key, Woodruff, 3/16" x 7/8"
23	A 369 R	(-)	Snap ring (packed 10 in a pkg.)
24	AF 2218 R	(-7209940)	Gear and pinion (one F2063R and one F2064R) (sub. AF3452R)
	AF 3452 R	(7209941-)	Gear and pinion (one F3330R and one F3331R)
25	F 2077 R	(-)	Shim (packed 10 in a pkg.)
26	F 2076 R	(-)	Housing, fan shaft rear bearing
27	B 293 R	(-)	Packing, O-ring (packed 5 in a pkg.)
28	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
29	AF 2118 R	(-)	Housing, B290R, fan bearing, with tube
30	15H 604	(-)	Plug, pipe, 1/4"
31	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (2 used)
32	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
33	F 1193 R	(-)	Support, fan
34	B 1986 R	(-)	Clip
35	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
36	24H 1321	(-)	Washer, 29/64" x 1-13/16" x .018" (8 used)

Part listed below is an assembly of some of the parts in this grouping.

.. AF 2319 R* (-7221079) Bearing kit, front fan (consists of parts marked with an *)

GOVERNOR
(Serial No. 7200000-)




53251

GOVERNOR -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (3 used)
2	F 2055 R	(-)	Housing, governor bearing, L.H.
3	A 4847 R	(-)	Gasket (packed 5 in a pkg.)
4	F 2056 R	(-)	Shim (thin) (packed 10 in a pkg.)
	F 2057 R	(-)	Shim (thick) (packed 5 in a pkg.)
5	JD 7655	(-7221079)	Cup, bearing (2 used)
	JD 8589	(7221080-)	Cup, bearing (2 used)
6	JD 7657	(-7221079)	Retainer, with balls (2 used)
	JD 8591	(7221080-)	Retainer, with balls (2 used)
7	JD 7656	(-7221079)	Cone, bearing (2 used)
	JD 8590	(7221080-)	Cone, bearing (2 used)
8	JD 7654	(-7221079)	Bearing, complete (2 used)
	JD 8588	(7221080-)	Bearing, complete (2 used)
9	F 2052 R	(-)	Gear, drive
10	11H 233	(-)	Pin, cotter, 3/32" x 1/2" (4 used)
11	F 3326 R	(-)	Pin, weight (2 used) (packed 10 in a pkg.) (sub. for C902R)
12	AF 3324 R	(-)	Weight, governor (2 used) (packed 2 in a pkg.)
13	A 369 R	(-)	Snap ring (5 used) (packed 10 in a pkg.)
14	F 2054 R	(-)	Sleeve, governor
15	C 998 R	(-)	Bearing, thrust
16	21H 1144	(-)	Screw, mach., rd. hd., 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
17	F 2061 R	(-)	Lever, inside governor (sub. AF3298R governor shaft assembly)
18	F 2059 R	(-)	Shaft, governor lever (sub. AF3298R governor shaft assembly)
19	26H 17	(-)	Key, Woodruff, 3/16" x 7/8" (2 used)
20	26H 3	(-)	Key, Woodruff, 3/32" x 3/8"
21	F 2051 R	(-)	Shaft, governor
22	F 2053 R	(-7215912)	Gear, speed-hour meter drive (sub. F2547R)
	F 2547 R	(7215913-)	Gear, speed-hour meter drive (packed 2 in a pkg.)
23	AF 2218 R	(-7209940)	Gear and pinion (one F2063R and one F2064R) (sub. AF3452R)
	AF 3452 R	(7209941-)	Gear and pinion (one F3330R and one F3331R)
24	A 584 R	(-)	Spring
25	B 280 R	(-)	Washer, bearing
26	B 276 R	(-)	Snap ring
27	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
28	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2"
	12H 304	(-)	Washer, lock, 3/8"
29	19H 2347	(-)	Screw, cap, high-strength, 7/16" x 3"
	12H 293	(-)	Washer, lock, 7/16"
30	F 2049 R	(-)	Tube
31	F 2070 R	(-)	Gasket (packed 5 in a pkg.)
32	F 2069 R	(-)	Cover
33	12H 303	(-)	Washer, lock, 5/16" (2 used)
34	14H 785	(-)	Nut, 5/16" (2 used)
35	B 1504 R	(-)	Stud, 5/16" x 15/16" (2 used)
36	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (4 used)
	12H 293	(-)	Washer, lock, 7/16"
37	A 3439 R	(-)	Washer (aluminum) (3 used) (packed 10 in a pkg.)
38	B 1693 R	(-)	Screw, shoulder (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
39	AF 2111 R	(-)	Case, F2040R, governor, with tube and bushing
40	F 2041 R	(-)	Gasket (packed 5 in a pkg.)
41	15H 253	(-)	Plug, pipe, 1/8"
42	E 1994 R	(-)	Connector
43	A 2875 R	(-)	Nut, bushing
44	AF 2231 R	(-7210523)	Pipe, governor oil (sub. AF3602R)
	AF 3602 R	(7210524-)	Pipe, governor oil

Parts listed below are not illustrated.

..	AF 2244 R	(-)	Gasket set, governor overhaul (see gasket set grouping for illustration and contents)
..	AF 3298 R	(-)	Shaft, governor, assembly


GOVERNOR CONTROL
(Serial No. 7200000-)

GOVERNOR CONTROL -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	24H 1286	(-)	Washer, 9/32" x 1/2" x .060" (2 used)
2	11H 233	(-)	Pin, cotter, 3/32" x 1/2" (2 used)
3	F 3253 R	(-)	Rod, speed control (on 7200000-7201174, furnish one F3332R speed control spring end, one R318R speed control rod stop, one 11H234 cotter pin, and one 14H649 jam nut)
4	11H 206	(7201175-)	Pin, cotter, 3/32" x 3/4"
5	R 317 R	(-)	Gland, packing, speed control rod
6	R 316 R	(-)	Packing
7A	AR 1344 R	(-7201174)	Stop, speed control rod
7B	R 318 R	(7201175-)	Stop, speed control rod
8	F 2059 R	(-)	Shaft, governor lever (sub. AF3298R governor shaft assembly)
9	R 309 R	(-)	Lever, governor loading (sub. AF3298R governor shaft assembly)
10	R 312 R	(-)	Fulcrum, speed control spring
11	21H 1144	(-)	Screw, mach., rd. hd., 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
12	R 1349 R	(-)	Spring, speed control
13A	R 1865 R	(-7201174)	End, speed control spring
13B	F 3332 R	(7201175-)	End, speed control spring
14A	R 313 R	(-7201174)	Keeper, speed control spring end (2 used)
14B	14H 649	(7201175-)	Nut, jam, 1/4"
15	F 2068 R	(-)	Gasket (packed 5 in a pkg.)
16	F 2067 R	(-)	Housing, speed control
17	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
18	F 2043 R	(-)	Gasket (packed 5 in a pkg.)
19	AF 2388 R	(-7299999)	Housing, F2260R, governor lever, with plugs
	R 20871 R	(7300000-)	Housing, governor lever
20	19H 1050	(-)	Screw, cap, high-strength, 3/8" x 2-1/2"
	12H 304	(-)	Washer, lock, 3/8"
21	19H 1944	(-)	Screw, cap, high-strength, 3/8" x 2-3/4"
	12H 304	(-)	Washer, lock, 3/8"
22	30H 15	(-)	Plug, expansion, 1-1/8"
23	14H 732 R	(-)	Nut, jam, 3/8"
24	K 2052 R	(-)	Washer, lead (packed 50 in a pkg.)
25	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1"
	12H 304	(-)	Washer, lock, 3/8"
26	22H 797	(-)	Screw, set, 3/8" x 1"
27	R 21630 R	(-)	Plug, pipe, 1/8" (sub. for 15H558)
28	R 1138 R	(-)	Packing, O-ring (packed 5 in a pkg.)
29	F 2046 R	(-)	Stop, governor lever
30	24H 1286	(-)	Washer, 9/32" x 1/2" x .060"
31	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
32	R 662 R	(-)	Pin
33	F 2262 R	(-)	Pin, governor lever pivot
34	A 3190 R	(-)	Packing, O-ring (packed 10 in a pkg.)
35	F 2261 R	(-)	Lever, governor
36	F 2062 R	(-)	Pivot, governor lever
37	11H 206	(-)	Pin, cotter, 3/32" x 3/4"
38	14H 785	(-)	Nut, 5/16"
39	F 2060 R	(-)	Arm, governor lever shaft (sub. AF3298R governor shaft assembly)
40	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
41	26H 8	(-)	Key, Woodruff, 3/32" x 5/8"


Part listed below is not illustrated.

.. AF 3298 R (-) Shaft, governor, assembly

THROTTLE CONTROL
(Serial No. 7200000-)

THROTTLE CONTROL -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	24H 1286	(-)	Washer, 9/32" x 1/2" x .060" (4 used)
2	11H 233	(-)	Pin, cotter, 3/32" x 1/2" (4 used)
3	24H 1341	(-)	Washer, 17/32" x 15/16" x .060"
4	AF 2918 R	(-)	Arm, speed control, with bushing
5	F 3124 R	(-)	Bushing
6	F 2074 R	(-)	Link, speed control
7	19H 1791	(7222600-)	Screw, cap, high-strength, 1/4" x 1-1/4" (3 used) (Elec.)
	12H 302	(7222600-)	Washer, lock, 1/4" (3 used) (Elec.)
8	R 20149 R	(7222600-)	Support, speed control (Elec.)
9	F 2048 R	(-)	Pin
10	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
11	F 1950 R	(-)	Arm, speed control shaft
12	F 3125 R	(-)	Bushing
13	34H 60	(-)	Pin, spring, 5/32" x 1" (2 used)
14	F 1949 R	(-7299999)	Shaft, speed control
	R 20543 R	(7300000-)	Shaft, speed control
15	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R)
	12H 304	(-)	Washer, lock, 3/8"
16	24H 1219	(-)	Washer, 7/16" x 1" x .075"
17	F 1951 R	(-)	Arm, speed control adjusting
18	AF 2050 R	(-7214899)	Bracket, F1947R, speed control shaft, with bushing
	AF 3852 R	(7214900-7299999)	Bracket, F3619R, speed control shaft, with bushing (sub. AR21075R)
	AR 21075 R	(7300000-)	Bracket, R20927R, speed control shaft, with bushing
19	14H 813	(-)	Nut, 7/16"
20	24H 1325	(-)	Washer, 15/32" x 59/64" x .060" (2 used)
21	K 2172 R	(-)	Spring
22	14H 785	(-)	Nut, 5/16" (2 used)
23	19H 2313	(-)	Screw, cap, high-strength, 5/16" x 1-3/4"
24	AF 2049 R	(-7214899)	Bracket, speed control lever, with facing
	AF 3849 R	(7214900-)	Bracket, speed control lever, with facing
25	B 1314 R	(-)	Stud, 7/16" x 4" (packed 5 in a pkg.)
26	AF 2247 R	(-7214899)	Lever, speed control, with pins
	AF 3848 R	(7214900-7299999)	Lever, speed control, with pins (sub. AR20632R)
	AR 20632 R	(7300000-)	Lever, speed control, with pins
27	R 1800 R	(-)	Pin, dowel (2 used)
28	A 4125 R	(-)	Screw, mach., 5/16" x 1" (3 used) (packed 50 in a pkg.)
29	F 1948 R	(-)	Bushing
30	24H 1341	(-)	Washer, 17/32" x 15/16" x .060"
31	F 1953 R	(-)	Spring, speed control stop
32	F 1952 R	(-)	Stop, speed control
33	24H 1287	(-)	Washer, 17/32" x 15/16" x .060"
34	B 1951 R	(-)	Knob, speed control stop
35	11H 234	(-)	Pin, cotter, 3/32" x 1"

STARTING CONTROLS
(Serial No. 7200000-)

STARTING CONTROLS -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (C.E.)
	12H 304	(-)	Washer, lock, 3/8" (C.E.)
2	24H 1330	(-)	Washer, 15/32" x 1-3/8" x .105" (C.E.)
3	F 3024 R	(-7216258)	Bushing (C.E.) (sub. F3650R)
	F 3650 R	(7216259-)	Bushing (C.E.)
4	AF 2847 R	(-7215868)	Lever, starting control, with hub (C.E.)
	AF 3884 R	(7215869-)	Lever, starting control, with hub (C.E.)
5	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (C.E.)
6	11H 206	(-)	Pin, cotter, 3/32" x 3/4" (C.E.)
7	F 2164 R	(-)	Coupling (C.E.)
8	F 3028 R	(-)	Link, starting control lever (C.E.)
9	AF 2846 R	(-)	Lever, decompression, with hub (C.E.)
10	34H 118	(-)	Pin, spring, 5/16" x 1-1/2" (C.E.)
11	34H 118	(7222600-)	Pin, spring, 5/16" x 1-1/2" (Elec.)
12	R 20222 R	(7222600-)	Pedal, decompression (Elec.)
13	34H 117	(-)	Pin, spring, 5/16" x 1-1/4"
14	F 3014 R	(-)	Pin
15	B 228 R	(-)	Spring, decompression control shaft arm (packed 10 in a pkg.)
16	R 26650 R	(-)	Pin, dowel (sub. for A4879R)
17	F 3014 R	(-)	Pin
18	AF 2845 R	(-)	Arm, decompression control shaft, with pin
19	F 3018 R	(-)	Shaft, decompression control (C.E.)
	R 20112 R	(7222600-)	Shaft, decompression control (Elec.)
20	11H 206	(-)	Pin, cotter, 3/32" x 3/4"
21	F 2166 R	(-)	Link, decompression control rod
22	14H 732	(-)	Nut, jam, 3/8"
23	R 1149 R	(-)	Coupling
24	F 3027 R	(-)	Rod, decompression control
25	AA 3738 R	(-)	Seal, oil
26	34H 117	(-)	Pin, spring, 5/16" x 1-1/4"
27	24H 1227	(-)	Washer, 17/32" x 13/16" x .060"
28	F 3026 R	(-)	Lever, decompression shaft
29	11H 234	(-)	Pin, cotter, 3/32" x 1"
30	F 1907 R	(-)	Screw, special cap
31	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
32	F 1906 R	(-)	Shaft, decompression

AIR INTAKE SYSTEM AND CRANKING ENGINE EXHAUST (Serial No. 7200000-)




AIR INTAKE SYSTEM AND CRANKING ENGINE EXHAUST -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 2123	(-)	Screw, cap, high-strength, 1/2" x 4-1/4" (3 used)
	12H 301	(-)	Washer, lock, 1/2" (3 used)
2	F 2799 R	(-)	Gasket (packed 2 in a pkg.)
3	F 2798 R	(-)	Cover, air cleaner bracket
4	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
5	AF 2816 R	(-)	Bracket, F2797R, air cleaner, with cover
6	19H 2127	(-)	Screw, cap, high-strength, 5/16" x 7/8" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
7	A 4371 R	(-)	Strap, air intake pipe
8	F 2754 R	(-)	Pipe, air intake
9	19H 1721	(-)	Screw, cap, high-strength, 1/2" x 1-1/2" (3 used)
	12H 301	(-)	Washer, lock, 1/2" (3 used)
10	F 143 R	(-7224174)	Gasket (packed 5 in a pkg.) (sub. R20037R)
	R 20037 R	(7224175-)	Gasket (packed 2 in a pkg.)
11	AF 1966 R	(-)	Air cleaner
12	AF 2230 R	(-)	Tray
13	AD 1896 R	(-)	Clamp, with screw
14	B 1569 R	(-)	Screw, clamp
15	AF 2229 R	(-)	Cup, oil
16	AR 21841 R	(-)	Clamp, hose (2 used) (sub. for R8R)
17	R 20028 R	(-)	Hose (sub. for R7R)
18	F 1751 R	(-)	Elbow, air intake (C.E.)
19	R 4 R	(-)	Pipe, air intake (C.E.)
20	AF 3243 R	(-)	Intake, air, assembly (C.E.)
21	R 20208 R	(7222600-)	Intake, air (Elec.)
22	AF 3221 R	(-)	Muffler, cranking engine (C.E.)
23	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (C.E.)
24	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (C.E.) (sub. for A3232R)
25	F 1752 R	(-)	Gasket (packed 2 in a pkg.)
26	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-3/4" (3 used)
	12H 301	(-)	Washer, lock, 1/2" (3 used)
27	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (C.E.)
28	A 4656 R	(-)	Clamp (C.E.)
29	F 2088 R	(-)	Pipe, cranking engine exhaust (C.E.)

AIR STACK
(Serial No. 7200000-)

AIR STACK -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AR 20668 R	(-7299999)	Stack, air (sub. for AF656R)
2	19H 1731	(-7299999)	Screw, cap, high-strength, 3/8" x 1" (4 used)
	12H 304	(-7299999)	Washer, lock, 3/8" (4 used)
3	F 715 R	(-7299999)	Gasket
4	F 3091 R	(-)	Plate, air stack adapter
5	F 3092 R	(-)	Gasket (packed 2 in a pkg.)
6	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
7	F 3090 R	(-)	Adapter, air stack
8	F 2799 R	(-)	Gasket (packed 2 in a pkg.)
9	AF 3236 R	(-)	Tube, air cleaner bracket
10	AF 2614 R	(-7299999)	ADAPTER, AIR STACK, WITH MISC. ITEMS (ATTACHMENT)
11	AR 20670 R	(7300000-)	ADAPTER, AIR STACK, WITH MISC. ITEMS (ATTACHMENT)
12	AR 20668 R	(7300000-)	Stack, air
13	19H 2128	(7300000-)	Screw, cap, 3/8" x 3" (4 used)
	12H 304	(7300000-)	Washer, lock, 3/8" (4 used)
14	F 715 R	(7300000-)	Gasket (2 used)
15	R 21057 R	(7300000-)	Spacer

PRE-CLEANER AND PRE-SCREENER
(Serial No. 7200000-)

PRE-CLEANER AND PRE-SCREENER -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AR 20669 R	(-7299999)	Stack, air (sub. for AF3581R)
2	19H 1731	(-7299999)	Screw, cap, high-strength, 3/8" x 1" (4 used)
	12H 304	(-7299999)	Washer, lock, 3/8" (4 used)
3	F 715 R	(-7299999)	Gasket
4	F 3091 R	(-)	Plate, air stack adapter
5	F 3092 R	(-)	Gasket (packed 2 in a pkg.)
6	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
7	F 3090 R	(-)	Adapter, air stack
8	F 2799 R	(-)	Gasket (packed 2 in a pkg.)
9	AF 3236 R	(-)	Tube, air cleaner bracket
10	AF 2614 R	(-7299999)	ADAPTER, AIR STACK, WITH MISC. ITEMS (ATTACHMENT)
11	AR 20670 R	(7300000-)	ADAPTER, AIR STACK, WITH MISC. ITEMS (ATTACHMENT)
12	AR 20669 R	(7300000-)	Stack, air
13	19H 2128	(7300000-)	Screw, cap, 3/8" x 3" (4 used)
	12H 304	(7300000-)	Washer, lock, 3/8" (4 used)
14	F 715 R	(7300000-)	Gasket (2 used)
15	R 21057 R	(7300000-)	Spacer
16	AR 21789 R	(-)	PRE-SCREENER (ATTACHMENT) (MUST BE USED WITH AF3580R PRE-CLEANER)
17	R 21644 R	(-)	Spring (2 used)
18	R 21645 R	(-)	Clip
19	AR 21790 R	(-)	Screen
20	AF 3580 R	(-)	PRE-CLEANER, COMPLETE (ATTACHMENT)
21	AF 3584 R	(-)	Base, pre-cleaner
22	R 28794 R	(-)	Bowl, pre-cleaner (sub. for F3446R)
23	AF 3583 R	(-)	Cover, pre-cleaner

FUEL TANK
(Serial No. 7200000-)




53249

FUEL TANK -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 1482 R	(-)	Strap, fuel tank, rear
2	B 1986 R	(-)	Clip
3	F 1531 R	(-)	Bushing, fuel tank vent line
4	F 2150 R	(-)	Adapter, fuel gauge sender
5	AF 1974 R	(-7299999)	Tank, fuel
	AR 20595 R	(7300000-)	Tank, fuel
6	B 3315 R	(-7299999)	Neck, filler
	R 20391 R	(7300000-)	Neck, filler
7	F 3083 R	(-)	Gasket
8	AF 2914 R	(-)	Cap, filler
9	AF 1964 R	(-7299999)	Strap, fuel tank, front
	AR 20596 R	(7300000-)	Strap, fuel tank, front
10	E 1994 R	(-)	Connector
11	AF 1751 R	(-)	Pipe, fuel tank vent
12	A 2875 R	(-)	Nut, bushing
13	R 1134 R	(-)	Grommet
14	F 1537 R	(-)	Bracket
15	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4"
16	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
17	A 2610 R	(-)	Clip
18	12H 303	(-)	Washer, lock, 5/16"
19	14H 785	(-)	Nut, 5/16"
20	14H 812	(-)	Nut, 3/8" (4 used)
21	19H 1721	(-)	Screw, cap, 1/2" x 1-1/2" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
22	D 1520 R	(-)	Rivet (2 used) (packed 100 in a pkg.)
23	AF 1975 R	(-)	Support, front, with cushion
24	R 170 R	(-)	Cushion, front support, 1/8" x 1-1/2" x 14-7/8" (sub. R21736R, 1/8" x 1-1/2" x 60")
25	P 2509 R	(-)	Bushing, fuel outlet
26	14H 809	(-)	Nut, 1/2"
27	12H 301	(-)	Washer, lock, 1/2"
28	F 2398 R	(-)	Strap, fuel tank, rear support
29	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (sub. for A3232R)
	12H 303	(-)	Washer, lock, 5/16"
30	19H 1721	(-)	Screw, cap, high-strength, 1/2" x 1-1/2"
31	F 2206 R	(-)	Spacer
32	AF 2233 R	(-)	Support, rear, with cushion
33	R 21736 R	(-)	Cushion, rear support (sub. for A2406R)
34	D 1520 R	(-)	Rivet (3 used) (packed 100 in a pkg.)

FUEL STRAINER AND INJECTION PUMP FUEL BLEED (Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1A	AF 1977 R	(-7223363)	Pipe, fuel, pump to fuel filter
1B	AR 20695 R*	(7223364-)	Pipe, fuel, pump to fuel filter (C.E.)
	AR 20695 R	(7222600-)	Pipe, fuel, pump to fuel filter (Elec.)
2	A 258 R	(-)	Connector
3	R 20594 R*	(7223364-7308813)	Adapter, injection pump bracket (C.E.)
	R 20594 R	(7222600-7308813)	Adapter, injection pump bracket (Elec.)
	R 21591 R	(7708814-7328621)	Adapter, injection pump bracket (sub. AR21903R pressure relief valve kit)
4	R 375 R*	(7223364-)	Packing, O-ring (packed 2 in a pkg.) (C.E.)
	R 375 R	(7222600-)	Packing, O-ring (packed 2 in a pkg.) (Elec.)
5	E 1994 R	(7223364-7328621)	Connector (C.E.)
	E 1994 R	(7222600-7328621)	Connector (Elec.)
6	AR 20696 R*	(7223364-7328621)	Pipe, injection pump bracket vent (C.E.)
	AR 20696 R	(7222600-7328621)	Pipe, injection pump bracket vent (Elec.) (sub. AR21905R)
	AR 21905 R	(7328622-)	Pipe, injection pump bracket vent
7	E 1994 R*	(7223364-)	Connector (C.E.)
	E 1994 R	(7222600-)	Connector (Elec.)
8	29H 587*	(7223364-)	Nipple, pipe (C.E.)
	29H 587	(7222600-)	Nipple, pipe (Elec.)
9	AR 20817 R*	(7223364-)	Adapter, fuel tank, with tube (C.E.)
	AR 20817 R	(7222600-)	Adapter, fuel tank, with tube (Elec.)
10	AA 4331 R	(-)	Strainer, fuel
11	AA 4298 R	(-)	Valve
12	AA 4296 R	(-)	Body, strainer
13	AA 4297 R	(-)	Screen (packed 5 in a pkg.)
14	C 1778 R	(-)	Gasket (packed 25 in a pkg.)
15	AA 4507 R	(-)	Bowl and gasket (heat-resistant bowl)
16	R 21752 R	(-)	Nut (packed 10 in a pkg.) (sub. for AA513R)
17	AA 517 R	(-)	Bail (packed 10 in a pkg.)

Part listed below is not illustrated.

.. AR 20874 R (-7223363) Pump, injection, fuel bleed system (use in conjunction with AR20247R camshaft)


*Parts for 7200000-7223363 where AR20874R injection pump fuel bleed system has been installed.

FUEL GAUGE
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	37H 43	(-)	Screw, self tapping, no. 8 x 3/8" (5 used) (packed 5 in a pkg.) (sub. F2149R)
2	AF 2173 R	(-)	Sender, fuel gauge, with float
3	14H 631	(-)	Nut, no. 10
	12H 246	(-)	Washer, lock, no. 10 (sub. for A767R)
4	F 2167 R	(-)	Float, fuel gauge sender
5	R 27181 R	(-)	Gasket (packed 5 in a pkg.) (sub. for F2148R)
6	14H 631	(-)	Nut, no. 10 (2 used)
7	12H 246	(-)	Washer, lock, no. 10 (2 used)
8	14H 605	(-)	Nut, no. 8 (2 used)
9	12H 315	(-)	Washer, lock, no. 8 (2 used)
10	F 2147 R	(-)	Separator, terminal, fuel gauge receiver
11	F 2146 R	(-)	Clamp, fuel gauge receiver
12	AF 2739 R	(-)	Receiver, fuel gauge (6-volt) (C.E.)
	AF 2721 R	(7222600-)	Receiver, fuel gauge (12-volt) (Elec.)
13	AF 2171 R	(-)	Switch, fuel gauge (C.E.)
	R 21156 R	(7305872-)	Cap, fuel gauge switch (rubber)
	R 21157 R	(7305872-)	Nut, fuel gauge switch

NOTE: For fuel gauge wiring, see "Instrument Panel Wiring."

FUEL PUMP AND FUEL FILTERS
(Serial No. 7200000-)

66156

FUEL PUMP AND FUEL FILTERS -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AF 1983 R	(-)	Head, F1771R, fuel filter
2	A 3098 R	(-)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
3	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1-1/2" (2 used)
4	R 471 R	(-)	Tube, fuel filter element (2 used)
5	AF 3435 R	(-)	Washers, felt and O-ring
6	AR 28611 R	(-)	Elements, fuel filter, with felt washers and O-ring (2 used) (sub. for AR344R)
7	R 1021 R	(-)	Gasket (2 used) (packed 10 in a pkg.)
8	D 417 R	(-)	Elbow (2 used)
9	AR 21893 R	(-)	Pipe, fuel, fuel pump to fuel filter head (sub. for AF1984R)
10	AR 21894 R	(-)	Pipe, fuel, fuel filter head to cylinder block (sub. for AF1985R)
11	F 1775 R	(-)	Clamp
	F 1775 R	(7325166-)	Clamp, fuel filter pipes
	R 21962 R	(7325166-)	Clamp, fuel filter pipes
	AR 21880 R	(-7325167)	Clamp, fuel filter pipes and cap screw, consisting of F1775R, R21692R, and 19H1905
12	19H 1905	(-)	Screw, cap, high-strength, 5/16" x 1"
13	D 417 R	(-)	Elbow
14	R 473 R	(-)	Case, fuel filter (2 used)
15	F 1772 R	(-)	Clamp, fuel filter case
16	8H 4212	(-)	Bolt, mach., 7/16" x 7-1/2" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
17	19H 1791	(-)	Screw, cap, high-strength, 1/4" x 1-1/4" (4 used)
	12H 302	(-)	Washer, lock, 1/4" (4 used)
18	R 224 R	(-)	Cover, fuel pump
19	R 226 R	(-)	Gear, fuel pump idler
20	F 1756 R	(-7214899)	Gear, fuel pump drive (sub. F3627R)
	F 3627 R	(7213900-)	Gear, fuel pump drive
21	F 1759 R	(-)	Piston, relief valve
22	405 R	(-)	Ball, fuel pump by-pass
23	R 227 R	(-7328621)	Spring, fuel pump by-pass
	R 21723 R	(7328622-)	Spring, fuel pump by-pass
24	24H 1281	(-)	Washer, 5/32" x 3/8" x .048"
25	R 223 R	(-)	Body, fuel pump
26	F 1743 R	(-)	Pin, dowel (2 used)
27	D 417 R	(-)	Elbow
28	B 2641 R	(-)	Pin, dowel
29	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
30	A 258 R	(-)	Connector
31	F 1754 R	(-7214899)	Housing, fuel pump (sub. one AF3855R pump housing and one F3627R pump drive gear)
	AF 3855 R	(2714900-)	Housing, F3626R, fuel pump, with pins
	R 21085 R	(-7225183)	Washer, special conical, in housing
32	AR 395 R	(-)	Seal, oil (2 used) (packed 2 in a pkg.)
33	F 1755 R	(-)	Gasket (packed 5 in a pkg.)
34	R 20139 R	(-)	Washer, flat

Parts listed below consists of some of the parts in this grouping.

..	AF 3853 R	(7200000-7328621)	Pump, fuel, complete
..	AR 21901 R	(7328622-)	Pump, fuel, complete

FUEL INJECTION SYSTEM

(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	E 1994 R	(7223364-7328621)	Connector (C.E.)
	E 1994 R	(7222600-7328621)	Connector (Elec.)
2	R 375 R	(7223364-)	Packing, O-ring (packed 2 in a pkg.) (C.E.)
	R 375 R	(7222600-)	Packing, O-ring (packed 2 in a pkg.) (Elec.)
3	R 20594 R	(7223364-7308813)	Adapter, injection pump bracket (C.E.)
	R 20594 R	(7222600-7308813)	Adapter, injection pump bracket (Elec.)
	R 21591 R	(7308814-7328621)	Adapter, injection pump bracket (sub. AR21903R pressure relief valve kit)
4	AR 20696 R	(7223364-7328621)	Pipe, injection pump bracket vent (C.E.)
	AR 20696 R	(7222600-7328621)	Pipe, injection pump bracket vent (Elec.) (sub. AR21905R)
	AR 21905 R	(7328622-)	Pipe, injection pump bracket vent
5	R 21724 R	(-)	Cap, pressure relief valve
6	R 21727 R	(-)	Washer, pressure relief valve cap to body
7	R 21729 R	(-)	Washer, pressure relief valve (2 used)
8	R 21728 R	(-)	Spring, pressure relief valve
9	R 21726 R	(-)	Piston, pressure relief valve
10	R 21725 R	(-)	Body, pressure relief valve
11	AF 3195 R	(-7214899)	Pumps, injection, with F3119R bracket (Scintilla) (sub. two AF3727R injection pumps (Scintilla), two F3381R push rods, two F3382R adjusting screws and two 14H846 nuts)
	AF 3437 R	(-7214899)	Pumps, injection, with F3119R bracket (Bosch) (sub. two AF3728R injection pumps (Bosch), two F3381R push rods, two F3382R adjusting screws, and two 14H846 nuts)
12	19H 2038	(-7299999)	Screw, cap, high-strength, 3/8" x 1/2"
13	A 3098 R	(-7299999)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
14	F 1885 R	(-7299999)	Adapter, injection pump bleed
15	AF 3104 R	(-7223363)	Bracket, F3119R, injection pump, with tubes and pins (C.E.)
	AR 20816 R	(7223364-)	Bracket, R20592R, injection pump, with tubes and pins (C.E.)
	AR 20816 R	(7222600-)	Bracket, R20592R, injection pump, with tubes and pins (Elec.)

FUEL INJECTION SYSTEM -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
16	F 1883 R	(-)	Tube, injection pump bracket fuel inlet (2 used)
17	F 2438 R	(-)	Gasket (2 used) (packed 2 in a pkg.)
18	R 437 R	(-)	Gasket (2 used) (packed 5 in a pkg.)
19	F 1881 R	(-)	Tube, injection pump bracket oil inlet
20	A 4365 R	(-)	Packing, O-ring (2 used) (packed 2 in a pkg.)
21	R 438 R	(-)	Tube, injection pump oil inlet (2 used)
22	R 2514 R	(-)	Tube, injection pump fuel inlet (2 used)
23	R 2515 R	(-)	Filter (2 used) (packed 2 in a pkg.)
24	R 2516 R	(-)	Spring (2 used)
25	R 21629 R	(-)	Plug, pipe, 1/16" (4 used)
26	19H 1849	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (4 used)
27	19H 1901	(-)	Screw, cap, high-strength, 5/16" x 2" (6 used)
	12H 303	(-)	Washer, lock, 5/16" (6 used)
28	19H 1906	(-)	Screw, cap, high-strength, 5/16" x 1-1/2" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
29	R 468 R	(-)	Sleeve, ermeto, fuel injection pipe (4 used)
30	R 469 R	(-)	Nut, ermeto, fuel injection pipe (4 used)
31	AF 2029 R	(-)	Pipe, fuel injection, R.H.
	AF 2030 R	(-)	Pipe, fuel injection, L.H.
32	14H 391	(-)	Nut, 1/2" (2 used)
33	12H 301	(-)	Washer, lock, 1/2" (2 used)
34	R 464 R	(-)	Clamp, injector nozzle (2 used)
35	R 465 R	(-)	Stud, 1/2" x 3-1/2" (2 used)
36	AF 3439 R	(-)	Nozzle, injector (Scintilla) (2 used)
	AF 3440 R	(-)	Nozzle, injector (Bosch) (2 used)
37	H 315 R	(-)	Elbow (2 used)
38	A 2875 R	(-)	Nut, bushing (2 used)
39	AR 466 R	(-)	Pipe, injector leak-off, R.H. (sub. for AF2031R)
	AR 467 R	(-)	Pipe, injector leak-off, L.H. (sub. for AF2032R)
40	R 463 R	(-)	Washer, injector nozzle (2 used) (packed 10 in a pkg.)
41	F 2141 R	(-)	Plug, injection pump rack spring
42	R 229 R	(-)	Washer (aluminum)
43	F 3322 R	(-)	Spring, injection pump rack (sub. for H834R)
44	F 3305 R	(-)	Guide, rack spring
45	AF 3446 R	(-7214899)	Pump, injection (Scintilla) (2 used) (sub. AF3727R injection pump, F3381R push rod, F3382R adjusting screw, and 14H846 nut)
	AF 3727 R	(7214900-)	Pump, injection (Scintilla) (2 used)
	AF 3445 R	(-7214899)	Pump, injection (Bosch) (2 used) (sub. AF3728R injection pump, F3381R push rod, F3382R adjusting screw, and 14H846 nut)
	AF 3728 R	(7214900-)	Pump, injection (Bosch) (2 used)
46	R 20940 R	(-)	Screw, special cap, injection pump rack adjusting (sub. for F3306R)
47	(-)	Nut, jam, 1/4"
48	F 3307 R	(-)	Rod, injection pump adjusting
49	F 3320 R	(-)	Rod, injection pump control
50	F 1878 R	(-7206054)	Screw, injection pump adjusting (2 used) (sub. F3381R push rod, F3382R adjusting screw, and 14H846 nut)
	F 3382 R	(7206055-)	Screw, injection pump adjusting (2 used)
51	14H 650	(-7206054)	Nut, 5/16" (2 used)
	14H 846	(7206055-)	Nut, 3/8" (2 used)
52	F 1877 R	(-7206054)	Rod, injection pump push (2 used) (sub. F3381R push rod, F3382R adjusting screw, and 14H846 nut)
	F 3381 R	(7206055-)	Rod, injection pump push (2 used)
53	F 1876 R	(-7214899)	Seat, injection pump push rod (2 used) (sub. F3381R push rod, F3382R adjusting screw, F3528R push rod seat, and 14H846 nut)
	F 3528 R	(7214900-)	Seat, injection pump push rod (2 used)
54	R 432 R	(-)	Pin, injection cam follower roller (2 used)
55	R 431 R	(-)	Roller, injection cam follower (2 used)
56	AF 2025 R	(-7214899)	Follower, F1875R, injection cam, with roller and seat (2 used) (sub. AF3734R injection cam follower, F3381R push rod, F3382R adjusting screw, and 14H846 nut)
	AF 3734 R	(7214900-)	Follower, F1875R, injection cam, with roller and seat (2 used)
57	24H 1658	(-)	Washer, 21/32" x 1" x .060" (2 used)
58	F 3268 R	(-)	Shaft, injection pump cam follower (2 used)
59	F 1743 R	(-)	Pin, dowel (4 used)
60	11H 239	(-)	Pin, cotter, 5/32" x 1" (2 used)
61	F 1873 R	(-)	Bracket, injection pump cam follower (2 used)
62	19H 1726	(-)	Screw, cap, high-strength, 3/8" x 2-1/4" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
63	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
Part listed below is not illustrated.			
	AR 20874 R	(-7223363)	Pump, injection, fuel bleed system (use in conjunction with AR20247 camshaft)

FUEL INJECTION PUMP (Scintilla)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 916 R*	(-)	Snap ring, follower retaining
2	AF 3731 R*	(-7214899)	Follower, plunger (sub. for F2216R)
	F 3526 R*	(7214900-)	Follower, plunger
3	R 914 R*	(-)	Plate, spring, lower
4	AF 3279 R*	(-)	Plunger and barrel
5	R 913 R*	(-)	Spring, plunger
6	R 912 R*	(-)	Plate, spring, upper
7	R 911 R*	(-)	Sleeve, control
8	F 3258 R*	(-)	Housing
9	R 922 R*	(-)	Rack, control
10	21H 979 *	(-)	Screw, mach., rd. hd., no. 10 x 5/16"
11	R 921 R*	(-)	Indicator, control rack
12	R 917 R*	(-)	Shim, indicator, .005"
	R 918 R*	(-)	Shim, indicator, .015" (sub. R917R)
	R 919 R*	(-)	Shim, indicator, .031" (sub. R917R)
	R 920 R*	(-)	Shim, indicator, .042" (sub. R917R)
13	AR 735 R	(-)	Valve, delivery
14	R 929 R	(-)	Spring, delivery valve
15	F 3262 R	(-)	Packing
16	F 3263 R	(-)	Sleeve, adapter
17	F 3261 R	(-)	Holder, delivery valve
18	B 2979 R	(-)	Plug, cap (packed 5 in a pkg.)
19	R 928 R	(-)	Gasket, delivery valve
20	R 923 R	(-)	Washer, lock, and seal
21	F 3260 R	(-)	Screw, pressure

Parts listed below are an assembly of parts in this grouping.

AF 3446 R	(-7214899)	Pump, fuel injection, complete (Scintilla) (2 used) (sub. AF3727R fuel injection pump, F3381R push rod, F3382R adjusting screw, and 14H846 nut)
AF 3727 R	(7214900-)	Pump, fuel injection, complete (Scintilla) (2 used)

*Special equipment required when these parts are serviced.

FUEL INJECTION PUMP (Bosch)
(Serial No. 7200000-)



Key		Part No.	Serial No.	Description
1	F	3429 R*	(-)	Snap ring, follower retaining
2	F	3418 R*	(-7214899)	Follower, plunger (sub. AF3733R injection pump push rod and push rod seats) (Bosch)
	F	3527 R*	(7214900-)	Follower, plunger
3	F	3428 R*	(-)	Plate, spring, lower
4	AF	3614 R*	(-)	Plunger and barrel
5	F	3427 R*	(-)	Spring, plunger
6	F	3426 R*	(-)	Plate, spring upper
7	F	3425 R*	(-)	Sleeve, control
8	F	3419 R*	(-)	Housing
9	F	2259 R*	(-)	Rack, control
10	R	2772 R*	(-)	Screw, indicator (sub. for R1102R)
11	R	1101 R*	(-)	Indicator, control rack
12	R	1096 R*	(-)	Shim, indicator, .008"
	R	1097 R*	(-)	Shim, indicator, .012"
	R	1098 R*	(-)	Shim, indicator, .020"
	R	1099 R*	(-)	Shim, indicator, .065"
	R	1100 R*	(-)	Shim, indicator, .035"
13	AF	3615 R	(-)	Valve, delivery
14	F	3436 R	(-)	Spring, delivery valve
15	B	2979 R	(-)	Plug, cap (packed 5 in a pkg.)
16	F	3420 R	(-)	Holder, delivery valve
17	F	3422 R	(-)	Gasket, delivery valve (packed 2 in a pkg.)
18	F	3424 R	(-)	Gasket, barrel locating screw (packed 2 in a pkg.)
19	F	3423 R	(-)	Screw, barrel locating
20	R	1086 R	(-)	Plug
21	R	1089 R	(-)	Screw, rack stop

Parts listed below are an assembly of parts in this grouping.


AF	3445 R	(-7214899)	Pump, fuel injection, complete (Bosch) (sub. AF3728R fuel injection pump, F3381R push rod, R3382R adjusting screw, and 14H846 nut)
AF	3728 R	(7214900-)	Pump, fuel injection, complete (Bosch)

Part listed below is not illustrated.

AF	3733 R	(-7214899)	Rod, injection pump push, and push rod seats (Bosch) consisting of: one F3381R, one F3382R, one F3527R, one F3528R, and one 14H846
----	--------	--------------	--

*Special equipment required when these parts are serviced.

INJECTOR NOZZLE (Scintilla) (Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 463 R	(-)	Washer (copper) (packed 10 in a pkg.)
2	R 933 R	(-)	Nut, spray tip retaining
3	F 3210 R	(-)	Tip, spray
4	AR 736 R*	(-)	Valve, nozzle
5	R 931 R*	(-)	Body, nozzle holder
6	R 941 R	(-)	Washer, inlet nipple
7	R 942 R	(-)	Nipple, inlet
8	B 2979 R	(-)	Plug, cap (packed 5 in a pkg.)
9	AR 737 R*	(-)	Pin, pressure
10	R 934 R*	(-)	Spring, nozzle
11	R 939 R*	(-)	Seat, spring
12	R 1048 R*	(-)	Shim, pressure adjusting, .003"
	R 1234 R*	(-)	Shim, pressure adjusting, .004"
	R 935 R*	(-)	Shim, pressure adjusting, .005" (packed 5 in a pkg.)
	R 936 R*	(-)	Shim, pressure adjusting, .010"
	R 937 R*	(-)	Shim, pressure adjusting, .016"
	R 938 R*	(-)	Shim, pressure adjusting, .031"
13	R 940 R	(-)	Cap, spring
14	AF 3439 R	(-)	Nozzle, injector, complete (Scintilla) (2 used)

Part listed below is not illustrated.

AF 2291 R (-) Broaches, cleaning (set of 5)

*Special equipment required when these parts are serviced.

INJECTOR NOZZLE (Bosch)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 463 R	(-)	Washer (copper) (packed 10 in a pkg.)
2	R 1105 R	(-)	Nut, spray tip retaining
3	F 3344 R	(-)	Tip, spray
4	AR 834 R*	(-)	Valve, nozzle
5	R 1103 R*	(-)	Body, nozzle holder
6	R 1107 R	(-)	Gasket, inlet nipple (packed 2 in a pkg.)
7	R 1106 R	(-)	Nipple, inlet
8	B 2979 R	(-)	Plug, cap (packed 5 in a pkg.)
9	AR 835 R*	(-)	Pin, pressure
10	R 1108 R*	(-)	Spring, nozzle
11	R 1109 R*	(-)	Shim, pressure adjusting, .004" (packed 5 in a pkg.)
	R 1110 R*	(-)	Shim, pressure adjusting, .008"
	R 1111 R*	(-)	Shim, pressure adjusting, .020"
	R 1112 R*	(-)	Shim, pressure adjusting, .042"
	R 1113 R*	(-)	Shim, pressure adjusting, .083"
	R 1114 R*	(-)	Shim, pressure adjusting, 3.5 mm
	R 1115 R*	(-)	Shim, pressure adjusting, .002"
12	R 1116 R*	(-)	Cap, spring
13	AF 3440 R	(-)	Nozzle, injector, complete (Bosch) (2 used)

Part listed below is not illustrated.

AF 2291 R (-) Broaches, cleaning (set of 5)


*Special equipment required when these parts are serviced.

GENERATOR AND MOUNTING BRACKET (C.E.)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	14H 785	(-)	Nut, 5/16"
2	12H 303	(-)	Washer, lock, 5/16"
3	24H 1136	(-)	Washer, 21/64" x 3/4" x .060"
4	19H 2127	(-)	Screw, cap, high-strength, 5/16" x 7/8"
5	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4"
6	F 1514 R	(-)	Washer, lock, 5/16"
7	AR 21907 R	(-)	Strap, adjusting
8	1118786	(-)	Generator, with fan and pulley (6-volt) (Delco-Remy no. 1947580) (sub. for AF2080R)
9	26H 72	(-)	Regulator, voltage
10	AR 11097 R	(-)	Key, Woodruff, 1/8" x 5/8"
11	T 10745 T	(-)	Pulley and fan (sub. for 1924689) (sub. R11283R and T12870T)
12	806915	(-)	Washer, lock (sub. for 804000)
13	A 4897 R	(-)	Nut
14	19H 1732	(-)	Belt, generator and water pump
15	F 1413 R	(-)	Screw, cap, high-strength, 3/8" x 1-1/4"
16	R 21136 R	(-)	Bracket, mounting (sub. R21136R)
17	12H 304	(-)	Bracket, mounting
18	14H 812	(-)	Washer, lock, 3/8" (2 used)
19	24H 1325	(-)	Nut, 3/8" (2 used)
	19H 1821	(-)	Washer, 15/32" x 59/64" x .060" (2 used)
	12H 293	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
		(-)	Washer, lock, 7/16" (2 used)

GENERATOR AND MOUNTING BRACKET (Elec.)
(Serial No. 7222600-)



Key	Part No.	Serial No.	Description
1	14H 785	(-)	Nut, 5/16"
2	12H 303	(-)	Washer, lock, 5/16"
3	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
4	19H 2127	(-)	Screw, cap, high-strength, 5/16" x 7/8"
5	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4"
	12H 303	(-)	Washer, lock, 5/16"
6	F 1514 R	(-)	Strap, adjusting
7	AR 11007 R	(7222600-)	Generator, with fan and pulley (24-volt) (Delco-Remy no. 1103021)
8	26H 72	(-)	Key, Woodruff, 1/8" x 5/8"
9	R 11047 R	(7222600-)	Fan, pulley
10	R 11048 R	(7222600-)	Baffle, fan
11	R 11046 R	(7222600-)	Pulley
12	T 10745 T	(7222600-)	Washer, spring
13	R 11049 R	(7222600-)	Nut
14	A 4897 R	(-)	Belt, generator and water pump
15	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used)
16	F 1413 R	(-7299999)	Bracket, mounting (sub. R21136R)
	R 21136 R	(7300000-)	Bracket, mounting
17	12H 304	(-)	Washer, lock, 3/8" (2 used)
18	14H 812	(-)	Nut, 3/8" (2 used)
19	24H 1325	(-)	Washer, 15/32" x 59/64" x .060" (2 used)
20	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)

GENERATOR PARTS (24-Volt) (Delco-Remy) (Elec.)
(Serial No. 7222600-)



GENERATOR PARTS (24-Volt) (Delco-Remy) (Elec.) -- Continued
(Serial No. 7222600-)


Key	Part No.	Serial No.	Description
1	AR 11068 R	(7222600-)	Holder, insulated brush (set) (2 used) (sub. for 1922289)
2	1857412*	(7222600-)	Washer, brush arm spacer (2 used)
3	1878183*	(7222600-)	Arm, main brush (2 used)
4	1916324*	(7222600-)	Spring, brush (2 used)
5	132688*	(7222600-)	Screw, special mach., brush lead attaching (2 used)
6	12H 314	(7222600-)	Washer, lock, brush lead attaching screw, no. 6 (2 used) (sub. for 1904377 or R11106R)
7	1923295	(7222600-)	Brush (2 used)
8	(7222600-)	Frame, main
9	T 18353 T	(7222600-)	Screw, pole shoe (2 used) (sub. for 1843646 or R11097R)
10	21H 1127	(7222600-)	Screw, mach., no. 10 x 7/16" (3 used) (sub. for 1904370 or R11105R)
11	R 11087 R	(7222600-)	Pin, dowel (sub. for 809593)
12	12H 246	(7222600-)	Washer, lock, no. 10, plate attaching screw (3 used) (sub. for A3009R)
13	R 11109 R	(7222600-)	Plate, bearing retainer (sub. for 1911263)
14	R 11110 R	(7222600-)	Gasket, bearing retainer plate (sub. for 1212008)
15	JD 7180	(7222600-)	Bearing
16	R 11094 R	(7222600-)	Plate, felt washer retaining (sub. for 819104)
17	R 11089 R	(7222600-)	Washer, felt (sub. for 809961)
18	1880641*	(7222600-)	Cup, oil
19	1925097*	(7222600-)	Frame, drive end
20	1858603*	(7222600-)	Collar, shaft
21	R 11047 R	(7222600-)	Fan, pulley
22	R 11048 R	(7222600-)	Baffle, fan
23	R 11046 R	(7222600-)	Pulley
24	T 10745 T	(7222600-)	Washer, spring
25	R 11049 R	(7222600-)	Nut
26	R 11160 R	(7222600-)	Insulator, field coil (2 used) (sub. for 1914491)
27	R 11161 R	(7222600-)	Shoe, pole (2 used) (sub. for 1914618)
28	AR 11031 R	(7222600-)	Coil, field
29	R 11113 R	(7222600-)	Bushing, insulating (sub. for 1921362)
30	R 11162 R	(7222600-)	Stud, field return terminal (sub. for 1921369)
31	R 11043 R	(7222600-)	Clip, terminal screw lock
32	R 11042 R	(7222600-)	Stud, field terminal
33	1885090*	(7222600-)	Insulator, field terminal stud
34	R 11098 R	(7222600-)	Washer, terminal stud insulation (3 used) (sub. for 1858753)
35	24H 1287	(7222600-)	Washer, special, terminal stud, 9/32" x 5/8" x .060" (sub. for A3031R) (3 used)
36	12H 316	(7222600-)	Washer, lock, no. 12, terminal stud (6 used) (sub. for A3011R)
37	14H 608	(7222600-)	Nut, no. 10, terminal stud (6 used)
38	R 11113 R	(7222600-)	Bushing, insulating (sub. for 1921362)
39	R 11162 R	(7222600-)	Stud, armature terminal (sub. for 1921369)
40	R 11088 R	(7222600-)	Washer, inside spacing (sub. for 809945)
41	R 11159 R	(7222600-)	Plug, felt (sub. for 823551)
42	26H 72	(7222600-)	Key, Woodruff, 1/8" x 5/8"
43	AR 11030 R	(7222600-)	Armature
44	R 11165 R	(7222600-)	Cup, washer retainer (sub. for 1927448)
45	R 11164 R	(7222600-)	Washer, felt (sub. for 1927447)
46	R 11086 R	(7222600-)	Pin, dowel (sub. for 809062)
47	AR 11102 R	(7222600-)	Frame, commutator end (sub. for 1928061) (sub. AR11117R)
48	804080*	(7222600-)	Wick, commutator end
49	E 2302 RT	(7222600-)	Cup, oil
50	12H 303	(7222600-)	Washer, lock, 5/16" (2 used)
51	R 11158 R	(7222600-)	Bolt, thru (2 used) (sub. for 815018)

Part listed below is an assembly of parts in this grouping.

AR 11007 R (7222600-) Generator (24-volt) (Delco-Remy no. 1103021)

*Furnished by John Deere Dubuque Tractor Works.

GENERATOR PARTS (6-Volt) (Delco-Remy) (C.E.)
(Serial No. 7200000-)



R 369

GENERATOR PARTS (6-Volt) (Delco-Remy) (C.E.) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AR 11100 R	(-)	Holder, ground brush (set) (sub. for 1922288)
2	AR 11068 R	(-)	Holder, insulated brush (set) (sub. for 1922289)
3	1857412*	(-)	Washer, brush arm spacer (2 used)
4	1878183*	(-)	Arm, main brush (2 used)
5	T 11652 T	(-)	Spring, brush (2 used) (sub. for 1908829)
6	132688*	(-)	Screw, special mach., brush lead attaching (2 used)
7	12H 314	(-)	Washer, lock, brush lead attaching screw, no. 6 (2 used) (sub. for 1904377 or R11106R)
8	AR 11074 R	(-)	Brush (2 used) (sub. for 1906946)
9	(-)	Frame, main
10	T 18353 T	(-)	Screw, pole shoe (2 used) (sub. for 1843646 or R11097R)
11	(-)	Lead, regulator to "F" terminal, 5" (make from R32007R, R32018R and R32021R in AR30963R wiring kit) (sub. for 1911485)
12	(-)	Lead, regulator to "A" terminal, 7-3/8" (make from R32007R, R32018R and R32021R in AR30963R wiring kit) (sub. for 1917571)
13	R 11100 R	(-)	Screw, mach., terminal (3 used) (sub. for 1864099)
14	R 11084 R	(-)	Clip, terminal (3 used) (sub. for 1868137)
15	21H 995	(-)	Screw, regulator mounting (2 used)
16	12H 295	(-)	Washer, lock, (2 used) (sub. for A3010R)
17	24H 1283	(-)	Washer, mounting screw, 7/32" x 1/2" x .048" (2 used)
18	1118786	(-)	Regulator, voltage (for parts, see page 40-10)
19	21H 1127	(-)	Screw, mach., no. 10 x 7/16" (3 used) (sub. for 1904370)
20	R 11087 R	(-)	Pin, dowel (sub. for 809593)
21	12H 246	(-)	Washer, lock, no. 10, plate attaching screw (3 used) (sub. for A3009R)
22	R 11109 R	(-)	Plate, bearing retainer (sub. for 1911263)
23	R 11110 R	(-)	Gasket, bearing retainer plate (sub. for 1912008)
24	JD 9281	(-)	Bearing (sub. for JD7695)
25	R 11094 R	(-)	Plate, felt washer retaining (sub. for 819104)
26	R 11089 R	(-)	Washer, felt (sub. for 809961)
27	1880641*	(-)	Cup, oil
28	R 11159 R	(-)	Plug, felt (sub. for 823551)
29	1925097*	(-)	Frame, drive end
30	1858603*	(-)	Collar, shaft
31	AR 11097 R	(-)	Pulley and fan (sub. for 1924689) (sub. R11283R and T12870T)
32	T 10745 T	(-)	Washer, lock (sub. for 804000)
33	806915	(-)	Nut
34	R 11160 R	(-)	Insulator, field coil (2 used) (sub. for 1914491)
35	R 11161 R	(-)	Shoe, pole (2 used) (sub. for 1914618)
36	1921356	(-)	Coil, field
37	200362	(-)	Terminal (sub. for 200182)
38	R 11042 R	(-)	Stud, field terminal (sub. for 1921860 or R11163R)
39	1885090*	(-)	Insulator, terminal stud
40	R 11098 R	(-)	Washer, insulating (sub. for 1858753)
41	24H 1287	(-)	Washer, terminal stud, 9/32" x 5/8" x .060" (2 used) (sub. for A3031R)
42	12H 316	(-)	Washer, lock, terminal stud, no. 12 (4 used) (sub. for A3011R)
43	14H 608	(-)	Nut, hex., terminal stud (4 used)
44	R 11162 R	(-)	Stud, armature terminal (sub. for 1921369)
45	R 11113 R	(-)	Bushing, insulating (sub. for 1921362)
46	R 11088 R	(-)	Washer, inside spacing (sub. for 809945)
47	26H 72	(-)	Key, Woodruff, 1/8" x 5/8"
48	1921351	(-)	Armature
49	R 11165 R	(-)	Cup, washer retainer (sub. for 1927448)
50	R 11164 R	(-)	Washer, felt (sub. for 1927447)
51	R 11086 R	(-)	Pin, dowel (sub. for 809062)
52	AR 11102 R	(-)	Frame, commutator end (sub. for 1928061) (sub. AR11117R)
53	804080*	(-)	Wick, commutator end
54	E 2302 RT	(-)	Cup, oil
55	12H 303	(-)	Washer, lock, 5/16" (2 used)
56	R 11158 R	(-)	Bolt, thru (2 used) (sub. for 815018)

Part listed below is an assembly of parts in this grouping.

AF 2080 R (-) Generator (6-volt) (Delco-Remy no. 1100027) (sub. AR21907R
Delco-Remy no. 1947580)

*Furnished by John Deere Dubuque Works.

AR21907R GENERATOR* (6-Volt) (Delco-Remy)



R 5504

AR21907R GENERATOR* (6-Volt) (Delco-Remy) -- Continued

Key	Part No.	Serial No.	Description
1	AR 11100 R	(-)	Holder, ground brush (set)
2	AR 40217	(-)	Holder, insulated brush (set) (sub. for AR11068R)
3	T 11651 T	(-)	Washer, brush arm spacer (2 used)
4	T 11649 T	(-)	Arm, main brush (2 used)
5	T 11652 T	(-)	Spring, brush (2 used)
6	21H 1114	(-)	Screw, special mach., no. 6 x 1/4", brush lead attaching (2 used)
7	12H 314	(-)	Washer, lock, brush lead attaching screw, no. 6 (2 used)
8	AR 11074 R	(-)	Brush (2 used)
9	(-)	Frame, main
10	T 18353 T	(-)	Screw, pole shoe (2 used) (sub. for R11097R)
11	21H 1127	(-)	Screw, mach., no. 10 x 7/16" (3 used) (sub. for R11105R)
12	R 11087 R	(-)	Pin, dowel
13	R 11109 R	(-)	Plate, bearing retainer
14	R 11110 R	(-)	Gasket, bearing retainer plate
15	R 11205 R	(-)	Slinger, oil
16	JD 9281	(-)	Bearing (sub. for JD7695)
17	R 11204 R	(-)	Plate, felt washer retaining
18	R 11089 R	(-)	Washer, felt
19	R 11203 R	(-)	Frame, drive end
20	R 11200 R	(-)	Bracket, adjusting
21	T 11648 T	(-)	Collar, shaft
22	T 10745 T	(-)	Washer, spring
23	R 11049 R	(-)	Nut
24	R 11160 R	(-)	Insulator, field coil (2 used)
25	R 11161 R	(-)	Shoe, pole (2 used)
26	1921356	(-)	Coil, field
27	R 11043 R	(-)	Terminal, screw lock clip
28	R 11042 R	(-)	Screw, cap (sub. for R11163R)
29	T 11650 T	(-)	Insulator, terminal stud
30	R 11098 R	(-)	Washer, insulating
31	24H 1287	(-)	Washer, terminal stud, 9/32" x 5/8" x .060" (2 used) (sub. for A3031R)
32	12H 316	(-)	Washer, lock, terminal stud (4 used) (sub. for A3011R)
33	14H 608	(-)	Nut, hex., terminal stud (4 used)
34	R 11162 R	(-)	Stud, armature terminal
35	R 11113 R	(-)	Bushing, insulating
36	R 11088 R	(-)	Washer, inside spacing
37	26H 72	(-)	Key, Woodruff, 1/8" x 5/8"
38	AR 11119 R	(-)	Armature
39	R 11165 R	(-)	Cup, washer retainer
40	R 11164 R	(-)	Washer, felt
41	R 11086 R	(-)	Pin, dowel
42	R 11202 R	(-)	Retainer, wick
43	AR 11117 R	(-)	Frame, commutator end
44	R 11201 R	(-)	Wick, commutator end
45	E 2302 RT	(-)	Cup, oil
46	12H 303	(-)	Washer, lock, 5/16" (2 used)
47	R 11158 R	(-)	Bolt, thru (2 used)


Part listed below is an assembly of parts in this grouping.

AR 21907 R (-) Generator (6-volt) (Delco-Remy no. 1947580) (sub. for AF2080R)

*For regulator, fan or pulley, see original equipment generator.

VOLTAGE REGULATOR (24-Volt) (Elec.)

(Serial No. 7222600-)




Key	Part No.	Serial No.	Description
1	R 11051 R	(-)	Cover (sub. AR30007R cover with two R11231R insulators and two 37H43 screws) (AR11008R)
2	AR 30007 R 37H 43	(-)	Cover (AR30155R and sub. for R11051R cover)
3	R 11231 R	(-)	Screw, special (2 used) (packed 5 in a pkg.) (sub. for R11053R or R11232R)
4	R 11052 R	(-)	Insulator, regulator cover (AR30155R)
5	AR 11033 R	(-)	Gasket (packed 2 in a pkg.)
6	12H 314	(-)	Armature
7	AT 11339 T	(-)	Washer, lock, relay armature attaching screw, no. 6 (2 used) (sub. for 1904377) (AR11008R)
8	H 24106 H	(-)	Screw, relay armature attaching (2 used) (sub. for 1924764)
9	R 11112 R	(-)	Screw, regulator armature adjusting (2 used) (sub. for 1922408)
10	R 11054 R	(-)	Spring (sub. for 1912176)
11	(-)	Lead, 10" (make from R32007R and R32016R in AR30963R wiring kit) (sub. for AR30156R)
12	AR 11039 R	(-)	Grommet and ferrule (3 used)
13	R 11056 R	(-)	Screw, ground (packed 5 in a pkg.) (AR11008R)
14	R 11057 R	(-)	Clip, ground screw (AR11008R)
15	AR 11038 R	(-)	Resistor, relay core to current contact
16	AR 11037 R	(-)	Resistor, "F" terminal to ground (AR11008R)
17	AR 11137 R	(-)	Resistor (AR30155R)
18	14H 850	(-)	Nut, jam, 1/4" (3 used)
19	12H 302	(-)	Washer, lock, 1/4" (3 used)
20	21H 1032	(-)	Screw, mach., rd. hd., 1/4" x 1" (3 used)
21	AR 11042 R	(-)	Mount, shock
22	AR 11041 R	(-)	Mount, shock
23	R 11102 R	(-)	Insulator (sub. for 1878507)
24	R 11114 R	(-)	Insulator (sub. for 1922599)
25	R 11103 R	(-)	Screw, contact attaching (2 used) (sub. for 1878516)
26	R 11101 R	(-)	Plate, lock, contact attaching screw (sub. for 1878505)
27	R 11084 R	(-)	Clip, terminal (3 used) (sub. for 1878503)
28	AR 11040 R	(-)	Screw, terminal (3 used) (packed 5 in a pkg.)
29	AR 11035 R	(-)	Support, contact
30	AR 11036 R	(-)	Support, contact
31	R 11111 R	(-)	Screw, relay armature adjusting (sub. for 1912159)
32	R 20320 R	(-)	Bracket
	19H 1791	(-)	Screw, cap, 1/4" x 1-1/4" (4 used)
	12H 302	(-)	Washer, lock, 1/4" (4 used)
	14H 786	(-)	Nut, 1/4" (4 used)

Part listed below is an assembly of parts in this grouping.

AR 11008 R	(-)	Regulator, voltage (sub. AR30155R regulator)
AR 30155 R	(-)	Regulator, voltage, with AR30156R lead (sub. for AR11008R)

VOLTAGE REGULATOR (6-Volt) (C.E.)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	R 11170 R	(-)	Screw, special mach. (2 used) (sub. 1927982)
2	R 11156 R	(-)	Washer, special insulating (2 used) (sub. for 1922996 or R1115R)
3	R 11168 R	(-)	Cover (sub. for 1927980)
4	R 11169 R	(-)	Gasket (sub. for 1927981)
5	R 11103 R	(-)	Screw, contact attaching (2 used) (sub. for 1878516)
6	R 11101 R	(-)	Plate, lock, contact attaching screw (sub. for 1878505)
7	R 11114 R	(-)	Insulator (sub. for 1922599)
8	R 11102 R	(-)	Insulator (sub. for 1878507)
9	R 11100 R	(-)	Screw, terminal (3 used) (sub. for 1864099)
10	R 11084 R	(-)	Clip, terminal (3 used) (sub. for 1868137)
11	AR 11103 R	(-)	Support, contact (sub. for 1878517)
12	R 11111 R	(-)	Screw, adjusting (sub. for 1912159)
13	1878780*	(-)	Armature (furnished by Harvester)
14	R 11112 R	(-)	Spring (sub. for 1912176)
15	21H 1114	(-)	Screw, no. 6 x 1/4", relay armature attaching (2 used) (sub. for 1904817)
	12H 314	(-)	Washer, lock, relay armature attaching screw, no. 6 (2 used) (sub. for 1904377)
16	(-)	Base, mounting (not furnished) (order 1118786)
17	24H 1283	(-)	Washer, 7/32" x 1/2" x .048", mounting screw (2 used)
18	12H 295	(-)	Washer, lock (shakeproof) no. 10 (2 used)
19	21H 995	(-)	Screw, mach., rd. hd., no. 10 x 3/8", regulator mounting (2 used)
20	1922408	(-)	Screw, adjusting
21	1910183	(-)	Resistor
22	(-)	Lead, regulator to "F" terminal on generator, 5" (make from R32007R, R32018R, and R32021R in AR30963R wiring kit) (sub. for 1911485)
23	(-)	Lead, regulator to "A" terminal on generator, 7-3/8" (make from R32007R, R32018R and R32021R in AR30963R wiring kit) (sub. for 1917571)

Part listed below is an assembly of parts in this grouping.


1118786 (-) Regulator, voltage, with cover, less leads (6-volt)

Exploded view diagram of the front cover assembly for a 64502 engine. The diagram shows the front cover (1) being bolted to the engine block (9) using bolts (2, 3, 4, 5) and washers (6). A gasket (7) is placed between the cover and the block. A pin (8) is shown near the bottom of the block.

Key	Part No.	Serial No.	Description
1	19H 456	(7222600-	Screw, cap, high-strength, 1/2" x 1-3/8"
	12H 301) (7222600-	Washer, lock, 1/2"
2	R 20167 R	(7222600-	Bracket, cranking motor
3	19H 1974	(7222600-	Screw, cap, high-strength, 1/2" x 2-3/4"
	12H 301) (7222600-	Washer, lock, 1/2"
4	19H 1905	(7222600-	Screw, cap, high-strength, 5/16" x 1" (2 used)
	12H 303) (7222600-	Washer, lock, 5/16" (2 used)
5	B 1152 R	(7222600-	Screw, special cap
	12H 301) (7222660-	Washer, lock, 1/2"
6	R 26650 R	(7222600-	Pin, dowel (2 used) (sub. for A4879R)
7	R 20169 R	(7222600-	Gasket
8	19H 456	(7222600-	Screw, cap, high-strength, 1/2" x 1-3/8" (2 used)
	12H 301) (7222600-	Washer, lock, 1/2" (2 used)
9	AR 11009 R	(7222600-7315657)	Motor, cranking (Delco-Remy no. 1113801) (sub. AR11073R)
	AR 11073 R	(7315658-	Motor, cranking (Delco-Remy no. 1113830)

MEMORANDA

CRANKING MOTOR (Delco-Remy) (Elec.)
(Serial No. 7222600-7315657)



CRANKING MOTOR (Delco-Remy) (Elec.) -- Continued
(Serial No. 7222600-7315657)


Key	Part No.	Serial No.	Description
1	21H 986	(7222600-7315657)	Screw, mach., rd. hd., no. 10 x 1-1/4" (2 used)
2	AR 11017 R	(7222600-7315657)	Band, cover
3	14H 809	(7222600-7315657)	Nut, 1/2"
4	12H 301	(7222600-7315657)	Washer, lock, 1/2" (2 used)
5	14H 473	(7222600-7315657)	Nut, jam, 1/2"
6	811912*	(7222600-7315657)	Washer
7	R 11085 R	(7222600-7315657)	Plug, pipe (sub. for 125947)
8	R 11108 R	(7222600-7315657)	Wick, commutator end frame (sub. for 1909560)
9	R 11011 R	(7222600-7315657)	Washer, insulating (4 used)
10	R 11007 R	(7222600-7315657)	Frame, commutator end
11	R 11012 R	(7222600-7315657)	Bushing, insulating
12	AR 11016 R	(7222600-7315657)	Plate, brush, assembly
13	24H 1281	(7222600-7315657)	Washer, 5/32" x 3/8" x .048" (3 used)
14	21H 1158	(7222600-7315657)	Screw, mach., fill. hd., no. 8 x 1/2" (3 used)
	12H 315	(7222600-7315657)	Washer, lock, no. 8 (3 used)
15	AR 11014 R	(7222600-7315657)	Coil, field, R.H.
16	R 11006 R	(7222600-7315657)	Clip, terminal
17	AR 40171	(7222600-7315657)	Insulator, terminal screw (sub. for R11005R)
18	R 11011 R	(7222600-7315657)	Washer, insulating (2 used)
19	811912*	(7222600-7315657)	Washer
20	12H 301	(7222600-7315657)	Washer, lock, 1/2" (2 used)
21	14H 809	(7222600-7315657)	Nut, 1/2"
22	14H 473	(7222600-7315657)	Nut, jam, 1/2"
23	R 11253 R	(7222600-7315657)	Insulator, field coil (2 used) (sub. for 1913534)
24	AR 11029 R	(7222600-7315657)	Cable, solenoid switch to motor
25	AR 11023 R	(7222600-7315657)	Switch, solenoid (for parts, see page 40-16)
26	1930611	(7222600-7315657)	Screw, special cap, with lock washer (4 used)
27	AR 11028 R	(7222600-7315657)	Lead, wiring, solenoid switch to field terminal, not furnished)
28	AR 11022 R	(7222600-7315657)	Link, adjusting screw and lever
29	R 11029 R	(7222600-7315657)	Pin, spring retainer
30	R 11030 R	(7222600-7315657)	Spring, compression
31	R 11028 R	(7222600-7315657)	Retainer, spring
32	11H 231	(7222600-7315657)	Pin, cotter, 1/16" x 1/2"
33	R 11027 R	(7222600-7315657)	Pin, clevis, lever link
34	(7222600-7315657)	Frame, main
35	T 18353 T	(7222600-7315657)	Screw, pole shoe (8 used) (sub. for 1843646 or R11097R)
36	R 11004 R	(7222600-7315657)	Screw, terminal
37	AR 11015 R	(7222600-7315657)	Coil, field, L.H.
38	R 11002 R	(7222600-7315657)	Shoe, pole (2 used)
	R 11003 R	(7222600-7315657)	Shoe, pole (2 used)
39	1906909	(7222600-7315657)	Brush (8 used)
40	R 11148 R	(7222600-7315657)	Spring, brush (8 used) (sub. for 1861785)
41	21H 971	(7222600-7315657)	Screw, mach., fill. hd., no. 8 x 5/16" (8 used)
	12H 315	(7222600-7315657)	Washer, lock, no. 8 (8 used) (sub. for A766R)
42	12H 235	(7222600-7315657)	Washer, lock, 7/16" (4 used) (sub. for R11014R)
43	R 11013 R	(7222600-7315657)	Bolt, special (4 used)
44	R 11008 R	(7222600-7315657)	Bushing
45	30H 11	(7222600-7315657)	Plug, expansion, 7/8"
46	R 11096 R	(7222600-7315657)	Washer, special (sub. for 833602)
47	AR 11013 R	(7222600-7315657)	Armature
48	R 11018 R	(7222600-7315657)	Spacer, center bearing
49	R 11016 R	(7222600-7315657)	Plug, pipe
50	R 11015 R	(7222600-7315657)	Wick, center bearing
51	AR 11018 R	(7222600-7315657)	Bearing, center
52	R 11017 R	(7222600-7315657)	Bushing, center bearing
53	1911644	(7222600-7315657)	Washer, brake
54	AR 11019 R	(7222600-7315657)	Drive, motor
55	R 11021 R	(7222600-7315657)	Cup, spring retainer (2 used)
56	R 11144 R	(7222600-7315657)	Spring, motor clutch (also order one R11024R pinion stop cup) (sub. for R11022R)
57	R 11023 R	(7222600-7315657)	Pinion (also order one R11024R pinion stop cup)
58	R 11024 R	(7222600-7315657)	Cup, pinion stop
59	R 11025 R	(7222600-7315657)	Washer, split (2 used)
60	R 11026 R	(7222600-7315657)	Ring, retaining
61	AR 11021 R	(7222600-7315657)	Lever and shaft
62	AR 11020 R	(7222600-7315657)	Lever, shift
63	R 11019 R	(7222600-7315657)	Housing, motor drive
64	R 11085 R	(7222600-7315657)	Plug, pipe (sub. for 125947)
65	R 40337	(7222600-7315657)	Wick, drive end (sub. for 1909654)
66	R 11275 R	(7222600-7315657)	Bushing, drive end (sub. for 1904083)
67	R 11020 R	(7222600-7315657)	Bolt, special (5 used)
68	12H 325	(7222600-7315657)	Washer, special lock (5 used) (sub. for R11014R)

Part listed below is an assembly of parts in this grouping.

AR 11009 R (7222600-7315657) Motor, cranking (Delco-Remy no. 1113801) (sub. AR11073R)

*Furnished by John Deere Dubuque Tractor Works.

SOLENOID SWITCH (Elec.)
(Serial No. 7222600-7315657)



67273

Key	Part No.	Serial No.	Description
1	14H 809	(7222600-	Nut, 1/2" (2 used)
2	12H 301	(7222600-	Washer, lock, 1/2" (4 used)
3	14H 473	(7222600-	Nut, jam, 1/2" (2 used)
4	811912*	(7222600-	Washer (2 used)
5	R 11011 R	(7222600-	Washer, insulating (2 used)
6	R 11038 R	(7222600-	Washer, insulating (2 used)
7	R 11037 R	(7222600-	Washer, insulating (2 used)
8	14H 631	(7222600-	Nut, no. 10 (4 used)
9	12H 246	(7222600-	Washer, lock, no. 10 (4 used) (sub. for A767R)
10	R 11039 R	(7222600-	Washer (4 used)
11	AR 11027 R	(7222600-	Plate, terminal
12	R 11036 R	(7222600-	Insulation, terminal
13	R 11009 R	(7222600-	Gasket, terminal plate
14	R 11035 R	(7222600-	Nut, special slotted
15	AR 11026 R	(7222600-	Disk, contact
16	R 11034 R	(7222600-	Washer
17	R 11033 R	(7222600-	Spring, contact cushion
18	R 11032 R	(7222600-	Washer
19	R 11031 R	(7222600-	Washer, slotted
20	21H 979	(7222600-	Screw, mach., no. 10 x 5/16"
21	1878503	(7222600-	Clip, lock, terminal
22	AR 11024 R	(7222600-	Case and coil
23	R 11010 R	(7222600-	Spring, plunger return
24	11H 231	(7222600-	Pin, cotter, 1/16" x 1"
25	AR 11025 R	(7222600-	Plunger


Part listed below is an assembly of parts in this grouping.

AR 11023 R (7222600-) Switch, solenoid

*Furnished by John Deere Dubuque Tractor Works.

**Furnished by John Deere Harvester Works.

SOLENOID SWITCH (Elec.)
(Serial No. 7315658-)




Key	Part No.	Serial No.	Description
1	R 11134 R	(7315658-)	Spring
2	AR 11079 R	(7315658-)	Disk, contact
3	AR 11134 R	(7315658-)	Nut, sealing (4 used) (packed 5 in a pkg.) (sub. for R11132R)
4	21H 979	(7315658-)	Screw, mach., no. 10 x 5/16" (2 used)
5	R 11084 R	(7315658-)	Clip, lock (2 used)
6	AR 11077 R	(7315658-)	Case and coil
7	AR 11080 R	(7315658-)	Plunger
8	R 11138 R	(7315658-)	Washer (packed 2 in a pkg.)
9	R 11127 R	(7315658-)	Boot
10	R 11126 R	(7315658-)	Retainer, spring
11	R 11128 R	(7315658-)	Spring, shift lever
12	R 11129 R	(7315658-)	Retainer, spring
13	AR 11081 R	(7315658-)	Guide, plunger rod (sub. for R11139R)
14	R 11151 R	(7315658-)	Nut, special jam lock
15	AR 11078 R	(7315658-)	Plate and terminal
16	R 11009 R	(7315658-)	Gasket, terminal plate
17	R 11036 R	(7315658-)	Insulation, terminal
18	R 11130 R	(7315658-)	Packing (2 used) (packed 2 in a pkg.)
19	R 11131 R	(7315658-)	Insulator (2 used)
20	811912*	(7315658-)	Washer (2 used)
21	12H 301	(7315658-)	Washer, lock, 1/2" (4 used) (packed 5 in a pkg.)
22	14H 473	(7315658-)	Nut, jam, 1/2" (2 used) (packed 5 in a pkg.)
23	14H 809	(7315658-)	Nut, hex., 1/2" (2 used)

Part listed below is an assembly of parts in this grouping.

AR 11075 R (7315658-) Switch, solenoid

*Furnished by John Deere Dubuque Tractor Works.

CRANKING MOTOR (24-Volt) (Delco-Remy) (Elec.)
(Serial No. 7315658-)



R 316


Key	Part No.	Serial No.	Description
1	14H 809	(7315658-)	Nut, hex., 1/2" (3 used)
2	12H 301	(7315658-)	Washer, lock, 1/2" (7 used)
3	14H 473	(7315658-)	Nut, jam, 1/2" (5 used)
4	811912*	(7315658-)	Washer (4 used)
5	R 11085 R	(7315658-)	Plug, pipe (3 used)
6	R 11122 R	(7315658-)	Wick
7	R 11123 R	(7315658-)	Insulator
8	AR 11085 R	(7315658-)	Frame, commutator end

CRANKING MOTOR (24-Volt) (Delco-Remy) (Elec.) -- Continued
(Serial No. 7315658-)

Key	Part No.	Serial No.	Description
9	30H 11	(7315658-)	Plug, expansion, commutator end (packed 5 in a pkg.)
10	R 11008 R	(7315658-)	Bushing, commutator end
11	R 11013 R	(7315658-)	Bolt, special hex. (9 used)
12	12H 302	(7315658-)	Washer, lock, 1/4" (9 used) (packed 5 in a pkg.)
13	R 11120 R	(7315658-)	Packing, O-ring, motor frame (2 used) (packed 2 in a pkg.)
14	R 11124 R	(7315658-)	Bushing, insulator
15	R 394 R	(7315658-)	Packing, O-ring, commutator end terminal
16	R 11011 R	(7315658-)	Washer, insulating (4 used) (packed 5 in a pkg.)
17	AR 11084 R	(7315658-)	Plate, brush
18	24H 1281	(7315658-)	Washer, 5/32" x 3/8" x .048" (3 used)
19	12H 315	(7315658-)	Washer, lock, no. 8 (3 used) (packed 50 in a pkg.)
20	AR 11076 R	(7315658-)	Brush (8 used)
21	21H 971	(7315658-)	Screw, special mach., no. 8 (8 used) (packed 5 in a pkg.)
	12H 315	(7315658-)	Washer, lock, no. 8 (8 used) (sub. A766R)
22	21H 1158	(7315658-)	Screw, special mach., no. 8 x 1/2" (3 used) (packed 5 in a pkg.)
23	R 11148 R	(7315658-)	Spring, brush (8 used) (packed 2 in a pkg.)
24	R 11135 R	(7315658-)	Connector
25	R 11005 R	(7315658-)	Insulator
26	R 11146 R	(7315658-)	Screw, terminal (packed 5 in a pkg.)
27	AR 11082 R	(7315658-)	Coil, field
28	R 11003 R	(7315658-)	Shoe, pole (4 used)
29	R 11152 R	(7315658-)	Screw, special mach. (4 used) (packed 5 in a pkg.)
30	R 11143 R	(7315658-)	Insulator, field coil, and commutator end (packed 2 in a pkg.)
31	R 11141 R	(7315658-)	Gasket, cover plate (2 used) (packed 2 in a pkg.)
32	R 11142 R	(7315658-)	Plate, cover (2 used)
33	1930611	(7315658-)	Screw, special gap, with L.W. (4 used)
34	AR 11028 R	(7315658-)	Lead, wiring (not furnished)
35	AR 11077 R	(7315658-)	Case and coil, solenoid
36	AR 11080 R	(7315658-)	Plunger
37	R 11138 R	(7315658-)	Washer (packed 2 in a pkg.)
38	R 11127 R	(7315658-)	Boot, plunger
39	R 11126 R	(7315658-)	Retainer, spring
40	R 11128 R	(7315658-)	Spring, shift lever
41	R 11129 R	(7315658-)	Retainer, spring
42	R 11139 R	(7315658-)	Guide, plunger rod
43	R 11151 R	(7315658-)	Nut, special jam lock (packed 5 in a pkg.)
44	(7315658-)	Not furnished
45	T 18353 T	(7315658-)	Screw, special mach. (8 used) (sub. for R11097R)
46	R 11122 R	(7315658-)	Wick, lever housing (sub. for R11125R)
47	AR 11135 R	(7315658-)	Housing, lever (sub. for AR11088R)
48	R 11026 R	(7315658-)	Ring, retainer (2 used)
49	1911644	(7315658-)	Washer, brake
50	R 11121 R	(7315658-)	Gasket (packed 2 in a pkg.)
51	R 11133 R	(7315658-)	Plug
52	R 11140 R	(7315658-)	Gasket (packed 2 in a pkg.)
53	A 4365 R	(7315658-)	Packing, O-ring
54	R 11136 R	(7315658-)	Shaft, shift lever
55	A 3917 R	(7315658-)	Packing, O-ring (packed 2 in a pkg.)
56	R 11017 R	(7315658-)	Bushing
57	R 11018 R	(7315658-)	Spacer
58	AR 11083 R	(7315658-)	Armature
59	R 11096 R	(7315658-)	Washer
60	AR 11081 R	(7315658-)	Lever, shift
61	AR 11086 R	(7315658-)	Drive, motor
62	AR 11087 R	(7315658-)	Housing, drive
63	R 40337	(7315658-)	Wick, drive end (sub. for 1909654)
64	R 11147 R	(7315658-)	Bushing, drive end
65	19H 2375	(7315658-)	Screw, cap, high-strength, 5/16" x 1-1/2" (sub. for R11137R) (5 used)
66	19H 2271	(7315658-)	Screw, cap, high-strength, 5/16" x 7/8" (sub. for R11149R) (packed 5 in a pkg.)
67	R 11145 R	(7315658-)	Washer, split (2 used) (packed 5 in a pkg.)
68	R 11024 R	(7315658-)	Cup, pinion stop
69	R 11150 R	(7315658-)	Pinion
70	R 11021 R	(7315658-)	Cup, outer spring (2 used) (sub. for 1911628)
71	R 11144 R	(7315658-)	Spring, motor clutch

Part listed below is an assembly of parts in this grouping.

AR 11073 R (7315658-) Motor, cranking (Delco-Remy no. 1113830)


FRONT AND REAR LAMP PARTS
(Serial No. 7200000-)

FRONT AND REAR LAMP PARTS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	21H 972	(-7321132)	Screw, mach., rd. hd., no. 8 x 5/16" (4 used) (rear lamp)
2	12H 290	(-7321132)	Washer, lock (shakeproof) no. 8 (4 used) (rear lamp)
3	A 2899 R	(-7321132)	Spring, terminal plate (2 used) (rear lamp)
4	AF 3088 R	(-7321132)	Lamp, combination rear and warning (6-volt) (sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (6-volt) (sub. for AR21734R)
	AA 6733 R	(7222600-7321132)	Lamp, combination rear and warning (12-volt) (sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (12-volt) (sub. for A21735R)
5	AA 3495 R	(-7321132)	Plate, terminal, with spring, screws, and lock washers (2 used) (rear lamp)
6	AA 6734 R	(-7321132)	Reflector (rear lamp)
7	AF 3089 R	(-7321132)	Bulb, 15 C.P., 6-volt (rear lamp) (packed 10 in a pkg.) (C.E.)
	AR 21739 R	(7222600-7321132)	Bulb, 15 C.P., 12-volt (rear lamp) (packed 10 in a pkg.) (elec.) (sub. for AA6735R)
8	AA 4666 R	(-7321132)	Wiring (rear lamp)
9	AB 2820 R	(-7321132)	Bulb, 6-8-volt (rear lamp) (packed 10 in a pkg.) (C.E.)
	AD 2062 R	(7222600-7321132)	Bulb, 12-16-volt (rear lamp) (packed 10 in a pkg.) (elec.)
10	AA 3239 R	(-7321132)	Gasket, lens (rubber) (rear lamp)
11	A 2731 R	(-7321132)	Lens (rear lamp)
12	AA 3241 R	(-7321132)	Molding (rear lamp)
13	A 2729 R	(-7321132)	Screw, special mach.
14	21H 972	(-)	Screw, mach., rd. hd., no. 8 x 5/16" (2 used) (front lamp)
15	12H 290	(-)	Washer, lock (shakeproof) no. 8 (2 used) (front lamp)
16	AA 3495 R	(-)	Plate, terminal, with spring, screws, and lock washers (front lamp)
17	AA 3243 R	(-7214899)	Body, only (front lamp) (sub. AF3816R (12-volt) or AF3817R (6-volt))
	AA 3075 R	(-7214899)	Lamp, front, 6-volt (sub. AF3817R)
	AF 3817 R	(7214900-)	Lamp, front, 6-volt sealed beam (C.E.) (standard)
	AF 3817 R	(7214900-7299999)	Lamp, front, 6-volt sealed beam (C.E.) (general-purpose)
	AR 20446 R	(7300000-)	Lamp, front, 6-volt sealed beam (C.E.) (general-purpose)
	AR 20445 R	(7300000-)	Lamp, front, 6-volt sealed beam flood (C.E.) (general-purpose) (fender lamp only)
	AF 3816 R	(7222600-)	Lamp, front, 12-volt sealed beam (elec.) (standard)
	AF 3816 R	(7222600-7299999)	Lamp, front, 12-volt sealed beam (elec.) (general-purpose)
	AA 7322 R	(7300000-)	Lamp, front, 12-volt sealed beam (elec.) (general-purpose)
	AR 20443 R	(7300000-)	Lamp, front, 12-volt sealed beam flood (elec.) (general-purpose) (fender lamp only)
18	A 2899 R	(-)	Spring, terminal plate (front lamp)
19	(7214900-)	Lead, wiring, terminal plate screw to sealed unit screw (front lamp) 6-1/2" (make from R32007R and two R32016R in AR30963R wiring kit) (sub. for AA4881R)
20	AF 3893 R*	(7214900-)	Unit, sealed, with screws, 6-volt (front lamp) (C.E.)
	AR 21060 R	(7300000-)	Unit, sealed, with screws, 6-volt flood (front lamp) (fender lamp only) (C.E.)
	AF 3892 R	(7222600-)	Unit, sealed, with screws, 12-volt (front lamp) (elec.)
	AR 21059 R	(7300000-)	Unit, sealed, with screw, 12-volt flood (front lamp) (fender lamp only) (elec.)
21	AA 3241 R	(-7214899)	Molding (front lamp)
	AF 3891 R*	(7214900-)	Molding (front lamp)
22	A 2731 R	(-7214899)	Lens (front lamp)
23	AA 3239 R	(-7214899)	Gasket, lens (rubber) (front lamp)
24	AB 2820 R	(-7214899)	Bulb, 6-8-volt (front lamp) (packed 10 in a pkg.)
25	AA 3240 R	(-7214899)	Wiring (front lamp)
26	AA 3238 R	(-7214899)	Reflector (front lamp)

*Parts for 7200000-7214899 where AF3817R sealed beam lamp has been installed.

AR21734R, AR21735R and AR31786R REAR LAMP PARTS
(Serial No. 7321133-)




R 5508

Key	Part No.	Serial No.	Description
1	AF 3891 R	(7321133-)	Molding (AR21734R and AR21735R)
2	A 2729 R	(7321133-)	Screw, special mach. (AR21734R and AR21735R)
3	AR 21737 R	(7321133-)	Unit, sealed beam, with screws (12-volt)
	AR 21736 R	(7321133-)	Unit, sealed beam, with screws (6-volt)
4	(7321133-)	Lead, wiring, sealed unit to terminal plate, 6-1/2" (make from R32007R and two R32016R in AR30963R wiring kit) (sub. for AA4881R)
5	21H 972	(7321133-)	Screw, mach., rd. hd., no. 8 x 5/16" (4 used)
6	12H 290	(7321133-)	Washer, lock, internal tooth, no. 8 (4 used)
7	A 2899 R	(7321133-)	Spring, terminal plate (2 used)
8	AR 21739 R	(7321133-)	Bulb, 15 C.P., 12-volt (packed 10 in a pkg.)
	AR 21738 R	(7321133-)	Bulb, 15 C.P., 6-volt (packed 10 in a pkg.) (sub. for AF3089R)
9	AR 21734 R	(7321133-)	Lamp, combination rear and warning (6-volt) (C.E.) (sub. AR31786R)
	AR 21735 R	(7321133-)	Lamp, combination rear and warning (12-volt) (elec.) (sub. AR31786R)
10	AA 3495 R	(7321133-)	Plate, terminal, with spring, screws, and lock washers (2 used)

Parts listed below are not illustrated.

R 31250 R	(7321133-)	Bezel (AR31786R)
AA 4667 R	(7321133-)	Switch (AR31786R)
AA 5332 R	(7321133-)	Knob, switch (AR31786R)

WARNING LAMP FLASHER




R 5068

Key	Part No.	Serial No.	Description
1	AR 21856 R	(-)	Flasher, warning lamp, with lead (12-volt)
	AR 21855 R	(-)	Flasher, warning lamp, with lead (6-volt)
2	AA 6037 R	(-)	Lead, wiring (not furnished)

MEMORANDA

DASH LAMP, SWITCHES, LIGHT INDICATOR, AND CIGARETTE LIGHTER (C.E.)
 (720 Series)
 (Serial No. 7200000-7299999)




59483

Key	Part No.	Serial No.	Description
1	AR 1324 R	(-7299999)	Switch, starter
2	B 3267 R	(-)	Hood, dash lamp
3	AB 2582 R	(-)	Bulb (3 C.P., 6-8-volt) (packed 10 in a pkg.)
4	AB 4725 R	(-7299999)	Wire assembly
5	AF 2738 R	(-7299999)	Lamp, dash
6	M 2207 T	(-7299999)	Screw, self-tapping, no. 6 x 5/16", panel to dash lamp (2 used)
7	AA 4925 R	(-)	Jewel
8	AB 4059 R	(-)	Bulb (1 C.P., 6-8-volt) (packed 10 in a pkg.)
9A	AA 4926 R	(-7214899)	Socket and wire
9B	AF 3894 R	(7214900-)	Socket and wires
10	R 11100 R	(-7299999)	Screw, mach. (3 used) (sub. for 1864099)
	1886496	(-7299999)	Screw, mach. (2 used)
	12H 290	(-7299999)	Washer, lock, no. 8 (5 used)
11	1929666	(-7299999)	Resistor
12	AF 2143 R	(-7299999)	Resistor
13	1886496	(-7299999)	Screw, mach. (2 used)
	12H 315	(-7299999)	Washer, lock, no. 8 (2 used) (sub. for A766R)
14	AF 2460 R	(-7299999)	Switch, combination (6-volt) with ignition resistor
15	138549*	(-)	Washer, lock, 1/2"
16	1902692*	(-)	Nut, 1/2", switch to panel
17	1902694*	(-)	Lever, switch
18	21H 973	(-)	Screw, mach., fill. hd., no. 8 x 3/8"
	12H 315	(-)	Washer, lock, no. 8 (sub. for A766R)
19	AM 2091 T	(-)	Element, cigarette lighter
20	AM 2151 T	(-7299999)	Fuse, cigarette lighter
21	AR 21164 R	(-7299999)	Wire assembly, cigarette lighter (sub. for AM2152T)
22	AM 1949 T	(-7299999)	LIGHTER, CIGARETTE (6-VOLT) (ATTACHMENT)

*Furnished by John Deere Dubuque Tractor Works.


DASH LAMP, SWITCH, LIGHT INDICATOR, AND CIGARETTE LIGHTER (Elec.)
 (720 Series)
 (Serial No. 7222600-7299999)



Key	Part No.	Serial No.	Description
1	AR 21823 R	(7222600-)	Switch, starter (sub. for AR20235R)
2	B 3267 R	(-)	Hood, dash lamp
3	AB 2599 R	(7222600-)	Bulb (4 C.P., 12-16-volt) (packed 10 in a pkg.)
4	AR 20251 R	(7222600-7299999)	Lamp, dash (sub. AR20466R)
5	M 2207 T	(-7299999)	Screw, self-tapping, no. 6 x 5/16", panel to dash lamp (2 used)
6	AR 20234 R	(7222600-)	Switch, starting and light (24-volt)
7	138549*	(-)	Washer, lock, 1/2"
8	1902692*	(-)	Nut, 1/2"
9	1902694*	(-)	Lever, switch
10	21H 973	(-)	Screw, mach., fill. hd., no. 8 x 3/8"
	12H 315	(-)	Washer, lock, no. 8 (sub. for A766R)
11	AR 20959 R	(7222600-7299999)	Socket and wires
12	AA 4927 R	(7222600-)	Bulb (1 C.P., 12-16-volt) (packed 10 in a pkg.)
13	AA 4925 R	(-)	Jewel
14	AA 5787 R	(7222600-)	Element, lighter
15	AM 2151 T	(-)	Fuse, cigarette lighter
16	AR 21164 R	(-7299999)	Wire assembly, cigarette lighter (sub. for AM2152T)
17	AR 20438 R	(7222600-7299999)	Lighter, cigarette (12-volt) (sub. for AA5734R)

*Furnished by John Deere Dubuque Tractor Works.


DASH LAMPS, SWITCHES, LIGHT INDICATOR, AND CIGARETTE LIGHTER (C.E.)
(730 Series)
(Serial No. 7300000-)



Key	Part No.	Serial No.	Description
1	B 3267 R	(-)	Hood, dash lamp
2	AB 2582 R	(-)	Bulb (3 C.P., 6-8-volt) (packed 10 in a pkg.)
3	AR 20466 R	(7300000-)	Lamp, dash, upper
4	37H 46	(7300000-)	Screw, self-tapping, no. 6 x 3/8", panel to dash lamp (2 used) (sub. for R20786R)
5	AR 20431 R	(7300000-7305836)	Switch, starter (sub. AR21823R)
	AR 21823 R	(7305837-)	Switch, starter (sub. for AR20431R and AR21219R)
	R 21156 R	(7305837-)	Cap, starter switch (rubber)
	R 21157 R	(7305837-)	Nut, starter switch
6	AR 20432 R	(7300000-)	Lamp, dash, lower
7	B 3267 R	(-)	Hood, dash lamp
8	AB 2582 R	(-)	Bulb (3 C.P., 6-8-volt) (packed 10 in a pkg.)
9	37H 46	(7300000-)	Screw, self-tapping, no. 6 x 3/8", panel to dash lamp (2 used) (sub. for R20786R)
10	AF 2143 R	(-)	Resistor
11	1886496	(-)	Screw, mach. (2 used)
	12H 315	(-)	Washer, lock, no. 8 (2 used) (sub. for A766R)
12	AR 21162 R	(7300000-)	Switch, combination (6-volt), with ignition resistor
13	138549*	(-)	Washer, lock, 1/2"
14	1902692*	(-)	Nut, 1/2", switch to panel
15	1902694*	(-)	Lever, switch
16	21H 973	(-)	Screw, mach., fill. hd., no. 8 x 3/8"
	12H 315	(-)	Washer, lock, no. 8 (sub. for A766R)
17	AF 3894 R	(-)	Socket and wires
18	AB 4059 R	(-)	Bulb (1 C.P., 6-8-volt) (packed 10 in a pkg.)
19	AA 4925 R	(-)	Jewel
20	AM 2091 T	(-)	Element, cigarette lighter
21	AM 2151 T	(-)	Fuse, cigarette lighter (for Casco lighter only)
22	AR 21164 R	(7300000-)	Wire, assembly, cigarette lighter
23	AR 20440 R	(7300000-)	Lighter, cigarette (6-volt)


*Furnished by John Deere Dubuque Tractor Works.

DASH LAMPS, SWITCHES, LIGHT INDICATOR, AND CIGARETTE LIGHTER (Elec.)
 (730 Series)
 (Serial No. 7300000-)



Key	Part No.	Serial No.	Description
1	B 3267 R	(-)	Hood, dash lamp
2	AB 2599 R	(-)	Bulb (4 C.P., 12-16-volt) (packed 10 in a pkg.)
3	AR 20466 R	(7300000-)	Lamp, dash, upper
4	37H 46	(7300000-)	Screw, self-tapping, no. 6 x 3/8", panel to dash lamp (2 used) (sub. for R20786R)
5	AR 21163 R	(7300000-)	Socket and wires
6	AA 4927 R	(-)	Bulb (1 C.P., 12-16-volt) (packed 10 in a pkg.)
7	AA 4925 R	(-)	Jewel
8	AR 21823 R	(-)	Switch, starter (sub. for AR20235R)
	R 21156 R	(7305837-)	Cap, starter switch (rubber)
	R 21157 R	(7305837-)	Nut, starter switch
9	AR 20432 R	(7300000-)	Lamp, dash, lower
10	B 3267 R	(-)	Hood, dash lamp
11	AB 2599 R	(-)	Bulb (4 C.P., 12-16-volt) (packed 10 in a pkg.)
12	37H 46	(7300000-)	Screw, self-tapping, no. 6 x 3/8", panel to dash lamp (2 used) (sub. for R20786R)
13	AR 20234 R	(-)	Switch, starting and light (24-volt) (tractors equipped with two head lamps)
	AR 20444 R	(7300000-)	Switch, starting and light (24-volt) (tractors equipped with four head lamps)
14	138549*	(-)	Washer, lock, 1/2"
15	1902692*	(-)	Nut, 1/2", switch to panel
16	1902694*	(-)	Lever, switch
17	21H 973	(-)	Screw, mach., fill. hd., no. 8 x 3/8"
	12H 315	(-)	Washer, lock, no. 8 (sub. for A766R)
18	AA 5787 R	(-)	Element, cigarette lighter
19	M 2151 T	(-)	Fuse, cigarette lighter (for Casco lighter only)
20	AR 21164 R	(7300000-)	Wire assembly, cigarette lighter
21	AR 20438 R	(7300000-)	Lighter, cigarette (12-volt)


*Furnished by John Deere Dubuque Tractor Works.

INSTRUMENT PANEL WIRING (720 Series)
(Serial No. 7200000-7299999)

INSTRUMENT PANEL WIRING (720 Series) -- Continued
(Serial No. 7200000-7299999)

Key	Part No.	Serial No.	Description
1	R 20201 R	(-7299999)	Panel, instrument (sub. for F2549R)
2	AF 2738 R	(-7299999)	Lamp, dash
3	(-7299999)	Wire, fuel gauge receiver to fuel gauge sender (black with white tracer) (not sold separately) (part of AF2174R)
4	AF 2174 R	(-7299999)	Harness, wiring, generator and fuel gauge
5	(-7299999)	Wire, fuel gauge switch to generator (black) (not sold separately) (part of AF2174R)
6	(-7299999)	Wire, ammeter to generator (white) (not sold separately) (part of AF2174R)
7	AF 2171 R	(-)	Switch, fuel gauge
8	(-7299999)	Wire, ammeter to fuel gauge switch (black) (not sold separately) (part of AF2174R)
9	(-7299999)	Wire, ammeter to ignition switch (black) (not sold separately) (part of AF2174R)
10	AF 2749 R	(-)	Ammeter, with clamp
11	(-7299999)	Lead, wiring, starter switch to ignition switch (black) (2 used) 8" (make from R32007R and 2-R32016R in AR30963R wiring kit) (sub. for AF2693R)
12	AR 1324 R	(-7299999)	Switch, starter
13	(-7299999)	Wire, starter switch to cranking motor (black) (not sold separately) (part of AF2692R)
14	(-7299999)	Wire, starter switch to C.E. distributor (green) (not sold separately) (part of AF2692R)
15	AF 2692 R	(-7299999)	Harness, wiring, starter switch to C.E. distributor and cranking motor
16	(7214900-)	Wire, indicator light to pressure switch (black) (not sold separately) (part of AF3894R)
17	AF 2123 R	(-7299999)	Lead, wiring, ammeter to cranking motor (white) (not furnished)
18	AF 2639 R	(-7299999)	Harness, wiring, switch to R.H. and L.H. lamp (black) (general-purpose)
	AF 2676 R	(-7299999)	Harness, wiring, switch to R.H. and L.H. lamp (black) (standard)
19	AF 2739 R	(-)	Receiver, fuel gauge (6-volt)
20	(-7214899)	Wire, switch to rear lamp (black) (not sold separately) (part of AF2124R)
	(7214900-7299999)	Wire, switch to rear lamp (black) (not sold separately) (part of AF3815R)
21	AF 2124 R	(-7214899)	Harness, wiring, switch to rear lamp (sub. AF3815R switch to rear lamp wiring harness and AF3814R rear lamp, lamp end wiring harness)
	AF 3815 R	(7214900-7299999)	Harness, wiring, switch to rear lamp
22	(-7214899)	Wire, switch to rear warning lamp (red) (not sold separately) (part of AF2124R)
	(7214900-7299999)	Wire, switch to rear warning lamp (red) (not sold separately) (part of AF3815R)
23	AF 2460 R	(-7299999)	Switch, with ignition resistor
24	AF 2143 R	(-7299999)	Resistor, ignition
25	(-7214899)	Wire, indicator light to ignition switch (black) (not sold separately) (part of AA4926R)
	(7214900-)	Wire, indicator light to ignition switch (black) (not sold separately) (part of AF3894R)
26	(-7214899)	Light, indicator (order one AA4925R, one AA4926R, and AB4059R)
	(7214900-)	Light, indicator (order one AA4925R, one AB4059R, and AF3894R)
27	AM 1949 T	(-7299999)	LIGHTER, CIGARETTE (6-VOLT) (ATTACHMENT)
28	AF 2172 R	(-7299999)	Lead, wiring, fuel gauge switch to fuel gauge receiver (black)


INSTRUMENT PANEL WIRING (Elec.) (720 Series)
(Serial No. 7222600-7299999)



INSTRUMENT PANEL WIRING (Elec.) (720 Series) -- Continued
(Serial No. 7222600-7299999)

Key	Part No.	Serial No.	Description
1	R 20204 R	(7222600-7299999)	Panel, instrument
2	AR 20251 R	(7222600-7299999)	Lamp, dash (sub. AR20466R)
3	AR 20721 R	(7222600-7299999)	Harness, wiring, L.H. side lamp and dash lamp to switch (black) (general-purpose) (sub. for AR20181R)
	AR 20246 R	(7222600-7299999)	Harness, wiring, L.H. side lamp and dash lamp to switch (black) (standard) (sub. AR20722R)
4	AR 21823 R	(7222600-)	Switch, starter (sub. for AR20235R)
5	(7222600-7299999)	Lead, wiring, switch to cranking motor (black) 18" make from R32007R, R32016R, R32024R and R32027R in AR30963R wiring kit (sub. for AR20242R)
6	AR 20713 R	(7222600-7299999)	Harness, wiring, switch to fuel gauge receiver and starter button (black) (sub. for AR20240R)
7	AR 20721 R	(7222600-7299999)	Lead, wiring, R.H. side lamp to switch (black) (general-purpose) (sub. for AR20182R)
	AR 20722 R	(7222600-7299999)	Lead, wiring, R.H. side lamp to switch (black) (standard) (sub. for AR20245R)
8	(7222600-7299999)	Wire, switch to rear warning lamp (red) (not sold separately) (part of AR20715R)
9	(7222600-7299999)	Wire, switch to rear lamp (black) (not sold separately) (part of AR20715R)
10	AR 20715 R	(7222600-7299999)	Harness, wiring, switch to rear lamp (sub. for AR20243R)
11	(7222600-7299999)	Wire, switch to "RET" on voltage regulator (brown) (not sold separately) (part of AR20244R)
12	AR 20241 R	(7222600-7299999)	Harness, wiring, switch and cranking motor to "BAT" terminal on voltage regulator (blue)
13	AR 21961 R	(7222600-7299999)	Harness, wiring, generator, voltage regulator and fuel gauge (sub. for AR20244R)
14	(7222600-7299999)	Wire, "GEN" terminal on voltage regulator to "A" terminal on generator (white) (not sold separately) (part of AR20244R)
15	(7222600-7299999)	Wire, "F" terminal on voltage regulator to "F" terminal on generator (black) (not sold separately) (part of AR20244R)
16	(7222600-7299999)	Wire, "RET" on voltage regulator to "RET" on generator (brown) (not sold separately) (part of AR20244R)
17	(7222600-7299999)	Wire, "RET" on voltage regulator to cranking motor (brown) (not sold separately) (part of AR20244R)
18	(7222600-7299999)	Wire, "GEN" terminal on voltage regulator to indicator light (white) (not sold separately) (part of AR20244R)
19	AR 11008 R	(7222600-)	Regulator, voltage (sub. AR30155R regulator and wiring lead)
20	19H 1894	(7222600-)	Screw, cap, high-strength, 1/4" x 1-1/4" (4 used)
	12H 302	(7222600-)	Washer, lock, 1/4" (4 used)
	14H 786	(7222600-)	Nut, 1/4" (4 used)
21	R 20138 R	(7222600-7299999)	Bracket, voltage regulator
22	(7222600-7299999)	Wire, fuel gauge sender to fuel gauge receiver (orange) (not sold separately) (part of AR20244R)
23	AF 2721 R	(7222600-)	Receiver, fuel gauge (12-volt)
24	AR 20438 R	(7222600-7299999)	Lighter, cigarette (12-volt) (sub. for AA5734R)
25	(7222600-7299999)	Light, indicator (order one AA4925R, one AA4927R, and one AR20959R)
26	AR 20234 R	(7222600-)	Switch, starting and light

LAMPS AND WIRING (General-Purpose) (C.E.) (720 Series)
(Serial No. 7200000-7299999)




LAMPS AND WIRING (General-Purpose) (C.E.) (720 Series) -- Continued
(Serial No. 7200000-7299999)

Key	Part No.	Serial No.	Description
1	B 1986 R	(-)	Clip (2 used)
2	F 2084 R	(-)	Clip (2 used)
3	AF 2174 R	(-7299999)	Harness, wiring, generator and fuel gauge
4	(-7299999)	Wire, fuel gauge sender to fuel gauge receiver (black with white tracer) (not sold separately) (part of AF2174R)
5	AF 2692 R	(-7299999)	Harness, wiring, starter switch to cranking engine distributor and cranking motor
6	AF 2639 R	(-7299999)	Harness, wiring, switch to R.H. and L.H. lamp (black)
7	AA 3075 R	(-7214899)	Lamp, R.H. and L.H. (6-volt) (sub. AF3817R) (for parts see page 40-21)
	AF 3817 R	(7214900-7299999)	Lamp, R.H. and L.H. (6-volt sealed beam) (for parts see page 40-21)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
	14H 391	(-)	Nut, 1/2" (2 used)
8	AF 2123 R	(-7299999)	Lead, wiring, ammeter to cranking motor (not furnished)
9	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, high-strength, 5/16" x 1/2" (sub. for A3232R)
	12H 303	(-)	Washer, lock, 5/16"
10	B 2571 R	(-)	Clip (4 used)
11	AB 3546 R	(-)	Cable, battery to cranking motor
12	AF 2124 R	(-7214899)	Harness, wiring, switch to rear lamp (sub. AF3815R switch to rear lamp wiring harness and AF3814R rear lamp, lamp end wiring harness)
	AF 3815 R	(7214900-7299999)	Harness, wiring, switch to rear lamp
13	AB 4100 R	(-)	Strap, battery ground
	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
	14H 841	(-)	Nut, sq., 3/8"
14	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
15	AM 2049 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock (shakeproof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
16	AA 5691 R	(-)	Plug, electrical outlet, with cable
	AA 5692 R	(-)	Plug, electrical outlet, less cable (part of AA5691R electrical outlet)
17	AL 2976 T	(-7214899)	Connector, two wire (2 used)
	AL 2976 T	(-)	Connector, two wire
18	(-)	Lead, wiring, electrical outlet socket, battery end 12" (make from R32008R, R32022R and R32026R in AR30963R wiring kit) (sub. for AA5673R)
19	AA 5652 R	(-7214899)	Harness, wiring rear warning lamp (red) and rear lamp (black)
	AF 3814 R	(7214900-)	Harness, wiring, rear warning lamp (red) and rear lamp (black)
20	AR 31786 R	(-)	Lamp, rear and warning (6-volt) (for parts see page 40-21) (sub. for AR21734R or AF3088R)
	B 2295 R	(-)	Washer
	F 2935 R	(-)	Washer
	12H 301	(-)	Washer, lock, 1/2"
	14H 473	(-)	Nut, jam, 1/2"

Part listed below is not illustrated.

AF 3456 R	(-7299999)	Wiring replacement set, consisting of: one AA5673R, one AF2172R, one AF2174R, one AF2639R, one AF2692R, one AF2693R, one AF3814R, and one AF3815R
-----------	--------------	---


LAMPS AND WIRING (Standard) (C.E.) (720 Series)
(Serial No. 7200000-7299999)



LAMPS AND WIRING (Standard) (C. E.) (720 Series) -- Continued
(Serial No. 7200000-7299999)

Key	Part No.	Serial No.	Description
1	B 1986 R	(-)	Clip (2 used)
2	F 2084 R	(-)	Clip (2 used)
3	AF 2174 R	(-7299999)	Harness, wiring, generator and fuel gauge
4	(-7299999)	Wire, fuel gauge sender to fuel gauge receiver (black with white tracer) (not sold separately) (part of AF2174R)
5	AF 2692 R	(-7299999)	Harness, wiring, starter switch to cranking engine distributor and cranking motor
6	AF 2676 R	(-7299999)	Harness, wiring, switch to R.H. and L.H. lamp (black)
7	AA 3075 R	(-7214899)	Lamp, R.H. and L.H. (6-volt) (sub. AF3817R) (for parts see page 40-21)
	AF 3817 R	(7214900-)	Lamp, R.H. and L.H. (6-volt sealed beam) (for parts see page 40-21)
	A 2743 R	(-)	Washer (2 used)
	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
	14H 391	(-)	Nut, 1/2" (2 used)
8	R 2579 R	(-)	Grommet (2 used) (packed 5 in a pkg.)
9	A 3411 R	(-)	Grommet (2 used) (packed 5 in a pkg.)
10	B 2560 R	(-)	Clip (8 used)
11	AF 2123 R	(-7299999)	Lead, wiring, ammeter to cranking motor (not furnished)
12	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (sub. for A3232R)
	12H 303	(-)	Washer, lock, 5/16"
13	B 2571 R	(-)	Clip (4 used)
14	AB 3546 R	(-)	Cable, battery to cranking motor
15	AF 2124 R	(-7214899)	Harness, wiring, switch to rear lamp (sub. AF3815R switch to rear lamp wiring harness and AF3814R lamp, lamp end wiring harness)
	AF 3815 R	(7214900-7299999)	Harness, wiring, switch to rear lamp
16	AB 4100 R	(-)	Strap, battery ground
	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
	14H 841	(-)	Nut, sq., 3/8"
17	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
18	AM 2049 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock, (shakeproof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
19	AA 5691 R	(-)	Plug, electrical outlet, with cable
	AA 5692 R	(-)	Plug, electrical outlet, less cable (part of AA5691R electrical outlet)
20	AL 2976 T	(-7214899)	Connector, two wire (2 used)
	AL 2976 T	(-)	Connector, two wire
21	(-)	Lead, wiring, electrical outlet socket, battery end 12" (make from R32008R, R32022R and R32026R in AR30963R wiring kit) (sub. for AA5673R)
22	AA 5652 R	(-7214899)	Harness, wiring, rear warning lamp (red) and rear lamp (black)
	AF 3814 R	(7214900-)	Harness, wiring, rear warning lamp (red) and rear lamp (black)
23	AR 31786 R	(-)	Lamp, rear and warning (6-volt) (for parts see page 40-21) (sub. for AR21734R or AF3088R)
	B 2295 R	(-)	Washer
	F 2935 R	(-)	Washer
	12H 301	(-)	Washer, lock, 1/2"
	14H 473	(-)	Nut, jam, 1/2"
Part list below is not illustrated.			
	AF 3457 R	(-7299999)	Wiring replacement set, consisting of: one AA5673R, one AF2172R, one AF2174R, one AF2676R, one AF2692R, one AF2693R, one AF3814R, and one AF3815R.

LAMPS AND WIRING (General-Purpose) (Elec.) (720 Series)
(Serial No. 7222600-7299999)



LAMPS AND WIRING (General-Purpose) (Elec.) (720 Series) -- Continued
(Serial No. (7222600-7299999))


Key	Part No.	Serial No.	Description
1	B 1986 R	(-)	Clip (2 used)
2	(7222600-7299999)	Wire "A" terminal on generator to "Gen" terminal on voltage regulator (white) (not sold separately) (part of AR21961R)
3	(7222600-7299999)	Wire, "F" terminal on generator to "F" terminal on voltage regulator (black) (not sold separately) (part of AR21961R)
4	(7222600-7299999)	Wire, "Ret" terminal on generator to "Ret" on voltage regulator (brown) (not sold separately) (part of AR21961R)
5	F 2084 R	(-)	Clip (2 used)
6	AR 20244 R	(7222600-7299999)	Harness, wiring, generator, voltage regulator and fuel gauge (sub. AR21961R)
7	(7222600-7299999)	Wire, fuel gauge sender to fuel gauge receiver (orange) (not sold separately) (part of AR21961R)
8	AF 3816 R	(7222600-7299999)	Lamp, R.H. and L.H. (12-volt sealed beam)
	12H 301	(7222600-)	Washer, lock, 1/2" (2 used)
	14H 391	(7222600-)	Nut, 1/2" (2 used)
9	AR 20182 R	(7222600-7299999)	Lead, wiring, R.H. side lamp to switch (black) (sub. for AR20721R)
10	AR 20721 R	(7222600-7299999)	Harness, wiring, L.H. side lamp and dash lamp to switch (black) (sub. for AR20181R)
11	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (sub. for A3232R)
	12H 303	(-)	Washer, lock, 5/16"
12	B 2571 R	(-)	Clip (4 used)
13	AR 20715 R	(7222600-7299999)	Harness, wiring, switch to rear lamp (sub. for AR20243R)
14	AA 4039 R	(7222600-)	Cable, battery connector (3 used)
15	AR 20216 R	(7222600-)	Cable, battery, positive terminal to cranking motor
16	AR 20217 R	(7222600-)	Cable, battery, negative terminal to solenoid on cranking motor
17	(-)	Lead, wiring, electrical outlet socket, battery end 12" (make from R32008R, R32022R and R32026R in AR30963R wiring kit) (sub. for AA5673R)
18	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
19	AM 2049 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock (shakeproof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
20	AA 5691 R	(-)	Plug, electrical outlet, with cable
	AA 5692 R	(-)	Plug, electrical outlet, less cable (part of AA5691R electrical outlet)
21	AL 2976 T	(-)	Connector, two-wire
22	AR 20218 R	(7222600-)	Lead, wiring, battery ground
23	AR 31786 R	(7222600-)	Lamp, rear and warning (12-volt) (for parts see page 40-21) (sub. for AR21735R or AA6733R)
	B 2295 R	(7222600-)	Washer
	F 2935 R	(7222600-)	Washer
	12H 301	(7222600-)	Washer, lock, 1/2"
	14H 473	(7222600-)	Nut, jam, 1/2"
24	AF 3814 R	(-)	Harness, wiring, rear warning lamp (red) and rear lamp (black)

Part listed below is not illustrated.

AR 20591 R (7222600-7299999)

Wiring replacement set, consisting of: one AA5673R, one AF3814R, one AR20218R, one AR20241R, one AR20242R, one AR20713R, one AR20721R, one AR21961R, and one AR20715R

LAMPS AND WIRING (Standard) (Elec.) (720 Series)
(Serial No. 7222600-7299999)



LAMPS AND WIRING (Standard) (Elec.) (720 Series) -- Continued
(Serial No. 7222600-7299999)


Key	Part No.	Serial No.	Description
1	B 1986 R	(-)	Clip (2 used)
2	(7222600-7299999)	Wire, "A" terminal on generator to "GEN" terminal on voltage regulator (white) (not sold separately) (part of AR21961R)
3	(7222600-7299999)	Wire, "F" terminal on generator to "F" terminal on voltage regulator (black) (not sold separately) (part of AR21961R)
4	(7222600-7299999)	Wire, "RET" terminal on generator to "RET" on voltage regulator (brown) (not sold separately) (part of AR21961R)
5	F 2084 R	(-)	Clip (2 used)
6	AR 20244 R	(7222600-7299999)	Harness, wiring, generator, voltage regulator and fuel gauge (sub. AR21961R)
7	(7222600-7299999)	Wire, fuel gauge sender to fuel gauge receiver (orange) (not sold separately) (part of AR21961R)
8	AR 20722 R	(7222600-7299999)	Lead, wiring, R. H. side lamp to switch (black) (sub. for AR20245R)
9	AR 20246 R	(7222600-7299999)	Harness, wiring, L. H. side lamp and dash lamp to switch (sub. AR20722R)
10	AF 3816 R	(7222600-)	Lamp, R. H. and L. H. (12-volt sealed beam)
	A 2743 R	(7222600-)	Washer (2 used)
	24H 1355	(7222600-)	Washer, 37/64" x 1-1/8" x .120" (2 used)
	12H 301	(7222600-)	Washer, lock, 1/2" (2 used)
	14H 391	(7222600-)	Nut, 1/2" (2 used)
11	R 2579 R	(-)	Grommet (2 used) (packed 5 in a pkg.)
12	A 3411 R	(-)	Grommet (2 used) (packed 5 in a pkg.)
13	B 2560 R	(-)	Clip (8 used)
14	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2"
	12H 303	(-)	Washer, lock, 5/16"
15	B 2571 R	(-)	Clip (4 used)
16	AR 20715 R	(7222600-7299999)	Harness, wiring, switch to rear lamp (sub. for AR20243R)
17	AA 4039 R	(7222600-)	Cable, battery connector (3 used)
18	AR 20216 R	(7222600-)	Cable, battery, positive terminal to cranking motor
19	AR 20217 R	(7222600-)	Cable, battery, negative terminal to solenoid on cranking motor
20	(-)	Lead, wiring, electrical outlet socket, battery end, 12" (make from R32008R, R32022R and R32026R in AR30963R wiring kit) (sub. for AA5673R)
21	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
22	AM 2949 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock (shakeproof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
23	AA 5691 R	(-)	Plug, electrical outlet, with cable
	AA 5692 R	(-)	Plug, electrical outlet, less cable (parts of AA5691R electrical outlet)
24	AL 2976 T	(-)	Connector, two-wire
25	AR 20218 R	(7222600-)	Lead, wiring, battery ground
26	AR 31786 R	(7222600-)	Lamp, rear and warning (12-volt) (for parts, see page 40-21) (sub. for AR21735R or AA6733R)
	B 2295 R	(7222600-)	Washer
	F 2935 R	(7222600-)	Washer
	12H 301	(7222600-)	Washer, lock, 1/2"
	14H 473	(7222600-)	Nut, jam, 1/2"
27	AF 3814 R	(-)	Harness, wiring, rear warning lamp (red) and rear lamp (black)

Part listed below is not illustrated.

AR 20592 R (7222600-7299999)

Wiring, replacement set, consisting of: one AA5673R, one AF3814R, one AR20218R, one AR20241R, one AR20242R, one AR20713R, one AR20722R, one AR21961R, and one AR20715R

GENERATOR, IGNITION, AND STARTING WIRING (C.E.) (730 Series)
(Serial No. 7300000-)




GENERATOR, IGNITION, AND STARTING WIRING (C. E.) (730 Series)-- Continued
(Serial No. 7300000-)

Key	Part No.	Serial No.	Description
1	AR 1370 R	(-)	Distributor (Wico) (6-volt)
2	AR 11156 R	(-)	Motor, cranking (6-volt) (Delco-Remy no. 1107155 (sub. for AR1203R))
3	AR 20716 R	(7300000-)	Harness, wiring
	B 1986 R	(-)	Clip (2 used)
	F 2084 R	(-)	Clip (2 used)
4	AF 2080 R	(-)	Generator, with fan and pulley (6-volt) (Delco-Remy no. 1100027) (sub. AR21907R)
5	AF 2173 R	(-)	Sender, fuel gauge
6	AF 2749 R	(-)	Ammeter, with clamp
7	AF 2171 R	(-)	Switch, fuel gauge
8	AF 2739 R	(-)	Receiver, fuel gauge (6-volt)
9	AR 27977 R	(-)	Switch, pressure (sub. for AF3882R)
10	(-)	Light, indicator (order one AA4925R, one AB4059R, and one AF3894R)
11	AR 20440 R	(7300000-)	Light, cigarette (6-volt)
12	AF 2143 R	(-)	Resistor, ignition
13	R 1646 R	(7300000-)	Clamp, wiring
14	AB 3546 R	(-)	Cable, battery to cranking motor
	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, cap, clip to case, high-strength, 5/16" x 1/2" (sub. for A3232R)
	12H 303	(-)	Washer, lock, 5/16", clip to case screw
	B 2571 R	(-)	Clip (4 used)
	R 21328 R	(7314857-)	Shield, battery cable
15	AR 21162 R	(7300000-)	Switch, combination, with ignition resistor (6-volt)
16	AR 20431 R	(7300000-7305836)	Switch, starter (sub. AR21823R)
	AR 21823 R	(7305837-)	Switch, starter (sub. for AR20431R and AR21219R)
	R 21156 R	(7305837-)	Cap, starter switch (rubber)
	R 21157 R	(7305837-)	Nut, starter switch
17	AB 4100 R	(-)	Strap, battery ground
	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
	14H 891	(-)	Nut, sq., 3/8"
18	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
19	AM 2049 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock (shake-proof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
20	AL 2976 T	(-)	Connector, two-wire
21	(-)	Lead, wiring, electrical outlet socket, battery end, 12" (make from R32008R, R32022R and R32026R in AR30963R wiring kit) (sub. for AA5673R)

Parts listed below are not illustrated.

AR 21122 R	(7300000-)	Wiring replacement set, for general-purpose tractors equipped with two head lamps, consisting of: one AA5673R, one AF3814R, one AR20715R, one AR20716R, and one AR20719R
AR 21123 R	(7300000-)	Wiring replacement set, for general-purpose tractors equipped with four head lamps, consisting of: one AA5673R, one AF3814R, one AR20715R, one AR20716R, one AR20723R, and two AR20724R
AR 21124 R	(7300000-)	Wiring replacement set, for standard tractors, consisting of: one AA5673R, one AF3814R, one AR20715R, one AR20716R, and one AR20720R

GENERATOR, IGNITION, AND STARTING WIRING (Elec.) (730 Series)
(Serial No. 7300000-)




GENERATOR, IGNITION, AND STARTING WIRING (Elec.) (730 Series) -- Continued
(Serial No. 7300000-)

Key	Part No.	Serial No.	Description
1	AR 11007 R	(-)	Generator, with fan and pulley (24-volt) (Delco-Remy no. 1103021)
2	AF 2173 R	(-)	Sender, fuel gauge
3	AR 11009 R	(7222600-7315657)	Motor, cranking (Delco-Remy no. 1113801) (sub. AR11073R)
	AR 11073 R	(7315658-)	Motor, cranking (24-volt) (Delco-Remy no. 1113830)
4	AR 20717 R	(7300000-)	Harness, wiring (sub. AR21957R)
	B 1986 R	(-)	Clip (2 used)
	F 2084 R	(-)	Clip (2 used)
5	AR 11008 R	(7300000-7400199)	Regulator, voltage (sub. AR30155R regulator and wiring lead)
	R 20926 R	(7300000-)	Bracket, voltage regulator
	19H 1791	(-)	Screw, cap, high-strength, 1/4" x 1-1/4", voltage regulator to bracket (4 used)
	12H 302	(-)	Washer, lock, 1/4", voltage regulator to bracket screw (4 used)
	14H 786	(-)	Nut, 1/4", voltage regulator to bracket screw (4 used)
6	AR 20438 R	(7300000-)	Lighter, cigarette (12-volt)
7	AF 2721 R	(-)	Receiver, fuel gauge (12-volt)
8	(7300000-)	Light, indicator, generator (order one AA4925R, one AA4927R, and one AR21163R)
9	AR 20234 R	(-)	Switch, starting and light (24-volt) (tractors equipped with two head lamps)
	AR 20444 R	(7300000-)	Switch, starting and light (24-volt) (tractors equipped with four head lamps)
10	AR 21823 R	(-)	Switch, starter (sub. for AR20235R)
	R 21156 R	(7305837-)	Cap, starter switch (rubber)
	R 21157 R	(7305837-)	Nut, starter switch
11	AR 20216 R	(-)	Cable, battery, positive terminal to cranking motor
12	AR 20217 R	(-)	Cable, battery, negative terminal to solenoid on cranking motor
	B 2474 R	(-)	Clip
	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2", clip to case
	12H 303	(-)	Washer, lock, 5/16", clip to case screw
	B 2571 R	(-)	Clip (4 used)
13	(-)	Lead, wiring, electrical outlet socket, battery end, 12" (make from R32008R, R32022R, and R32026R in AR30963R wiring kit) (sub for AA5673)
14	AL 2976 T	(-)	Connector, 5-wire
15	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
16	AM 2049 T	(-)	Socket, electrical outlet
	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8", socket to battery box (2 used)
	12H 295	(-)	Washer, lock (shake-proof) no. 10, socket to battery box screw (2 used)
	14H 778	(-)	Nut, no. 10 on socket to battery box screw (2 used)
17	AA 4039 R	(-)	Cable, battery connector (3 used)
18	AR 20218 R	(-)	Lead, wiring, battery ground (attached to rear of battery box where regular seat is installed, and to side of battery box where float-ride seat is installed)

Parts listed below are not illustrated.

AR 21125 R	(7300000-)	Wiring replacement set, for general-purpose tractors equipped with two head lamps, consisting of: one AA5673R, one AF3814R, one AR20218R, one AR20715R, one AR20721R, and one AR21957R)
AR 21126 R	(7300000-)	Wiring replacement set, for general-purpose tractors equipped with four head lamps, consisting of: one AA5673R, one AF3814R, one AR20218R, one AR20715R, one AR20723R, two AR20724R, and one AR21957R
AR 21127 R	(7300000-)	Wiring replacement set, for standard tractors, consisting of: one AA5673R, one AF3814R, one AR20218R, one AR20715R, one AR20722R, and one AR21957R


TWO-HEAD LAMP WIRING (C.E.) (730 Series)
(Serial No. 7300000-)



67768


Key	Part No.	Serial No.	Description
1	AR 20466 R	(7300000-)	Lamp, dash, upper
2	AR 20432 R	(7300000-)	Lamp, dash, lower
3	AR 20917 R	(7300000-)	Resistor, light, with clip (6-volt)
4	AR 21162 R	(7300000-)	Switch, combination, with ignition resistor (6-volt)
5	AR 20719 R	(7300000-)	Harness, wiring, side lamps (general-purpose)
	AR 20720 R	(7300000-)	Harness, wiring, side lamps (standard)
	B 2560 R	(-)	Clip (8 used) (standard)
	R 2579 R	(-)	Grommet (2 used) (packed 5 in a pkg.) (standard)
	A 3411 R	(-)	Grommet (2 used) (packed 5 in a pkg.) (standard)
6	AR 20446 R	(7300000-)	Lamp, R.H. and L.H. (6-volt) (general-purpose)
	AF 3817 R	(-)	Lamp, R.H. and L.H. (6-volt) (standard)
	D 2865 R	(7300000-)	Washer (2 used) (general-purpose)
	A 2743 R	(-)	Washer (2 used) (standard)
	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120" (2 used) (standard)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
	14H 391	(-)	Nut, 1/2" (2 used)
7	AF 3814 R	(-)	Harness, wiring, rear lamp, lamp end
8	AR 20715 R	(-)	Harness, wiring, switch to rear lamp harness
9	AF 3088 R	(-7321132)	Lamp, combination rear and warning (6-volt) (sub. for AR21734R)
			(sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (6-volt) (sub. for AR21734R)
	B 2295 R	(-)	Washer
	F 2935 R	(-)	Washer
	12H 301	(-)	Washer, lock, 1/2"
	14H 473	(-)	Nut, jam, 1/2"

TWO-HEAD LAMP WIRING (Elec.) (730 Series)
(Serial No. 7300000-)



Key	Part No.	Serial No.	Description
1	AR 20466 R	(7300000-)	Lamp, dash, upper
2	AR 20432 R	(7300000-)	Lamp, dash, lower
3	AR 20234 R	()	Switch, starting and light (24-volt)
4	AR 20721 R	(7300000-)	Harness, wiring, side lamps (general-purpose)
	AR 20722 R	(7300000-)	Harness, wiring, side lamps (standard)
	B 2560 R	()	Clip (8 used) (standard)
	R 2579 R	()	Grommet (2 used) (packed 5 in a pkg.) (standard)
	A 3411 R	()	Grommet (2 used) (packed 5 in a pkg.) (standard)
5	AA 7322 R	(7300000-)	Lamp, R.H. and L.H. (12-volt) (general-purpose)
	AF 3816 R	()	Lamp, R.H. and L.H. (12-volt) (standard)
	D 2865 R	(7300000-)	Washer (2 used) (general-purpose)
	A 2743 R	()	Washer (2 used) (standard)
	24H 1355	()	Washer, 37/64" x 1-1/8" x .120" (2 used) (standard)
	12H 301	()	Washer, lock, 1/2" (2 used)
	14H 391	()	Nut, 1/2" (2 used)
6	AF 3814 R	()	Harness, wiring, rear lamp, lamp end
7	AR 20715 R	(7300000-)	Harness, wiring, switch to rear lamp harness
8	AA 6733 R	(-7321132)	Lamp, combination rear and warning (12-volt) (sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (12-volt) (sub. for AR21735R)
	B 2295 R	()	Washer
	F 2935 R	()	Washer
	12H 301	()	Washer, lock, 1/2"
	14H 473	()	Nut, jam, 1/2"


FOUR-HEAD LAMP WIRING (General-Purpose) (C. E.) (730 Series)
(Serial No. 7300000-)



FOUR-HEAD LAMP WIRING (General-Purpose) (C.E.) (730 Series) -- Continued
(Serial No. 7300000-)

Key	Part No.	Serial No.	Description
1	AR 20466 R	(7300000-)	Lamp, dash, upper
2	AR 20432 R	(7300000-)	Lamp, dash, lower
3	AR 21162 R	(7300000-)	Switch, combination, with ignition resistor (6-volt)
4	AR 20715 R	(7300000-)	Harness, wiring, switch to rear lamp harness
5	AR 20446 R	(7300000-)	Lamp, R.H. and L.H., inner (6-volt)
	R 20758 R	(7300000-)	Washer (2 used)
	F 2935 R	(7300000-)	Washer (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
	14H 391	(-)	Nut, 1/2" (2 used)
6	AR 20445 R	(7300000-)	Lamp, R.H. and L.H., outer (12-volt flood)
	R 20758 R	(7300000-)	Washer (2 used)
	F 2935 R	(7300000-)	Washer (2 used)
	12H 301	(7300000-)	Washer, lock, 1/2" (2 used)
	14H 391	(7300000-)	Nut, 1/2" (2 used)
7	AR 20724 R	(7300000-)	Harness, wiring, fender lamps (2 used)
	A 4881 R	(7300000-)	Clip, wiring harness to fender (4 used)
	19H 99	(7300000-)	Screw, cap, high-strength, 5/16" x 9/16", wiring clip to fender (4 used)
	12H 303	(7300000-)	Washer, lock, 5/16", wiring clip to fender screw (4 used)
	A 3411 R	(7300000-)	Grommet (2 used) (packed 5 in a pkg.)
	AR 20871 R	(7300000-)	Cover, with clip, wiring harness to rear axle housing (2 used)
	19H 2021	(7300000-)	Screw, cap, high-strength, 3/8" x 5/8", cover to rear axle housing (2 used)
	12H 304	(7300000-)	Washer, lock, 3/8", cover to rear axle housing screw (2 used)
8	AR 20723 R	(7300000-)	Harness, wiring, side lamps, four lamps
	R 20763 R	(7300000-)	Clip, spring (2 used)
9	AF 3814 R	(-)	Harness, wiring, rear lamp, lamp end
10	AF 3088 R	(-7321132)	Lamp, combination rear and warning (6-volt) (sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (6-volt) (sub. for AR21734R)
	B 2295 R	(-)	Washer
	F 2935 R	(-)	Washer
	12H 301	(-)	Washer, lock, 1/2"
	14H 473	(-)	Nut, jam, 1/2"


FOUR-HEAD LAMP WIRING (General-Purpose) (Elec.) (730 Series)
(Serial No. 7300000-)



FOUR-HEAD LAMP WIRING (General-Purpose) (Elec.) (730 Series) -- Continued
(Serial No. 7300000-)

Key	Part No.	Serial No.	Description
1	AR 20466 R	(7300000-)	Lamp, dash, upper
2	AR 20432 R	(7300000-)	Lamp, dash, lower
3	AR 20444 R	(7300000-)	Switch, starter and light (24-volt)
4	AR 20715 R	(7300000-)	Harness, wiring, switch to rear lamp harness
5	AA 7322 R	(7300000-)	Lamp, R.H. and L.H. inner (12-volt)
	R 20758 R	(7300000-)	Washer (2 used)
	F 2935 R	(7300000-)	Washer (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
	14H 391	(-)	Nut, 1/2" (2 used)
6	AR 20443 R	(7300000-)	Lamp, R.H. and L.H., outer (12-volt flood)
	R 20758 R	(7300000-)	Washer (2 used)
	F 2935 R	(7300000-)	Washer (2 used)
	12H 301	(7300000-)	Washer, lock, 1/2" (2 used)
	14H 391	(7300000-)	Nut, 1/2" (2 used)
7	AR 20724 R	(7300000-)	Harness, wiring, fender lamps (2 used)
	A 4881 R	(7300000-)	Clip, wiring harness to fender (4 used)
	19H 99	(7300000-)	Screw, cap, 5/16" x 9/16", wiring clip to fender (4 used)
	12H 303	(7300000-)	Washer, lock, 5/16", wiring clip to fender screw (4 used)
	A 3411 R	(7300000-)	Grommet (2 used) (packed 5 in a pkg.)
	AR 20871 R	(7300000-)	Cover, with clip, wiring harness to rear axle housing (2 used)
	19H 2021	(7300000-)	Screw, cap, high-strength, 3/8" x 5/8", cover to rear axle housing (2 used)
	12H 304	(7300000-)	Washer, lock, 3/8", cover to rear axle housing screw (2 used)
8	AR 20723 R	(7300000-)	Harness, wiring, side lamps, four lamps
	R 20763 R	(7300000-)	Clip, spring (2 used)
9	AF 3814 R	(-)	Harness, wiring, rear lamp, lamp end
10	AA 6733 R	(-7321132)	Lamp, combination rear and warning (12-volt) (sub. AR31786R)
	AR 31786 R	(7321133-)	Lamp, combination rear and warning (12-volt) (sub. for AR21735R)
	B 2295 R	(-)	Washer
	F 2935 R	(-)	Washer
	12H 301	(-)	Washer, lock, 1/2"
	14H 473	(-)	Nut, jam, 1/2"

WARNING LAMP
(Serial No. 7200000-)



53243


WARNING LAMP -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AA 6132 R	(-)	MAST, WARNING LAMP (ATTACHMENT)
2	AA 6219 R	(-)	Lead, wiring, warning lamp (no requirement)
3	A 5281 R	(-)	Tubing, on lead
4	14H 849	(-)	Nut, jam, 7/16" (2 used)
	24H 1625	(-)	Washer, 17/32" x 1" x .120"
5	AA 6134 R	(-)	Lamp, with lead, tubing washer, and nuts (sub. for AF1772R)
6	19H 1900 *	(-)	Screw, cap, high-strength, 5/16" x 3/4" (sub. for H1085R)
7	24H 1224	(-)	Washer, 11/32" x 1" x .060" (2 used)
8	F 3156 R	(-)	Clip, spring, warning lamp mast (tractors equipped with front mounted rockshaft)
9	12H 303	(-)	Washer, lock, 5/16"
10	14H 785	(-)	Nut, 5/16"
11	14H 631	(-)	Nut, no. 10 (2 used)
	12H 246	(-)	Washer, lock, no. 10 (2 used)
12	AA 6135 R	(-)	Hanger, warning lamp
13	F 3449 R	(-7299999)	Bracket, hanger (sub. for F1555R) (sub. R21025R)
	R 21025 R	(7300000-)	Bracket, hanger
14	21H 1161	(-)	Screw, mach., rd. hd., no. 10 x 1/2" (2 used)
15	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
16	21H 964	(-)	Screw, mach., rd. hd., no. 6 x 1/2" (6 used)
17	A 5275 R	(-)	Lens, amber
18	A 5277 R	(-)	Gasket (2 used) (packed 5 in a pkg.)
19	M 2207 T	(-)	Screw, self-tapping (4 used)
20	A 5278 R	(-)	Lens, outlook (2 used)
21	A 5279 R	(-)	Gasket, outlook lens (2 used) (packed 5 in a pkg.)
22	(-)	Not furnished (sub. AA6134R)
23	AA 6165 R	(-)	Bulb (21 C.P., 6-8-volt S.C.) (packed 10 in a pkg.) (C.E.)
	AA 6218 R	(7222600-)	Bulb (21 C.P., 12-14-volt, S.C.) (packed 10 in a pkg.) (Elec.)
24	A 5276 R	(-)	Lens, red
25	8H 610	(-)	Bolt, sq. hd., mach., 1/2" x 3-3/4"
26	A 5228 R	(-)	Pivot
27	A 5227 R	(-)	Clamp
28	A 4125 R	(-)	Screw, mach., 5/16" x 1" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
29	14H 785	(-)	Nut, 5/16" (2 used)
30	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2"
	12H 304	(-)	Washer, lock, 3/8"
31	D 1748 R	(-)	Wheel, hand
32	A 5226 R	(-)	Bracket

Parts listed below are an assembly of parts in this grouping.

AF 1771 R	(-7299999)	LAMP, WARNING AND MISC. PARTS (ATTACHMENT) (SUB. AR21155R)
AR 21155 R	(7300000-)	LAMP, WARNING AND MISC. PARTS (ATTACHMENT)

WARNING LAMP FOR TOWED IMPLEMENT




Key	Part No.	Serial No.	Description
1	21H 964	(-)	Screw, special mach., rd. hd., no. 6 x 1/2" (6 used)
2	A 5276 R	(-)	Lens, red
3	A 5277 R	(-)	Gasket, lens (2 used) (packed 5 in a pkg.)
4	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
5	AA 6165 R	(-)	Bulb, 21 C.P., 6-8-volt, S.C. (packed 10 in a pkg.) (C.E.)
6	AA 6218 R	(7222600- -)	Bulb, 21 C.P., 12-14-volt, S.C. (packed 10 in a pkg.) (Elec.)
7	A 5280 R	(-)	Clip (not furnished)
8	M 2207 T	(-)	Screw, self-tapping (4 used)
9	A 5278 R	(-)	Lens, outlook (2 used)
10	A 5279 R	(-)	Gasket, outlook lens (2 used) (packed 5 in a pkg.)
11	A 5275 R	(-)	Lens, amber
12	(-)	Not furnished (order AA6145R)
13	AA 5691 R	(-)	Plug, electrical outlet, with cable
14	AA 5692 R	(-)	Plug, electrical outlet, less cable
15	AA 6217 R	(-)	Reel
16	A 5273 R	(-)	Bracket
17	14H 813	(-)	Nut, hex., 7/16"
	12H 293	(-)	Washer, lock, 7/16"
	JD 126	(-)	Socket, lamp bracket

Part listed below is an assembly of parts in this grouping.

AA 6145 R (-) LAMP, WARNING, WITH CABLE AND REEL, FOR TOWED IMPLEMENTS (ATTACHMENT)

TRANSMISSION CASE COVER AND GEARSHIFT

(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	F 2030 R	(-)	Bushing (2 used)
2	R 26650 R	(-)	Pin, dowel (sub. for A4879R)
3	AF 2843 R	(-)	Quadrant, F3016R, gearshift, with pin and bushings
	AR 20133 R*	(7216900-)	Quadrant, R20068R, gearshift, with pin and bushings
4	19H 1978	(7211072-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(7211072-)	Washer, lock, 7/16" (2 used)
5	14H 813	(-7211071)	Nut, 7/16" (2 used)
6	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
7	12H 293	(-7211071)	Washer, lock, 7/16" (2 used)
8	19H 1978	(-7211071)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used) (sub. for F3017R)
9	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (8 used)
	12H 304	(-)	Washer, lock, 3/8" (8 used)
10	F 3014 R	(-)	Pin, decompression control spring
11	AF 2841 R	(-)	Cover, F3013R, transmission case, with pins
12	F 3004 R	(-)	Gasket (packed 2 in a pkg.)
13	AP 17808 H	(-)	Ball, gearshift lever
14	12H 304	(-)	Washer, lock, 3/8"
15	B 387 R	(-)	Snap ring (2 used) (packed 5 in a pkg.)
16	24H 1658	(-)	Washer, 21/32" x 1" x .060" (2 used)
17	D 377 R	(-)	Spring
18	F 3002 R	(-)	Cover, fulcrum ball socket
19	F 3003 R	(-)	Seal, fulcrum ball socket
20	H 717 R	(-)	Ball, fulcrum
21	F 2999 R	(-)	Lever, gearshift

*Part for 8 mph special fifth speed gear assembly.

GEARSHIFT FORKS AND SHIFTER SHAFTS

(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used) (packed 10 in a pkg.)
2	12H 304	(-)	Washer, lock, 3/8" (2 used)
3	D 678 R	(-)	Screw, adjusting (2 used)
	F 2987 R	(-7202780)	Shaft, overdrive shifter (sub. one AF3464R overdrive shifter with lock and one F3361R overdrive shifter shaft)
	F 3361 R*	(7202781-)	Shaft, overdrive shifter
4	22H 194	(-)	Screw, special set (2 used) (sub. for C530R)
5	14H 473	(-)	Nut, jam, 1/2" (2 used)

GEARSHIFT FORKS AND SHIFTER SHAFTS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
6	B 375 R	(-7202780)	Pawl, shifter (sub. F3362R)
	F 3362 R*	(7202781-)	Pawl, shifter
7	F 2990 R	(-)	Spring
8A	AF 2819 R	(-7202780)	Shifter, F2974R, overdrive, with yoke and rivets (sub. one AF3464R overdrive shifter with lock and one F3361R overdrive shifter shaft)
8B	AF 3465 R*	(7202781-)	Shifter, F3360R, overdrive, with yoke and rivets
9	16H 1342	(-)	Rivet, R.I.O.H., 3/8" x 1-1/8" (6 used)
10	AF 3465 R	(-)	Yoke, overdrive shifter (sub. for F2977R)
11	F 3363 R*	(7202781-)	Lock, overdrive shifter
12	F 3364 R*	(7202781-)	Spring
13	(7202781-)	Wire, 16 gauge x 9" long
14	34H 127*	(7202781-)	Pin, spring, 5/16" x 3-3/4"
15	F 2983 R	(-)	Shaft, gear shifter
16	F 2993 R	(-)	Pawl, shifter (3 used)
17	F 2411 R	(-)	Spring (3 used)
18	F 2992 R	(-)	Lock, shifter pawl
19	F 2988 R	(-)	Screw, special set (4 used)
20	F 2994 R	(-)	Link, fourth and sixth speed shifter
21	24H 1658	(-)	Washer, 21/32" x 1" x .060"
22	F 2982 R	(-)	Arm, sixth speed shifter
23	F 2989 R	(-)	Spring
24	F 2980 R	(-7214899)	Arm, fourth speed shifter (sub. AF3858R and F3632R)
	F 3632 R	(7214900-)	Arm, fourth speed shifter
25	(-)	Wire, 16 gauge x 5" long
26	F 2986 R	(-)	Shaft, fourth and sixth speed shifter arm
27	F 3348 R	(7201518-)	Spacer, fourth and sixth speed shifter
28	34H 79	(7201518-)	Pin, spring, 3/16" x 1-1/4"
29	(7201518-)	Wire, 16 gauge x 5" long
30	AF 2821 R	(-7214899)	Shifter, F2973R, fourth and sixth speed, with yoke and rivets (sub. AF3858R)
	AF 3858 R	(7214900-)	Shifter, F3631R, fourth and sixth speed, with yoke and rivets
31	F 2976 R	(-)	Yoke, fourth and sixth speed shifter (sub. AF3858R)
32	AF 2820 R	(-7307920)	Shifter, F2972R, second, fifth and reverse speed, with yoke and rivets
	AR 21235 R	(7307921-)	Shifter, R21081R, second, fifth and reverse speed, with yoke and rivets
33	F 2975 R	(-)	Yoke, second, fifth, and reverser speed shifter (sub. AR21235R or AF2820R)
34	F 2989 R	(-)	Spring
35	F 2979 R	(-7307920)	Arm, second speed shifter
	R 21083 R	(7307921-)	Arm, second speed shifter
36	F 2985 R	(-7307920)	Shaft, second and fifth speed shifter arm
	R 21082 R	(7307921-)	Shaft, second and fifth speed shifter arm
	F 2988 R	(7307921-)	Screw, special set, in shifter arm
37	F 3173 R	(-7307920)	Plate, lock
	(7307921-)	Wire, in set screw
38	14H 865	(-7307920)	Nut, 1/2"
39	26H 3	(-7307920)	Key, Woodruff, 3/32" x 3/8"
40	F 2991 R	(-)	Lock, shifter pawl
41	F 2988 R	(-)	Screw, special set (2 used)
42	24H 1321	(-)	Washer, 29/64" x 13/16" x .018" (4 used)
43	F 2981 R	(-)	Arm, fifth speed shifter
44	(-)	Wire, 16 gauge x 5" long
45	F 2971 R	(-)	Shifter, first and third speed
46	B 1914 R	(-)	Screw, special set (2 used)
47	(-)	Wire, 16 gauge x 5" long (2 used)
48	A 598 R	(-)	Pawl, shifter
49	A 597 R	(-)	Spring
50	F 625 R	(-)	Retainer, pawl
51	F 2984 R	(-)	Shaft, first and third speed shifter
52	AF 2822 R	(-7216899)	Arm, F2978R, first and third speed shifter, with yoke and rivets (sub. AR20040R)
	AR 20040 R**	(7216900-7221699)	Arm, R20062R, first and third speed shifter, with yoke and rivets
	AF 2822 R	(7221700-7222299)	Arm, F2978R, first and third speed shifter, with yoke and rivets (sub. AR20040R)
	AR 20040 R**	(7222300-)	Arm, R20062R, first and third speed shifter with yoke and rivets
53	16H 1326	(-)	Rivet, R.I.O.H., 3/8" x 1" (2 used)
54	A 3749 R	(-)	Yoke, first and third speed shifter (sub. AR20040R shifter)

Part listed below is not illustrated.


AF 3464 R (-7202780) Shifter, overdrive, with lock

*Parts for 7200000-7202780 where AF3464R overdrive shifter with lock and F3361R overdrive shifter shaft have been installed.

**Parts for 7200000-7216899 and 7221700-7222299 where 8 mph special fifth speed gear assembly has been installed.

TRANSMISSION

(Serial No. 7200000-)



TRANSMISSION -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2626 R	(-)	Cover
2	A 4605 R	(-7226108)	Plate, lock (2 used)
	A 4605 R	(7226109-)	Plate, lock (4 used)
3	19H 1821	(-7226108)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
	19H 1821	(7226109-)	Screw, cap, high-strength, 7/16" x 1-1/4" (4 used)
4	A 310 R	(-7226108)	Screw, cap, 7/16" x 1-1/4" (drilled) (2 used)
5	(-7226108)	Wire, 16 gauge x 14" long
6	JD 8510	(-)	Bearing (2 used)
7	AF 2635 R	(-)	Gear, powershaft idler, with F2545R spider
8	F 1337 R	(-)	Spacer
9	A 4514 R	(-)	Snap ring (2 used)
10	AF 2654 R	(-)	Gear, first reduction, with F2625R spider
11	A 159 R	(-)	Spacer
12	A 1401 R	(-)	Snap ring
13	JD 7664	(-)	Bearing
14	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2"
15	C 535 R	(-)	Nut, slotted, 1" (packed 25 in a pkg.)
16	F 1247 R	(-)	Pin, transmission oil slinger gear
17	F 2419 R	(-)	Bushing
18	AF 2409 R	(-)	Gear, transmission oil slinger, with bushing
19	24H 1423	(-)	Washer, 29/32" x 1-1/2" x .036"
20	11H 237	(-)	Pin, cotter, 1/8" x 2"
21	F 2618 R	(-7216899)	Shaft, sliding gear, and first and third speed pinion (sub. R20063R)
	R 20063 R*	(7216900-7221699)	Shaft, sliding gear, and first and third speed pinion
	F 2618 R	(7221700-7222299)	Shaft, sliding gear, and first and third speed pinion (sub. R20063R)
	R 20063 R*	(7222300-)	Shaft, sliding gear, and first and third speed pinion
22	F 2367 R	(-)	Snap ring
23	JD 7502	(-)	Race, outer, with rollers
24	AF 2652 R	(-)	Gear, F2624R, transmission drive, and shaft, with nut (29 teeth)
25	F 1373 R	(-)	Snap ring (2 used)
26	JD 7997	(-)	Bearing
27	F 2623 R	(-)	Retainer, oil, sliding gear shaft bearing, L.H.
28	F 2622 R	(-)	Snap ring (2 used)
29	JD 8556	(-)	Bearing
30	R 36295 R	(-)	Snap ring (sub. for F977R)
31	F 2619 R	(-)	Pinion, second, fifth, and reverse speed sliding (18 teeth)
32	F 2620 R	(-)	Pinion, fourth and sixth speed sliding (26 teeth)
33	F 2621 R	(-)	Pinion, sliding gear shaft drive (18 teeth)
34	F 2609 R	(-)	Gear, countershaft, first and third speed sliding (35 teeth)
35	F 2603 R	(-)	Nut, lock
36	R 81 R	(-)	Snap ring
37	JD 7444	(-)	Cup, bearing
38	JD 8149	(-)	Cone, with rollers
39	F 2610 R	(-)	Gear, countershaft second and fifth speed (30 teeth)
40	AF 2648 R	(-)	Spacer
41	F 2613 R	(-)	Pinion, differential drive (20 teeth)
42	F 2611 R	(-)	Gear, countershaft, fourth and sixth speed (22 teeth)
43	AF 2647 R	(-)	Countershaft, with nut
44	F 2608 R	(-7215212)	Plate, lock (2 used)
45	19H 1849	(-7215212)	Screw, cap, high-strength, 5/16" x 1-1/4" (2 used)
46A	AF 2655 R	(-7215212)	Spacer, countershaft gear, with screws and lock plates (sub. one F3668R spacer and one F3669R snap ring)
46B	F 3668 R	(7215213-)	Spacer
47	F 3669 R	(7215213-)	Snap ring
48	JD 8618	(-)	Bearing
49	F 2606 R	(-)	Spacer
50	F 2605 R	(-)	Gear, countershaft idler (19 and 30 teeth)
51	JD 8619	(-)	Bearing
52	F 2604 R	(-)	Washer, thrust
53	JD 8182	(-)	Cone, with rollers
54	JD 8223	(-)	Cup, bearing
55	F 2615 R	(-)	Shim (steel) (14 used)
56	F 2614 R	(-)	Housing, bearing
57A	(-7226108)	Wire, 16 gauge x 26" long
57B	F 262 R	(7226109-)	Plate, lock (3 used)
58A	E 17374 E	(-7226108)	Screw, cap, 1/2" x 1-1/4" (drilled) (3 used) (sub. for C1096R)
58B	19H 1815	(7226109-)	Screw, cap, high-strength, 1/2" x 1-1/4" (3 used)


Part listed below is not illustrated.

AF 3357 R (-)

Gasket set for transmission and rear end overhaul (see gasket set grouping for illustrations and contents)

*Parts for 7200000-7216899 and 7221700-7222299 where 8 mph special fifth speed gear assembly has been installed.


8 MPH SPECIAL FIFTH SPEED GEAR ASSEMBLY (Serial No. 7216900-)



Key	Part No.	Serial No.	Description
1	AR 20133 R	(7216900-)	Quadrant, R20068R, gearshift, with pin and bushings
2	19H 1773*	(7216900-)	Screw, cap, high-strength, 7/16" x 1-1/8" (2 used)
3	R 2529 R*	(7216900-)	Plate, lock
4	R 20066 R*	(7216900-)	Washer, retaining
5	R 20065 R*	(7216900-)	Pinion, special sliding gear shaft (22 teeth)
6	R 20063 R*	(7216900-7221699)	Shaft, sliding gear, and first and third speed pinion
	R 20063 R*	(7222300-)	Shaft, sliding gear, and first and third speed pinion
7	AR 20040 R*	(7216900-)	Arm, R20062R, first and third speed shifter with yoke and rivets
8	16H 1326*	(7216900-)	Rivet, R. L. O. H., 3/8" x 1" (2 used)
9	A 3749 R*	(7216900-)	Yoke, first and third speed shifter (sub. AR20040R)
10	R 20064 R*	(7216900-)	Gear, special countershaft, first and third speed sliding (26 teeth)


*Parts for 7200000-7216899 and 7221700-7222299 where 8 mph special fifth speed gear assembly has been installed.

SPECIAL FOURTH AND SIXTH SPEED GEARS (4-3/4 mph and 12-1/4 mph) (Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 20092 R	(-)	Pinion, special fourth and sixth speed sliding (27 teeth)
2	R 20113 R	(-)	Gear, special countershaft, fourth and sixth speed (21 teeth)

DIFFERENTIAL (Except Hi-Crop)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (3 used)
	12H 294	(-)	Washer, lock, 5/8" (3 used)
2	F 2517 R	(-)	Quill, bearing
3	F 2507 R	(-)	Packing
4	F 2514 R	(-)	Shim (steel) (12 used)
5	JD 8234	(-)	Cup, bearing (2 used)
6	R 71 R	(-)	Snap ring (2 used)
7	JD 8900	(-)	Cone, with rollers (2 used)
8	F 3218 R	(-)	Gear, bevel, and spur pinion (2 used)
9	16H 1144	(-)	Rivet, R. I. O. H., 5/16" x 1-3/4" (3 used)
10	R 31 R	(-)	Washer (6 used)
11	F 163 R	(-)	Shaft, bevel pinion (3 used)
12	AF 2628 R	(-)	Gear, differential, with F2510R spider
13	16H 1437	(-)	Rivet, R. I. O. H., 3/8" x 3-1/4" (3 used)
14	F 1286 R	(-)	Pinion, bevel (3 used)
15	F 2511 R	(-)	Shaft, differential
16	F 2512 R	(-)	Snap ring
17	F 2513 R	(-)	Cover, bearing

DIFFERENTIAL (Hi-Crop)
(Serial No. 7200000-)

47403

DIFFERENTIAL (Hi-Crop) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (3 used)
	12H 294	(-)	Washer, lock, 5/8" (3 used)
2	F 2517 R	(-)	Quill, bearing
3	F 2507 R	(-)	Packing
4	F 2514 R	(-)	Shim (steel) (12 used)
5	JD 8234	(-)	Cup, bearing (2 used)
6	R 71 R	(-)	Snap ring (2 used)
7	JD 8900	(-)	Cone, with rollers (2 used)
8	F 185 R	(-)	Snap ring (4 used) (sub. for R250R)
9	F 970 R	(-)	Sprocket (2 used)
10	F 1285 R	(-)	Gear, differential bevel (2 used)
11	AF 2628 R	(-)	Gear, differential, with F2510R spider
12	16H 1144	(-)	Rivet, R.I.O.H., 5/16" x 1-3/4" (3 used)
13	R 31 R	(-)	Washer (6 used)
14	F 163 R	(-)	Shaft, bevel pinion (3 used)
15	16H 1437	(-)	Rivet, R.I.O.H., 3/8" x 3-1/4" (3 used)
16	F 1286 R	(-)	Pinion bevel (3 used)
17	F 2511 R	(-)	Shaft, differential
18	F 2512 R	(-)	Snap ring
19	F 2513 R	(-)	Cover, bearing
20	AA 4938 R	(-)	Chain, roller link (2 used) (also order one C1472R offset link)
	C 1472 R	(-)	Link, offset
21	C 1471 R	(-)	Link, roller
22	C 1107 R	(-)	Link, connecting
23	11H 211	(-)	Pin, cotter, 1/8" x 3/4" (2 used)

FINAL DRIVE, HOUSING, AND REAR AXLE SHAFTS (Except Hi-Crop)
(Serial No. 7200000-)

47533


FINAL DRIVE, HOUSING, AND REAR AXLE SHAFTS (Except Hi-Crop) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 2863 R	(-7299999)	Housing, F2590R, with dowel pins and studs (88" tread) (general-purpose) (sub. AR20674R)
	AR 20674 R	(7300000-)	Housing, R20590R, with dowel pins and studs (88" tread) (general-purpose)
	AR 21156 R	(7300000-)	Housing, R20830R, with dowel pins and studs (88" tread) (general-purpose) (special; used with the high-drum cotton picker)
	AF 2864 R	(-7299999)	Housing, F2591R, with dowel pins and studs (104" or 112" tread) (general-purpose) (sub. AR20675R)
	AR 20675 R	(7300000-)	Housing, R20600R, with dowel pins and studs (104" or 112" tread) (general-purpose)
	AF 2865 R	(-)	Housing, F2592R, with dowel pins and studs (88" tread) (standard)
2	A 5292 R	(-)	Stud, 5/8" x 2-1/4" (12 used) (packed 25 in a pkg.) (general-purpose)
	A 5292 R	(-)	Stud, 5/8" x 2-1/4" (4 used) (packed 25 in a pkg.) (standard)
3	A 1892 R	(-)	Nut, special hex. (12 used) (packed 25 in a pkg.) (general-purpose)
	A 1892 R	(-)	Nut, special hex. (4 used) (packed 25 in a pkg.) (standard)
4	R 27314 R	(-)	Pin, dowel (2 used) (sub. R31076R)
5	F 2593 R	(-)	Gasket (packed 2 in a pkg.)
6	14H 760	(-)	Nut, special (4 used) (packed 25 in a pkg.) (sub. for A5772R)
7	14H 794	(-)	Nut, 3/4" (10 used) (sub. for A5405R)
8	M 3210 T	(-)	Stud, 5/8" x 2-1/2" (4 used) (sub. for B1333R)
9	F 1549 R	(-)	Stud, 3/4" x 2-1/2" (10 used)
10	15H 604	(-)	Plug, pipe, 1/4" (2 used)
11	JD 8214	(-)	Cup, bearing (2 used) (88" tread)
	JD 7298	(-)	Cup, bearing (2 used) (104" or 112" tread)
12	JD 8167	(-)	Cone, with rollers (2 used) (88" tread)
	JD 8197	(-)	Cone, with rollers (2 used) (104" or 112" tread)
13	A 4451 R	(-)	Spacer (2 used)
14	F 787 R	(-)	Retainer, felt, inner (2 used)
15	D 2455 R	(-)	Washer, felt (2 used) (sub. for AD1275R)
16	F 786 R	(-)	Retainer, felt, outer (2 used)
17	AF 1427 R	(-)	Shaft, rear axle with nut (2 used) (88" tread)
	AR 20958 R	(7300000-)	Shaft, rear axle, with nut (2 used) (88" tread) (special; used with the high-drum cotton picker)
	AF 1676 R	(-)	Shaft, rear axle, with nut (2 used) (104" tread)
	AF 1677 R	(-)	Shaft, rear axle, with nut (2 used) (112" tread)
18	A 4827 R	(-)	Washer
19	F 3128 R	(-)	Plug, drain
20	F 2594 R	(-)	Dowel, special (2 used)
21	11H 249	(-)	Pin, cotter, 1/4" x 2" (2 used)
22	A 76 R	(-)	Nut (2 used)
23	AF 2611 R	(-)	Gear, final drive, with F2955R spider (2 used)
	R 31 R	(-)	Washer (12 used)
	16H 1175	(-)	Rivet, R.I.O.H., 5/16" x 2-1/4" (6 used)
24	F 2253 R	(-)	Washer, thrust (2 used)
25	JD 8173	(-)	Cone, with rollers (2 used) (88" tread)
	JD 8111	(-)	Cone, with rollers (2 used) (104" or 112" tread)
26	JD 8218	(-)	Cup, bearing (2 used) (88" tread)
	JD 7448	(-)	Cup, bearing (2 used) (104" or 112" tread)
27	AD 1250 R	(-)	Seal, oil (2 used) (sub. for AD1251R)

Part listed below is not illustrated.

AF 3357 R	(-)	Gasket set for transmission and rear end overhaul (see gasket set grouping for illustrations and contents)
-----------	-------	--

FINAL DRIVE, HOUSING, AND REAR AXLE SHAFTS (Hi-Crop)
(Serial No. 7200000-)




FINAL DRIVE, HOUSING, AND REAR AXLE SHAFTS (Hi-Crop) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (4 used)
	12H 304	(-)	Washer, lock, 3/8" (4 used)
2	F 997 R	(-)	Cover, bearing
3	F 998 R	(-)	Gasket
4	F 1483 R	(-)	Nut, bearing locking (2 used)
5	F 1484 R	(-)	Washer, bearing locking
6	JD 8149	(-)	Cone, with rollers
7	14H 858	(7204338-)	Nut, 3/4" (6 used)
8	12H 236	(-)	Washer, lock, 3/4" (6 used)
9A	19H 1862	(-7204337)	Screw, cap, high-strength, 3/4" x 2-1/2" (6 used)
9B	R 1548 R	(7204338-)	Stud, 3/4" x 3-1/2" (6 used)
10	F 3357 R	(-)	Gasket (sub. for F1001R)
11	JD 7444	(-)	Cup, bearing
12	R 27314 R	(-7204337)	Pin, dowel (2 used) (sub. R31076R)
	F 3358 R	(7204338-)	Pin, dowel (2 used)
13	R 81 R	(-)	Snap ring
14	AF 1189 R	(-)	Housing, F994R, final drive gear, with oil seal, dowel pins, and bearings
15	F 228 R	(-)	Washer
16	AF 316 R	(-)	Seal, oil
17	JD 7448	(-)	Cup, bearing
18	F 3128 R	(-)	Plug
19	A 4827 R	(-)	Washer (aluminum)
20	JD 8112	(-)	Cone, with rollers
21	F 785 R	(-)	Spacer
22	F 787 R	(-)	Retainer, felt, inner
23	D 2455 R	(-)	Washer, felt (sub. for AD1275R)
24	F 786 R	(-)	Retainer, felt, outer
25	AF 1160 R	(-)	Shaft, rear axle, with nut
	AR 21601 R	(-)	Shaft, rear axle, with nut (2 used) (use with R21480R wheel)
26	JD 7759	(-)	Fitting, grease, straight, 1/8"
27	F 1004 R	(-)	Hub, rear wheel
28	12H 245	(-)	Washer, lock, 7/8" (6 used)
29	14H 836	(-)	Nut, 7/8" (6 used)
30	A 2833 R	(-)	Stud, 7/8" x 3-1/4" (6 used)
31	R 229 R	(-)	Washer (aluminum) (2 used)
32	R 228 R	(-)	Plug (2 used)
33	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (12 used)
	12H 293	(-)	Washer, lock, 7/16" (12 used)
34	F 999 R	(-)	Cover, housing
35	F 1000 R	(-)	Gasket
36	B 2342 R	(-)	Snap ring
37	AR 27746 R	(-)	Gear, final drive, with F1443R spider (sub. for AF1611R)
38	R 31 R	(-)	Washer (6 used)
39	16H 1175	(-)	Rivet, R.I.O.H., 5/16" x 2-1/4" (3 used)

Parts listed below are not illustrated.

AF 1690 R	(-)	ADAPTER, SPROCKET DRIVE (ATTACHMENT)
A 3959 R	(-)	Pin, dowel, sprocket adapter flange (2 used)
AF 1155 R	(-)	Seal, oil, sprocket adapter flange
AF 1691 R	(-)	Flange, sprocket adapter, with pins
AF 1692 R	(-)	Cover, sprocket adapter, with oil seal
F 1489 R	(-)	Gasket, sprocket adapter flange
19H 1847	(-)	Screw, cap, high-strength, 5/8" x 2-1/2", sprocket adapter flange to rear axle shaft
12H 294	(-)	Washer, lock, 5/8"


DRIVE SHAFT AND DRIVE SHAFT HOUSING (Hi-Crop)
(Serial No. 7200000-)




69397

Key	Part No.	Serial No.	Description
1	A 5292 R	(-)	Stud, 5/8" x 2-1/4" (12 used) (packed 25 in a pkg.)
2	A 1892 R	(-)	Nut, special hex. (12 used) (packed 25 in a pkg.)
3	R 27314 R	(-)	Pin, dowel (2 used) (sub. R31076R)
4	AF 3179 R	(-)	Housing, F3030R, drive shaft, with pins and studs
5	F 2593 R	(-)	Gasket (packed 2 in a pkg.)
6	14H 760	(-)	Nut, special (4 used) (packed 25 in a pkg.) (sub. for A5772R)
7	14H 794	(-)	Nut, 3/4" (10 used) (sub. for A5405R)
8	M 3210 T	(-)	Stud, 5/8" x 2-1/2" (4 used) (sub. for B1333R)
9	F 1549 R	(-)	Stud, 3/4" x 3-1/8" (10 used)
10	A 3750 R	(-)	Retainer for plugging removal holes (4 used)
11	AF 1154 R	(-)	Shaft, drive, with pinion and nut (2 used)
12	JD 8130	(-)	Cone, with rollers, outer (2 used)
13	JD 7446	(-)	Cup, bearing, outer (2 used)
14	AF 1156 R	(-)	Seal, oil, outer (2 used)
15	F 991 R	(-)	Adapter, outer oil seal (2 used)
16	A 3137 R	(-)	Washer (aluminum)
17	A 1441 R	(-)	Plug, drain
18	F 992 R	(-)	Washer (2 used)
19	AF 1155 R	(-)	Seal, oil, inner (2 used)
20	JD 7444	(-)	Cup, bearing, inner (2 used)
21	JD 8149	(-)	Cone, with rollers, inner (2 used)
22	AF 1157 R	(-)	Sprocket, with hub (2 used)
23	F 993 R	(-)	Washer (2 used)
24	B 350 R	(-)	Nut (2 used)
25	11H 222	(-)	Pin, cotter, 3/16" x 2" (2 used)
26	14H 858	(7204338-)	Nut, 3/4" (12 used)
27	12H 236	(-)	Washer, lock, 3/4" (12 used)
28A	19H 1862	(-7204337)	Screw, cap, high-strength, 3/4" x 2-1/2" (12 used)
28B	R 1548 R	(7204338-)	Stud, 3/4" x 3-1/2" (12 used)

REAR AXLE HOUSING COVER (Tractors less Power Shaft and Rockshaft)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	AF 2883 R	(-)	Cover, F2666R, rear axle housing, with studs
2	F 2896 R	(-)	Stud, 5/8" x 2-3/4" (2 used)
3	14H 760	(-)	Nut, special (2 used) (sub. for A5772R)
4	F 2543 R	(-)	Gasket (packed 2 in a pkg.)
5	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (12 used)

BRAKES (Except Hi-Crop)
Serial No. 7200000-


BRAKES (Except Hi-Crop) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 157 R	(-)	Gasket (packed 5 in a pkg.)
2	AF 2787 R	(-)	Shaft, brake, with nut
3	F 2801 R	(-)	Bushing, inner
4	14H 800	(-)	Nut, 5/8"
5A	A 88 R	(-7299999)	Pedal, R.H. (general-purpose)
	A 89 R	(-7299999)	Pedal, L.H. (general-purpose)
5B	R 20613 R	(7300000-)	Pedal, R.H. (general-purpose)
	R 20614 R	(7300000-)	Pedal, L.H. (general-purpose)
6	AF 1842 R	(-)	Pedal, F1578R, brake, with latch, R.H. (standard)
	AF 1843 R	(-)	Pedal, F1579R, brake, with latch, L.H. (standard)
7	11H 211	(-)	Pin, cotter, 1/8" x 3/4" (standard)
8	D 1969 R	(-)	Rivet, special (standard)
9	A 4748 R	(-)	Spring, brake pedal (standard)
10	F 1576 R	(-)	Lever, R.H. (standard)
	F 1577 R	(-)	Lever, L.H. (standard)
11	A 120 R	(-)	Pin, dowel
12	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (3 used)
	12H 294	(-)	Washer, lock, 5/8" (3 used)
13	A 151 R	(-)	Screw, adjusting
14	A 4302 R	(-)	Shaft, lever
15	R 495 R	(-)	Packing, O-ring (packed 10 in a pkg.)
16	AF 2785 R	(-)	Housing, F2800R, with bushings and dust guard
17	JD 7781	(-)	Fitting, grease, 90°, 1/8"
18	24H 1423	(-)	Washer, 29/32" x 1-1/2" x .036" (2 used)
19	A 4539 R	(-)	Bushing, outer
20	AF 2788 R	(-)	Seal, oil
21	F 2802 R	(-)	Guard, dust (no longer furnished)
22	A 134 R	(-)	Pin, adjusting (2 used)
23	D 2309 R	(-)	Rivet, special (20 used) (packed 100 in a pkg.)
24	AF 2866 R	(-)	Lining (set of four linings and forty rivets)
25	AF 2789 R	(-)	Shoe, with lining (2 used)
26	A 348 R	(-7299999)	Spring (2 used) (packed 10 in a pkg.) (sub. R21753R)
	R 21753 R	(7300000-)	Spring (2 used)
27	A 321 R	(-)	Cam
28	11H 211	(-)	Pin, cotter, 1/8" x 3/4" (2 used)
29	AF 2867 R	(-)	Pins (two) with rollers
30	24H 1524	(-7220309)	Washer, 1-33/64" x 2-1/4" x .048" (2 used) (sub. A5743R)
	A 5743 R	(7220310-)	Washer (2 used)
31	AF 2786 R	(-)	Drum, brake, with hub
32	D 136 R	(-)	Washer
33	12H 234	(-)	Washer, lock, 1"
34	14H 876	(-)	Nut, jam, 1"

BRAKES (Hi-Crop)
(Serial No. 7200000-)

BRAKES (Hi-Crop) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	R 36295 R	(-)	Snap ring (sub. for F977R)
2	F 976 R	(-)	Sprocket
3	AF 1146 R	(-)	Shaft, brake, with nut
4	F 974 R	(-)	Gasket
5	F 152 R	(-)	Bushing, inner
6	AF 1145 R	(-)	Housing, F973R, brake shaft, with bushings
7	F 981 R	(-)	Screw, special cap (6 used)
	12H 293	(-)	Washer, lock, 7/16" (6 used)
8	A 5236 R	(-)	Nut (6 used) (packed 25 in a pkg.)
9	F 157 R	(-)	Gasket (packed 5 in a pkg.)
10	F 972 R	(-)	Cover, brake opening
11	19H 1756	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (3 used)
	12H 294	(-)	Washer, lock, 5/8" (3 used)
12	A 510 R	(-)	Guard, dust
13A	F 979 R	(-7299999)	Pedal, R.H.
	F 980 R	(-7299999)	Pedal, L.H.
13B	R 20615 R	(7300000-)	Pedal, R.H.
	R 20616 R	(7300000-)	Pedal, L.H.
14	A 1163 R	(-)	Bushing, outer
15	24H 1423	(-)	Washer, 29/32" x 1-1/2" x .036" (2 used)
16	R 495 R	(-)	Packing, O-ring (packed 10 in a pkg.)
17	F 978 R	(-)	Carrier, brake shoe
18	A 151 R	(-)	Screw, adjusting
19	A 152 R	(-)	Shaft, brake lever
20	14H 800	(-)	Nut, 5/8"
21	15H 253	(-)	Plug, pipe, 1/8" (2 used)
22	19H 456	(-)	Screw, cap, 1/2" x 1-3/8" (6 used)
	12H 301	(-)	Washer, lock, 1/2" (6 used)
23	AF 2848 R	(-)	Guard, brake drum, R.H.
	AF 2849 R	(-)	Guard, brake drum, L.H.
24	AB 330 R	(-)	Support, brake latch, with pivot
25	16H 672	(-)	Rivet, R.I.O.H., 1/4" x 3/4" (2 used)
26	F 3032 R	(-)	Strap
27	19H 1905	(-)	Screw, cap, high-strength, 5/16" x 1" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
28	11H 236	(-)	Pin, cotter, 1/8" x 1"
29	21H 1023	(-)	Screw, mach., rd. hd., 1/4" x 5/8" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
30	14H 786	(-)	Nut, 1/4" (2 used)
31	14H 876	(-)	Nut, jam, 1"
32	12H 234	(-)	Washer, lock, 1"
33	D 136 R	(-)	Washer
34	B 3727 R	(-)	Latch, brake (sub. for B2149R)
35	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120"
36	AR 482 R	(-)	Drum, brake, with hub (sub. for AF291R)
	R 491 R	(-)	Drum, only (sub. for A511R)
	F 154 R	(-)	Guard, dust
	16H 1342	(-)	Rivet, R.I.O.H., 3/8" x 1-1/8" (6 used)
37	AA 4837 R	(-)	Pins (two) shoe roller, with rollers and washers
38	A 2299 R	(-)	Washer (4 used)
39	11H 211	(-)	Pin, cotter, 1/8" x 3/4" (2 used)
40	24H 1552	(-)	Washer, 1-5/8" x 2-3/32" x .036" (2 used)
41	A 321 R	(-)	Cam, brake
42	A 348 R	(-7299699)	Spring (2 used) (packed 10 in a pkg.) (sub. R21753R)
	R 21753 R	(7300000-)	Spring (2 used)
43	A 134 R	(-)	Pin adjusting (2 used)
44	AA 314 R	(-)	Shoe, brake, with facing (2 used)
45	AA 4253 R	(-)	Facing (set of four linings with thirty-two rivets)
46	D 2309 R	(-)	Rivet (16 used) (packed 100 in a pkg.)

FAN DRIVE (Power Steering)
(Serial No. 7200000-)

FAN DRIVE (Power Steering) -- Continued
(Serial No. 720000-

Key	Part No.	Serial No.	Description
1	F 2094 R	(-)	Gasket (packed 5 in a pkg.)
2	F 2093 R	(-)	Cover, fan drive shaft bearing housing
3	19H 1854	(-)	Screw, cap, high-strength, 3/8" x 3-3/4" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
4	F 1663 R	(-)	Tube, fan drive
5	19H 2228	(-)	Screw, cap, high-strength, 3/8" x 4"
	12H 304	(-)	Washer, lock, 3/8"
6	19H 1765	(-)	Screw, cap, high-strength, 3/8" x 1-3/4"
	12H 304	(-)	Washer, lock, 3/8"
7	F 1666 R	(-)	Flange, steering pump
8	F 1667 R	(-)	Gasket (packed 5 in a pkg.)
9	AF 1902 R	(-)	Coupling (2 used)
10	F 2091 R	(-7214899)	Shaft, fan drive coupling
	F 1661 R	(7214900-)	Shaft, fan drive coupling
11	F 1656 R	(-7214899)	Shaft, fan drive
	F 3505 R	(7214900-)	Shaft, fan drive
12	D 403 R	(-)	Key
13	A 369 R	(-)	Snap ring (2 used) (packed 10 in a pkg.)
14	24H 448	(-)	Washer, 25/32" x 1-1/8" x .090"
15	F 1660 R	(-)	Spring
16	JD 7656	(-7221079)	Cone, bearing (2 used)
	JD 8590	(7221080-)	Cone, bearing (2 used)
17	JD 7657	(-7221079)	Retainer, with balls (2 used)
	JD 8591	(7221080-)	Retainer, with balls (2 used)
18	JD 7655	(-7221079)	Cup, bearing (2 used)
	JD 8589	(7221080-)	Cup, bearing (2 used)
19	JD 7654	(-7221079)	Bearing, complete (2 used)
	JD 8588	(7221080-)	Bearing, complete (2 used)
20	F 2090 R	(-7210523)	Housing, fan drive shaft bearing (sub. F3415R)
	F 3415 R	(7210524-)	Housing, fan drive shaft bearing
21	F 2077 R	(-)	Shim (packed 10 in a pkg.)
22	AF 2218 R	(-7209940)	Gear and pinion (one F2063R and one F2064R) (sub. AF3452R)
	AF 3452 R	(7209941-)	Gear and pinion (one F3330R and one F3331R)

FAN AND POWER STEERING PUMP (Power Steering)
(Serial No. 7200000-)




FAN AND POWER STEERING PUMP (Power Steering) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 1687 R	(-)	Shaft, fan
2	26H 70	(-)	Key, Woodruff, 1/8" x 1/2"
3	F 1668 R	(-)	Pulley, generator drive
4	F 808 R	(-)	Spring
5	AB 3314 R	(-)	Disk, friction (pkg. of 2) (1 pkg. used)
6	D 399 R	(-)	Washer, friction (2 used) (packed 5 in a pkg.)
7	A 4059 R	(-)	Cup, fan drive (2 used)
8	AF 825 R	(-)	Fan, with two A4059R cups
9	A 3645 R	(-)	Keeper, fan
10	D 1720 R	(-)	Lock, retainer (2 used) (packed 5 in a pkg.)
11	D 398 R	(-)	Snap ring
12	JD 7142	(-)	Bearing
13	AR 21263 R	(-)	Seal, oil (sub. two AR21900R) (sub. for AF1925R)
14	19H 1765	(-)	Screw, cap, high-strength, 3/8" x 1-3/4" (5 used)
	12H 304	(-)	Washer, lock, 3/8" (5 used)
15	AF 2338 R	(-)	Cover, F2313R, steering pump, with bushing
16	F 1747 R	(-)	Bushing
17	R 1800 R	(-)	Pin, dowel (2 used)
18	F 2324 R	(-)	Body, steering pump
19	AF 1329 R	(-)	Gear, steering pump (pkg. of 2) (1 pkg. used)
20	F 1685 R	(-)	Shaft, steering pump gear
21	26H 70	(-)	Key, Woodruff, 1/8" x 1/2"
22	A 4130 R	(-)	Bushing
23	F 1747 R	(-)	Bushing
24	AF 2339 R	(-)	Housing, F2311R, steering pump, with bushings
25	19H 2227	(-)	Screw, cap, high-strength, 3/8" x 2-1/4" (4 used)
	12H 304	(-)	Washer, lock, 3/8" (4 used)
26	AR 21263 R	(-)	Seal, oil (sub. two AR21900R and one R21720R) (sub. for AF1925R)
27	P 1986 R	(-)	Clip
28	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (2 used)
29	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
30	F 1670 R	(-)	Support, fan
31	24H 1321	(-)	Washer, 29/64" x 13/16" x .018" (8 used)
32	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)

Part listed below is an assembly of some of the parts in this grouping.

AF 1904 R (-) Pump, power steering, complete

STEERING SHAFT, WORN, AND HOUSING (Power Steering) (720 Series)
(Serial No. 7200000-7299999)



STEERING SHAFT, WORM, AND HOUSING (Power Steering) (720 Series) -- Continued
(Serial No. 7200000-7299999)


Key	Part No.	Serial No.	Description
1	F 1745 R	(-7214899)	Nut, special cap
2A	F 1744 R	(-7214899)	Emblem, power steering
2B	R 34324 R	(7214900-)	Emblem, power steering (sub. for F3629R)
3A	AA 380	(-7214899)	Wheel, steering
3B	AF 3856 R	(7214900-)	Wheel, steering
4	26H 17	(-7214899)	Key, Woodruff, 3/16" x 7/8"
5A	AF 1943 R	(-7214899)	Shaft, steering, with nut
5B	AF 3857 R	(7214900-7299999)	Shaft, steering, with nut
6	B 3690 R	(7214900-)	Packing, O-ring, (packed 2 in a pkg.)
7	14H 482	(7214900-)	Nut, jam, 3/4"
8	AF 1934 R	(-7299999)	Seal, oil
9	F 1722 R	(-7299999)	Housing, steering shaft oil seal
10	19H 1139	(-7299999)	Screw, cap, high-strength, 3/8" x 1-1/8" (2 used)
	12H 304	(-7299999)	Washer, lock, 3/8" (2 used)
11	R 21062 R	(-7299999)	Gasket (packed 5 in a pkg.) (sub. for F1723R)
12A	AF 1938 R	(-7223754)	Sleeve, steering valve actuating, with pins
12B	AR 20168 R	(7223755-7299999)	Sleeve, steering valve actuating, with pins
13A	F 1743 R	(-7223754)	Pin (2 used)
13B	R 20164 R	(7223755-)	Pin (2 used) (packed 2 in a pkg.)
14	R 20913 R	(-7223754)	Screw, special set (sub. for F1717R and F3359R)
15	30H 13	(-)	Plug, expansion, 1"
16	34H 103	(-7299999)	Pin, roll, 1/4" x 1-1/4"
17	(-7299999)	Wire, 16 gauge x 5" long
18	R 20162 R	(7223755-)	Screw, thru socket set
19	R 20161 R	(7223755-)	Bushing, adjusting
20A	F 2333 R	(-7223754)	Worm, steering
20B	R 20159 R	(7223755-)	Worm, steering
21	R 20160 R	(7223755-)	Shaft, steering worm
22	26H 72	(7223755-)	Key, Woodruff, 1/8" x 5/8"
23	F 1719 R	(-7223754)	Cam, steering worm
	R 20165 R	(7223755-)	Cam, steering worm
24	F 2334 R	(-)	Rod, steering worm cam
25	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
26	F 2335 R	(-)	Spring
27	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (2 used)
28	14H 511	(-)	Nut, slotted, 5/16"
29	JD 8172	(-)	Cone, with rollers (2 used)
30	JD 7253	(-)	Cup, bearing (2 used)
31	F 2332 R	(-7223754)	Housing, steering worm (sub. AR20169R)
	AR 20169 R	(7223755-)	Housing, F2332R or R20158R, steering worm, with plug
32	F 1706 R	(-)	Shim (packed 10 in a pkg.)
	F 2346 R	(-)	Shim (packed 10 in a pkg.)
33	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1/2"
34	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
35	15H 559	(-)	Plug, pipe, 1/4" countersunk headless
36	F 1743 R	(-)	Pin (2 used)
37	19H 456	(-)	Screw, cap, high-strength, 1/2" x 1-3/8" (3 used)
	12H 301	(-)	Washer, lock, 1/2" (3 used)
38	19H 1974	(-)	Screw, cap, high-strength, 1/2" x 2-3/4"
	12H 301	(-)	Washer, lock, 1/2"
39	F 1648 R	(-)	Shim, steel, .0025" (packed 5 in a pkg.)
	F 2155 R	(-)	Shim, steel, .010" (packed 5 in a pkg.)
40	F 1649 R	(-)	Packing, O-ring (packed 5 in a pkg.)
41	F 1724 R	(-7223754)	Housing, bearing (sub. AR20170R)
	AR 20170 R	(7223755-)	Housing, R20166R, bearing with plug
42	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
43	H 356 R	(7223755-)	Washer (Aluminum)
44	R 20168 R	(7223755-)	Plug

Part listed below is an assembly of most of the parts in this grouping.

AR 21667 R (-7223754) Kit, service, power steering adjustable helix

NOTE: For steering shaft support, see pages 50-14 and 50-15.


STEERING WORM AND HOUSING (Power Steering) (730 Series)
(Serial No. 7300000-)



STEERING WORM AND HOUSING (Power Steering) (730 Series) -- Continued
(Serial No. 7300000-)


Key	Part No.	Serial No.	Description
1	AR 20655 R	(7300000-) Sleeve, steering valve actuating, with pins
2	R 20164 R	(-) Pin (2 used) (packed 2 in a pkg.)
3	30H 13	(-) Plug, expansion, 1"
4	F 1706 R	(-) Shim (packed 10 in a pkg.)
	F 2346 R	(-) Shim (packed 10 in a pkg.)
5	AR 20169 R	(-) Housing, F2332R or R20158R, steering worm, with plug
6	JD 7253	(-) Cup, bearing (2 used)
7	JD 8172	(-) Cone, with rollers (2 used)
8	19H 1974	(-) Screw, cap, high-strength, 1/2" x 2-3/4"
	12H 301	(-) Washer, lock, 1/2"
9	19H 456	(-) Screw, cap, high-strength, 1/2" x 1-3/8" (3 used)
	12H 301	(-) Washer, lock, 1/2" (3 used)
10	F 1743 R	(-) Pin (2 used)
11	15H 559	(-) Plug, pipe, 1/4", countersunk headless
12	A 3098 R	(-) Washer (aluminum) (packed 5 in a pkg.)
13	19H 2038	(-) Screw, cap, high-strength, 3/8" x 1/2"
14	14H 511	(-) Nut, slotted, 5/16"
15	24H 1290	(-) Washer, 21/64" x 3/4" x .036" (2 used)
	24H 1136	(-) Washer, 11/32" x 11/16" x .060" (2 used)
16	F 2335 R	(-) Spring
17	11H 233	(-) Pin, cotter, 3/32" x 1/2"
18	F 2334 R	(-) Rod, steering worm cam
19	R 20165 R	(-) Cam, steering worm
20	26H 72	(-) Key, Woodruff, 1/8" x 5/8"
21	R 20160 R	(-) Shaft, steering worm
22	R 20159 R	(-) Worm, steering
23	R 20161 R	(-) Bushing, adjusting
24	R 20162 R	(-) Screw, thru socket set
25	F 1648 R	(-) Shim, steel, .0025" (packed 5 in a pkg.)
	F 2155 R	(-) Shim, steel, .010" (packed 5 in a pkg.)
26	F 1649 R	(-) Packing, O-ring (packed 5 in a pkg.)
27	AR 20170 R	(-) Housing, R20166R, bearing, with plug
28	19H 1815	(-) Screw, cap, high-strength, 1/2" x 1-1/4" (2 used)
	12H 301 R	(-) Washer, lock, 1/2" (2 used)
29	H 356 R	(-) Washer (aluminum)
30	R 20168 R	(-) Plug
Part listed below is not illustrated.			
	AR 30476 R	(-) Kit, power steering overhaul

STEERING VALVE (Power Steering)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	F 2321 R	(-)	Gasket (packed 5 in a pkg.)
2	F 2323 R	(-)	Arm, steering valve
3	12H 303	(-)	Washer, lock, 5/16"
4	14H 785	(-)	Nut, 5/16"
5	F 2317 R	(-7214899)	Plug, relief valve (sub. AF3799R)
	AF 3799 R	(7214900-)	Plug, relief valve
6	H 294 R	(-)	Washer (aluminum)
7	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (2 used)
8	R 1820 R	(-)	Washer (6 used)
9	F 2371 R	(-)	Sleeve, relief valve
10	F 2232 R	(-)	Valve, relief
11	A 4546 R	(-)	Spring
12	F 2320 R	(-)	Housing, steering valve
13	R 463 R	(-)	Washer (copper) (packed 10 in a pkg.)
14	F 2372 R	(-)	Screw, special cap
15	F 1729 R	(-)	Valve, steering
16	21H 1133	(-)	Screw, mach., flat head, 5/16" x 1-1/4"
17	F 1734 R	(-)	Gasket (packed 5 in a pkg.)
18	R 20214 R	(-)	Plug (sub. for F1733R)
19	B 427 R	(-)	Nut, cap
20	A 5364 R	(-)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
21	14H 732	(-)	Nut, jam, 3/8"
22	F 1741 R	(-)	Screw, adjusting
23	24H 1652	(-)	Washer, 13/32" x 11/16" x .105" (4 used)
24	19H 1179	(-)	Screw, cap, high-strength, 3/8" x 1-3/4" (sub. for F2274R) (in lower R.H. front hole)
	12H 304	(-)	Washer, lock, 3/8"
	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (in upper R.H. front hole)
	12H 304	(-)	Washer, lock, 3/8"
25	19H 1800	(-)	Screw, cap, high-strength, 3/8" x 1-1/2" (2 used)
	12H 304	(-)	Washer, lock, 3/8"
26	F 1740 R	(-)	Spring
27	F 1739 R	(-)	Valve, flow control

OIL TUBES (Power Steering)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AA 6294 R	(-)	Line, flexible oil, steering pump to control valve
2	JD 151	(-)	Union, adapter
3	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
4	19H 1539	(-)	Screw, cap, high-strength, 1/4" x 1"
5	F 1682 R	(-)	Clamp, half
6	F 1683 R	(-)	Clamp, half
7	14H 786	(-)	Nut, 1/4"
8	AF 1921 R	(-7299999)	Tube, oil, steering pump to reservoir (sub. AR21028R)
	AR 21028 R	(7300000-)	Tube, oil, steering pump to reservoir
9	F 2222 R	(-)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
10	AF 2346 R	(-)	Tube, oil, steering valve to pedestal, rear
11	F 2223 R	(-)	Washer (aluminum) (4 used) (packed 10 in a pkg.)
12	AF 2345 R	(-)	Tube, oil, steering valve to pedestal, front

PEDESTAL AND STEERING SPINDLE (Power Steering) (Serial No. 7200000-)




PEDESTAL AND STEERING SPINDLE (Power Steering) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	R 21129 R	(-)	Pin, steering valve (sub. for F1701R)
2	F 1697 R	(-)	Packing, steering vane (2 used) (packed 10 in a pkg.)
3	F 1696 R	(-)	Vane, steering (2 used)
4	R 21129 R	(-)	Pin, steering spindle stop (sub. for F1701R)
5	F 1651 R	(-)	Quill, steering spindle
6	15H 253	(-)	Plug, pipe, 1/8"
7	JD 7679	(-)	Bearing
8	A 1129 R	(-)	Washer
9	A 1131 R	(-)	Washer (cork) (packed 5 in a pkg.)
10	A 1130 R	(-)	Retainer
11	19H 1798	(-)	Screw, cap, high-strength, 3/4" x 1-3/4"
	12H 236	(-)	Washer, lock, 3/4"
12	24H 1402	(-)	Washer, 25/32" x 1-7/8" x 1/4"
13	D 467 R	(-)	Washer (3 used)
	R 34757 R	(-)	Washer, 1-1/2" x 2-1/4" x 26 gauge
14	AF 2395 R	(-7214899)	Spindle, F1652R, steering, with retainer (sub. AF3713R, AF3714R and 19H1862)
	AF 3714 R	(7214900-)	Spindle, F3513R, steering, with retainer
15A	F 1700 R	(-7203469)	Pin, steering vane
15B	F 3316 R	(7203470-)	Pin, steering vane
16	F 3515 R	(7214900-)	Dowel, hollow (2 used)
17	R 21231 R	(-)	Shim
18	F 1698 R	(-7214899)	Bracket, steering vane
	AF 3713 R	(7214900-)	Bracket, F3514R, steering vane, with dowels
19	F 1699 R	(-7214899)	Plate, lock
20	A 5165 R	(-7214899)	Screw, special (2 used)
	19H 1862	(7214900-)	Screw, cap, high-strength, 3/4" x 2-1/2" (2 used)
21	F 1695 R	(-)	Gasket (2 used) (packed 10 in a pkg.)
22	F 3450 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.) (sub. for F1319R)
23	F 1694 R	(-)	Gasket (rubber) (2 used) (packed 10 in a pkg.)
24	F 1693 R	(-)	Cylinder, steering
25	F 2278 R	(-)	Bushing
26	19H 1923	(-)	Screw, cap, high-strength, 5/8" x 5-1/2" (5 used)
27	AF 2330 R	(-)	Pedestal, F2303R, with bushings and dowel pins
28	R 229 R	(-)	Washer (aluminum) (2 used)
29	F 2213 R	(-)	Connector, reservoir drain
30	F 228 R	(-)	Plug, drain
31	F 2337 R	(-)	Gear, steering
32	F 2234 R	(-)	Bolt, special (5 used)
33	A 120 R	(-)	Pin, dowel (2 used)
34	19H 1756	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (2 used)
35	24H 1106	(-)	Washer, 11/16" x 1-3/4" x .134" (2 used)
36	F 1705 R	(-)	Gasket (packed 5 in a pkg.)
37A	AF 1928 R	(-7214899)	Plug, with dip stick (sub. AF3746R)
	AF 3746 R	(7214900-7299999)	Plug, with dip stick
37B	AR 20990 R	(7300000-)	Plug, with dip stick
38	F 340 R	(-)	Bushing
39	A 4722 R	(-)	Gasket (packed 5 in a pkg.)
40	A 4962 R	(-)	Cover

Parts listed below are not illustrated.


AF 2235 R	(-)	Oil, power steering (1 qt.)
AF 3290 R	(-)	Oil, power steering (5 gallon)
AF 3291 R	(-)	Oil, power steering (15 gallon) (not furnished)
AR 30476 R	(-)	Kit, power steering overhaul

STEERING WHEEL, SHAFT, AND SUPPORT (720 Series)
(Serial No. 7200000-7299999)



STEERING WHEEL, SHAFT, AND SUPPORT (720 Series) -- Continued
(Serial No. 7200000-7299999)


Key	Part No.	Serial No.	Description
1	14H 482	(-)	Nut, jam, 3/4"
2A	AR 505 R	(-7214899)	Wheel, steering
2B	AF 3867 R	(7214900-)	Wheel, steering
3	26H 17	(-7214899)	Key, Woodruff, 3/16" x 7/8"
4A	AF 2182 R	(-7214899)	Shaft, steering, with nut
4B	AF 3868 R	(7214900-7299999)	Shaft, steering, with nut
5	F 3630 R	(7214900-)	Emblem (manual steering)
6	B 3690 R	(7214900-)	Packing, O-ring (packed 2 in a pkg.)
7	AF 2691 R	(-7299999)	Support, F2720R, steering shaft and hood end, with bushing (C.E.)
	AR 20161 R	(7222600-7299999)	Support, R20143R, steering shaft and hood end, with bushing (Elec.)
8	A 1910 R	(-7299999)	Bushing (packed 5 in a pkg.)
9	F 2159 R	(-7299999)	Coupling
10	34H 103	(-7299999)	Pin, spring, 1/4" x 1-1/4" (2 used)
11	A 4456 R	(-)	Shim, .005" thick (packed 5 in a pkg.)
	A 4457 R	(-)	Shim, .015" thick (packed 10 in a pkg.) (sub. A4456R)
12	R 21059 R	(-7299999)	Housing, steering worm (sub. for A4812R)
13	19H 1721	(-)	Screw, cap, high-strength, 1/2" x 1-1/2" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
14	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
15	19H 456	(-)	Screw, cap, high-strength, 1/2" x 1-3/8" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
16	A 4455 R	(-)	Housing, bearing
17	A 2159 R	(-)	Shim (thin) (packed 5 in a pkg.)
	A 2161 R	(-)	Shim (thick) (packed 5 in a pkg.) (sub. A2159R)
18	JD 7253	(-)	Cup, bearing (2 used)
19	JD 8172	(-)	Cone, with rollers (2 used)
20	AF 2184 R	(-7299999)	Worm, steering
21	24H 1439	(-)	Washer, 1" x 1-3/8" x .060" (2 used)
22	A 4813 R	(-)	Spring
23	R 495 R	(-)	Packing, O-ring (packed 10 in a pkg.)
24	A 4465 R	(-)	Support, lamp (2 used) (general-purpose)
25	C 985 R	(-)	Nut, jam, 7/8" (2 used) (packed 10 in a pkg.) (general-purpose)
26	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
27	24H 1331	(-)	Washer, 15/32" x 1-3/8" x .180" (2 used)
28	F 1608 R	(-)	Plug in side lamp support hole (2 used) (standard)

STEERING WHEEL, SHAFTS, AND SUPPORT (730 Series)
(Serial No. 7300000-)

STEERING WHEEL, SHAFTS, AND SUPPORT (730 Series) -- Continued
(Serial No. 7300000-)


Key	Part No.	Serial No.	Description
1	R 21062 R	(7300000-) Gasket (power steering)
2	R 1138 R	(7300000-) Packing, O-ring (packed 2 in a pkg.) (power steering)
3	19H 1732	(7300000-) Screw, cap, high-strength, 3/8" x 1-1/4" (2 used)
	12H 304	(7300000-) Washer, lock, 3/8" (2 used)
4	AR 21195 R	(7300000-) Support, R21060R, steering shaft coupling shaft, with bushing
5	R 20370 R	(7300000-) Bushing (packed 2 in a pkg.)
6	R 20549 R	(7300000-) Shaft, steering coupling, front
7	26H 14	(7300000-) Key, Woodruff, 3/16" x 3/4" (4 used)
8	AR 20587 R	(7300000-) Joint, universal (2 used)
	AR 21101 R	(7300000-) Parts kit, universal joint
9	R 20546 R	(7300000-) Shaft, steering coupling
10	14H 812	(7300000-) Nut, 3/8" (4 used)
11	12H 304	(7300000-) Washer, lock, 3/8" (4 used)
12	24H 1423	(7300000-) Washer, 29/32" x 1-1/2" x .036" (quantity used as required)
13	19H 1765	(7300000-) Screw, cap, high-strength, 3/8" x 1-3/4" (4 used)
14	R 34324 R	(-) Emblem (power steering) (sub. for F3629R)
	F 3630 R	(-) Emblem (manual steering)
15	B 3690 R	(-) Packing, O-ring (packed 2 in a pkg.)
16	14H 482	(-) Nut, jam, 3/4"
17	AF 3856 R	(-) Wheel, steering (power steering)
	AF 3867 R	(-) Wheel, steering (manual steering)
18	R 20606 R	(7300000-) Collar, thrust
19	34H 81	(7300000-) Pin, spring, 3/16" x 1-1/2"
20	R 20605 R	(7300000-) Washer, thrust
21	R 20370 R	(7300000-) Bushing (2 used) (packed 2 in a pkg.)
22	AR 20928 R	(7300000-) Support, R20531R, steering shaft, with bushing (Elec.)
	AR 20926 R	(7300000-) Support, R20440R, steering shaft, with bushing (C.E.)
23	R 20608 R	(7300000-) Shaft, steering
24	C 985 R	(-) Nut, jam, 7/8" (2 used) (packed 10 in a pkg.) (general-purpose)
25	R 20826 R	(7300000-) Support, lamp, R.H. (general-purpose)
	R 20827 R	(7300000-) Support, lamp, L.H. (general-purpose)
26	F 1608 R	(-) Plug in side lamp support holes (2 used) (standard)
27	24H 1331	(-) Washer, 15/32" x 1-3/8" x 0.180" (2 used)
28	19H 1978	(-) Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(-) Washer, lock, 7/16" (2 used)

STEERING WORM AND HOUSING (Manual Steering) (730 Series)
(Serial No. 7300000-)




Key	Part No.	Serial No.	Description
1	R 20663 R	(7300000-)	Coupling, steering worm
2	34H 103	(7300000-)	Pin, spring, 1/4" x 1-1/4"
3	(7300000-)	Wire, 16 gauge x 5" long
4	A 4456 R	(-)	Shim, .005" thick (packed 5 in a pkg.)
5	R 21059 R	(7300000-)	Housing, steering worm
6	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
7	19H 1721	(-)	Screw, cap, high-strength, 1/2" x 1-1/2" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
8	R 495 R	(-)	Packing, O-ring (packed 10 in a pkg.)
9	24H 1439	(-)	Washer, 1" x 1-3/8" x .060" (2 used)
10	A 4813 R	(-)	Spring
11	JD 7253	(-)	Cup, bearing (2 used)
12	JD 8172	(-)	Cone, with rollers (2 used)
13	AR 20762 R	(7300000-)	Worm, steering
14	19H 456	(-)	Screw, cap, 1/2" x 1-3/8" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
15	A 4455 R	(-)	Housing, bearing
16	A 2159 R	(-)	Shim (packed 5 in a pkg.)

PEDESTAL AND STEERING SPINDLE (Manual Steering)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	A 4962 R	(-)	Cover
2	A 4539 R	(-)	Bushing
3	A 4540 R	(-)	Packing, O-ring (packed 5 in a pkg.)
4	19H 1756	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (2 used)
5	24H 1106	(-)	Washer, 11/16" x 1-3/4" x .134" (2 used)
6	19H 1798	(-)	Screw, cap, high-strength, 3/4" x 1-3/4"
7	12H 236	(-)	Washer, lock, 3/4"
8	24H 1022	(-)	Washer, 25/32" x 1-7/8" x 1/4"
9	F 1200 R	(-)	Gear, steering
	D 467 R	(-)	Washer (3 used)
	R 34757	(-)	Washer, 1-1/2" x 2-1/4" x 26 gauge
10	A 120 R	(-)	Pin, dowel (2 used)
11	15H 253	(-)	Plug, pipe, 1/8"
12	AF 3241 R	(-)	Pedestal, F3150R, with dowel pins and bushing
13	JD 7679	(-)	Bearing
14	A 1129 R	(-)	Washer
15	A 1131 R	(-)	Washer (cork) (packed 5 in a pkg.)
16	A 1130 R	(-)	Retainer
17	A 4707 R	(-)	Spindle, steering
18	19H 1734	(-)	Screw, cap, 5/8" x 2" (5 used)
	12H 294	(-)	Washer, lock, 5/8" (5 used)


SPINDLE EXTENSION AND HUBS FOR DOUBLE FRONT WHEELS
(Serial No. 7200000-)



SPINDLE EXTENSION AND HUBS FOR DOUBLE FRONT WHEELS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AA 5599 R	(-)	Extension, A4706R, spindle, with double knuckle and dust excluders
	17H 203	(-)	Rivet, 1/2" x 3-3/4", in double knuckle
	17H 249	(-)	Rivet, 1/2" x 5", steering spindle extension (2 used)
2	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
3	A 1421 R	(-)	Excluder, dust (2 used)
4	D 636 R	(-)	Washer, felt (4 used) (packed 2 in a pkg.) (sub. for AA663R)
5	D 635 R	(-)	Retainer, felt (2 used)
6	JD 7224	(-)	Cone, with rollers (2 used)
7	JD 7270	(-)	Cup, bearing (2 used)
8	AA 4721 R	(-)	Hub, A3004R, with cups (2 used)
9	JD 7266	(-)	Cup, bearing (2 used)
10	JD 8186	(-)	Cone, with rollers (2 used)
11	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2" (2 used)
12	A 5146 R	(-)	Washer (2 used)
13	14H 540	(-)	Nut, special slotted (2 used)
14	A 1556 R	(-)	Gasket (2 used) (packed 10 in a pkg.)
15	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
16	A 1555 R	(-)	Cap, hub (2 used) (sub. for AA1407R)
17	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (6 used)
18	JD 19	(-)	Bolt (12 used) (packed 20 in a pkg.)

ROLL-O-MATIC FRONT END
(Serial No. 7200000-)




ROLL-O-MATIC FRONT END -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AR 28247 R	(-)	Extension, A4201R or R28002R, spindle, with R32618R knuckle housing (sub. for AA4935R)
	AR 28249 R*	(-)	Extension, R20251R or R28002R, spindle, with R20252R knuckle housing (heavy-duty)
	R 20118 R	(-)	Pin, steering spindle extension
	R 20253 R*	(-)	Pin, steering spindle extension (heavy-duty)
2	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
3	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (2 used)
	12H 294	(-)	Washer, lock, 5/8" (2 used)
4	24H 1106	(-)	Washer, 11/16" x 1-3/4" x .134" (2 used)
5	A 4118 R	(-)	Support, lock
6	A 4117 R	(-)	Lock
7	A 4119 R	(-)	Spacer (2 used)
8	24H 1211	(-)	Washer, 17/32" x 1" x 11 gauge (2 used)
9	19H 1777	(-)	Screw, cap, 1/2" x 1-3/4" (2 used)
	12H 301	(-)	Washer, lock, 1/2" (2 used)
10	A 3474 R	(-)	Washer, felt (2 used) (packed 2 in a pkg.) (sub. for AA4100R)
	R 20259 R*	(-)	Washer, felt (2 used) (heavy-duty)
11	A 3475 R	(-)	Retainer, felt (2 used)
	R 20256 R*	(-)	Retainer, felt (2 used) (heavy-duty)
12	AA 4074 R	(-)	Bushing (pkg. of 4) (1 pkg. used)
	R 20942 R*	(-)	Bushing (4 used) (packed 2 in a pkg.) (heavy-duty)
13	JD 7778	(-)	Fitting, grease, 30°, 1/8" (2 used)
14	AA 4097 R	(-)	Knuckle, A3471R, with dust excluder and nut, R.H.
	AR 20401 R*	(-)	Knuckle, R20254R, with dust excluder and nut, R.H. (heavy-duty)
	AA 4098 R	(-)	Knuckle, A3472R, with dust excluder and nut, L.H.
	AR 20402 R*	(-)	Knuckle, R20258R, with dust excluder and nut, L.H. (heavy-duty)
15	A 1421 R	(-)	Excluder, dust (2 used)
	R 20255 R*	(-)	Excluder, dust (2 used) (heavy-duty)
16	A 3476 R	(-)	Washer, thrust (2 used)
	R 20260 R*	(-)	Washer, thrust (2 used) (heavy-duty)
17A	D 916 R	(-7207690)	Screw, cap, 3/8" x 3/4" (drilled) (4 used)
17B	19H 1936	(7207691-)	Screw, cap, high-strength, 3/8" x 3/4" (4 used)
	19H 1822	(-)	Screw, cap, high-strength, 7/16" x 1" (4 used) (heavy-duty)
18A	(-7207690)	Wire, 16 gauge x 6" long (2 used)
18B	F 3319 R	(7207691-)	Plate, lock (2 used)
	R 20261 R*	(-)	Plate, lock (2 used) (heavy-duty)
19	A 3478 R	(-)	Gasket (2 used) (packed 2 in a pkg.)
20	A 3477 R	(-)	Cap, knuckle (2 used)
21	19H 1731	(-)	Screw, cap, high-strength, 5/16" x 1" (6 used)
	12H 303	(-)	Washer, lock, 5/16" (6 used)
22	R 30392 R*	(-)	Gasket (2 used) (packed 2 in a pkg.) (heavy-duty) (sub. for R20263R)
23	R 30391 R*	(-)	Cap, knuckle (2 used) (heavy-duty) (sub. for R20262R)
24	19H 1732*	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (8 used)
	12H 304*	(-)	Washer, lock, 3/8" (8 used) (heavy-duty)
25	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (6 used) (packed 10 in a pkg.) (sub. for F2270R)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (6 used)
26	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
27	A 1555 R	(-)	Cap, hub (2 used) (sub. for AA1407R)
28	A 1557 R	(-)	Gasket (2 used) (packed 10 in a pkg.)
29	14H 540	(-)	Nut, special slotted (2 used)
30	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2" (2 used)
31	A 5146 R	(-)	Washer (2 used)
32	JD 8186	(-)	Cone, with rollers (2 used)
33	JD 7266	(-)	Cup, bearing (2 used)
34	AA 4099 R	(-)	Hub, A3479R, with bearing cups (2 used)
	R 20276 R*	(-)	Hub, less bearing cups (2 used) (heavy-duty)
35	JD 7270	(-)	Cup, bearing (2 used)
	JD 7445*	(-)	Cup, bearing (2 used) (heavy-duty)
36	JD 7224	(-)	Cone, with rollers (2 used)
	JD 8913*	(-)	Cone, with rollers (2 used) (heavy-duty)
37	D 635 R	(-)	Retainer, felt (2 used)
	R 20277 R*	(-)	Retainer, felt (2 used) (heavy-duty)
38	D 636 R	(-)	Washer, felt (4 used) (packed 2 in a pkg.) (sub. for AA663R)
	R 20279 R*	(-)	Washer, felt (4 used) (heavy-duty)

Parts listed below are not illustrated.

..	17H 249	(-)	Rivet, 1/2" x 5" in extension (2 used)
..	17H 716	(-)	Rivet, 5/8" x 3-1/2" housing (heavy-duty) (also used in AR28247R with R32618R housing)
..	17H 760	(-)	Rivet, 5/8" x 5" in extension (2 used) (heavy-duty)

*Parts for heavy-duty Roll-O-Matic front end only.


SINGLE FRONT WHEEL
(Serial No. 7200000-)

SINGLE FRONT WHEEL -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1734*	(-7329543)	Screw, cap, high-strength, 5/8" x 2" (4 used) (heavy-duty)
	19H 1387*	(7329544-)	Screw, cap, high-strength, 5/8" x 2-1/4" (4 used) (heavy-duty)
2	R 20649 R*	(-7329543)	Hub, front wheel, and rim half (11:00 x 12", 12-ply tire) (heavy-duty) (sub. R31225R, R31226R and four 19H1824)
	R 31225 R*	(7329544-)	Hub, front wheel and rim half (11:00 x 12", 12-ply tire) (heavy-duty)
3	R 20650 R*	(-7329543)	Rim, front wheel half (11:00 x 12", 12-ply tire) (heavy-duty) (sub. R31225R and R31226R)
	R 31226 R*	(7329544-)	Rim, front wheel half (11:00 x 12", 12-ply tire) (heavy-duty)
4	12H 294*	(-)	Washer, lock, 5/8" (4 used) (heavy-duty)
5	14H 760	(-)	Nut, 5/8" (4 used) (packed 25 in a pkg.) (heavy-duty) (sub. for A5772R)
6	14H 876	(-)	Nut, jam, 1"
	14H 494*	(-)	Nut, jam, 1-1/4" (heavy-duty)
7	H 773 R	(-)	Shield, dust (2 used)
	R 20655 R*	(-)	Shield, dust (2 used) (heavy-duty)
8	AB 4259 R	(-)	Axle, with bearing spacer and nuts
	AR 20750 R*	(-)	Axle, with bearing spacer and nuts (heavy-duty)
9	B 2683 R	(-)	Spacer, bearing
	R 20654 R*	(-)	Spacer, bearing (heavy-duty)
10	JD 7759	(-)	Fitting, grease, straight, 1/8"
11	F 3126 R	(-)	Plate, lock (2 used)
	R 20648 R*	(-)	Plate, lock (heavy-duty)
12	F 3127 R	(-)	Washer (2 used)
	R 20656 R*	(-)	Washer (2 used) (heavy-duty)
13	AR 28242 R	(-)	Yoke, with cap screws and axle fastenings (use with wheel for 7.50 x 16" tire) (sub. for AF3169R)
	R 20647 R*	(-)	Yoke (use with wheel for 11:00 x 12", 12-ply tire) (heavy-duty) (sub. AR28243R)
14	19H 1363	(-)	Screw, cap, high-strength, 3/4" x 1-7/8" (4 used)
	19H 1782*	(-)	Screw, cap, high-strength, 3/4" x 2-1/4" (4 used) (heavy-duty)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
15	12H 304	(-)	Washer, lock, 3/8"
16	H 772 R	(-)	Screw, special cap
17	B 90 R	(-)	Washer, felt (4 used) (packed 2 in a pkg.) (sub. for AB474R)
	R 3 R*	(-)	Washer, felt (4 used) (packed 2 in a pkg.) (heavy-duty)
18	B 89 R	(-)	Retainer, felt (2 used)
	R 2 R*	(-)	Retainer, felt (2 used) (heavy-duty)
19	JD 7222	(-)	Cone, with rollers (2 used)
	JD 8913*	(-)	Cone, with rollers (2 used) (heavy-duty)
20	JD 7266	(-)	Cup, bearing (2 used)
	JD 7445	(-)	Cup, bearing (2 used) (heavy-duty)
21	AB 3686 R	(-)	Wheel, with bearing cups (7.50 x 16" tire)
22	B 548 R	(-)	Nut, bearing adjusting
	R 20653 R*	(-)	Nut, bearing adjusting (heavy-duty)
23	B 551 R	(-)	Nut, front axle
	14H 822*	(-)	Nut, 1-1/4" (heavy-duty)

*Parts for heavy-duty single front wheel only.

FRONT AXLE HOUSING (48- to 80-Inch Tread)
(Serial No. 7200000-)




53217

Key	Part No.	Serial No.	Description
1	AA 5765 R	(-)	Bracket, A4963R, pivot, with pin and bushing
2	R 27314 R	(-)	Pin, dowel (2 used) (sub. R31076R)
3	24H 1402	(-)	Washer, 25/32" x 1-7/8" x .250" (sub. for D139R)
4	H 27851 H	(-)	Screw, cap, special (sub. for F2663R)
5	A 877 R	(-)	Bushing (2 used)
6	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
7	B 2700 R	(-)	Pin, pivot
8	R 20136 R	(-)	Washer (sub. for D141R)
9	F 2664 R	(-)	Nut, special slotted
10	11H 237	(-)	Pin, cotter, 1/8" x 2"
11	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
12	B 2688 R	(-)	Pin, pivot, front
13	14H 854	(-)	Nut, 1" (2 used)
14	12H 234	(-)	Washer, lock, 1" (2 used)
15	B 2694 R	(-)	Bolt, lock (2 used)
16	AA 5766 R	(-)	Housing, A4964R, front axle, with pin and bushing

MEMORANDA


FRONT AXLE KNEE (48- to 80-Inch Tread)
(Serial No. 7200000-)



FRONT AXLE KNEE (48- to 80-Inch Tread) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	F 3215 R	(-)	Extension, knee
	R 21570 R	(-)	EXTENSION, KNEE (8", 10", 12", or 14") (PARTS FOR AR21700R ATTACHMENT)
2	B 2694 R	(-)	Bolt, lock
3	12H 317	(-)	Washer, lock, 9/16" (4 used)
4	R 20228 R	(-)	Nut, slotted (4 used) (packed 25 in a pkg.) (sub. for C1200R)
5	11H 234	(-)	Pin, cotter, 3/32" x 1" (4 used)
6	11H 237	(-)	Pin, cotter, 1/8" x 2" (2 used)
7	F 2664 R	(-)	Nut, slotted, 3/4" (2 used)
8	B 3310 R	(-)	Washer (2 used)
9	F 3174 R	(-)	Arm, steering, R.H.
	F 3175 R	(-)	Arm, steering, L.H.
10	AA 5767 R	(-)	Knee, with bushings and dust shield (2 used)
11	D 467 R	(-)	Washer (2 used)
12	A 877 R	(-)	Bushing (4 used)
13	JD 7759	(-)	Fitting, grease, straight, 1/8" (4 used)
14	AA 5789 R	(-)	Knuckle, with spindle and dust excluder (2 used)
15	A 1424 R	(-)	Excluder, dust (2 used)
16	F 1743 R	(-)	Pin, dowel (4 used)
17	B 2693 R	(-)	Shield, dust (2 used)
18	A 890 R	(-)	Washer, thrust (4 used)
19	AR 21944 R	(-)	Socket, rod end, R.H. (2 used) (sub. for AF3177R)
	AR 21945 R	(-)	Socket, rod end, L.H. (2 used) (sub. for AF3178R)
20	F 3208 R	(-)	Boot, rod end socket (4 used)
21	19H 1849	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (4 used)
22	L 409 T	(-)	Clamp (4 used)
23	14H 785	(-)	Nut, 5/16" (2 used)
24A	AF 3207 R	(-7214899)	Bar, drag link, outer, with rod end adapter (2 used) (sub. F3625R)
24B	F 3625 R	(7214900-)	Link, drag, outer (2 used)
25	F 3216 R	(-)	Bar, drag link, extension (used with knee extension)
	R 21571 R	(-)	Bar, drag link, extension (used with R21570R knee extension)
26	19H 1801	(-)	Screw, cap, high-strength, 3/8" x 2" (2 used) (used with knee extension)
27	14H 812	(-)	Nut, 3/8" (2 used) (used with knee extension)
28	14H 812	(-)	Nut, 3/8" (4 used)
29	19H 1765	(-7214899)	Screw, cap, high-strength, 3/8" x 1-3/4" (4 used)
	19H 1726	(7214900-)	Screw, cap, high-strength, 3/8" x 2-1/4" (4 used)
30A	AF 3206 R	(-7214899)	Bar, drag link, inner, with rod end adapter (2 used) (sub. F3624R)
30B	F 3624 R	(7214900-)	Link, drag, inner (2 used)
31	F 3638 R	(-)	Screw, special cap (2 used)
32	F 3176 R	(-)	Arm, steering gear
33	14H 854	(-)	Nut, 1"
34	12H 234	(-)	Washer, lock, 1"

FRONT AXLE HOUSING (38-Inch Fixed Tread)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AF 968 R	(-)	Bracket, F862R, pivot, with pin and bushing
2	R 27314 R	(-)	Pin, dowel (2 used) (sub. R31076R)
3	24H 1402	(-)	Washer, 25/32" x 1-7/8" x .250" (sub. for D139R)
4	F 2664 R	(-)	Nut, special slotted
5	11H 237	(-)	Pin, cotter, 1/8" x 2"
6	B 2688 R	(-)	Pin, pivot, front
7	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
8	19H 2113	(-)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
9	19H 1782	(-)	Screw, cap, high-strength, 3/4" x 2-1/4" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
10	A 877 R	(-)	Bushing (2 used)
11	AB 4045 R	(-)	Housing, B2840R, with pin and bushing
12	B 2694 R	(-)	Bolt, lock (2 used)
13	12H 234	(-)	Washer, lock, 1" (2 used)
14	14H 30	(-)	Nut, 1" (2 used)
15	B 2700 R	(-)	Pin, pivot, rear
16	H 27851 H	(-)	Screw, special cap (sub. for F2663R)
17	R 20136 R	(-)	Washer (sub. for D141R)


FRONT AXLE KNEE (38-Inch Fixed Tread)
(Serial No. 7200000-)



40714


Key	Part No.	Serial No.	Description
1	F 1017 R	(-)	Spacer
2	AB 3633 R	(-)	Arm, steering, with balls
3	19H 2113	(-)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
4	AB 4046 R	(-)	Knee, with bushings and dust shield (2 used)
5	AB 4685 R	(-)	Arm, steering, with ball, R.H.
	AB 4686 R	(-)	Arm, steering, with ball, L.H.
6	B 3310 R	(-)	Washer (2 used)
7	11H 237	(-)	Pin, cotter, 1/8" x 2" (2 used)
8	F 2664 R	(-)	Nut, slotted, 3/4" (2 used)
9	D 467 R	(-)	Washer (2 used)
10	A 877 R	(-)	Bushing (4 used)
11	JD 7759	(-)	Fitting, grease, straight, 1/8" (6 used)
12	F 1743 R	(-)	Pin, dowel (4 used)
13	AB 4013 R	(-)	Knuckle, with spindle and dust excluder (2 used)
14	A 1424 R	(-)	Excluder, dust (2 used)
15	B 2693 R	(-)	Shield, dust (2 used)
16	A 890 R	(-)	Washer, thrust (4 used)
17	C 840 R	(-)	Screw, plug (4 used)
18	C 838 R	(-)	Bearing, ball stud (8 used) (packed 5 in a pkg.)
19	11H 237	(-)	Pin, cotter, 1/8" x 2" (4 used)
20	H 982 R	(-)	End, drag link (4 used)
21	C 985 R	(-)	Nut, jam, 7/8" (4 used) (packed 10 in a pkg.)
22	B 2842 R	(-)	Rod, drag link (2 used)
23	JD 7760	(-)	Fitting, grease, 67-1/2°, 1/8" (2 used)

FRONT AXLE HOUSING (Hi-Crop)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	AF 1180 R	(-)	Bracket, F1016R, pivot, with pins and bushing
2	R 27314 R	(-)	Pin, dowel (2 used) (sub. R31076R)
3	24H 1402	(-)	Washer, 25/32" x 1-7/8" x .025" (sub for D139R)
4	F 2664 R	(-)	Nut, special slotted
5	11H 237	(-)	Pin, cotter, 1/8" x 2"
6	B 2688 R	(-)	Pin, pivot, front
7	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
8	19H 1471	(-)	Screw, cap, 3/4" x 3-1/2" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
9	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
10	A 877 R	(-)	Bushing (2 used)
11	AF 1182 R	(-)	Housing, F1018R, with pin and bushing
12	B 2694 R	(-)	Bolt, lock (2 used)
13	12H 234	(-)	Washer, lock, 1" (2 used)
14	14H 854	(-)	Nut, 1" (2 used)
15	B 2700 R	(-)	Pin, pivot, rear
16	19H 1768	(-)	Screw, cap, high-strength, 3/4" x 2" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
17	H 27851 H	(-)	Screw, special cap (sub. for F2663R)
18	R 20136 R	(-)	Washer (sub. for D141R)

FRONT AXLE KNEE (Hi-Crop)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	F 1017 R	(-)	Spacer
2	AB 3633 R	(-)	Arm, steering, with balls
3	19H 2113	(-)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
4	AF 1183 R	(-)	Knee, with bushings and dust shield (2 used)
5	AB 4685 R	(-)	Arm, steering, R.H.
	AB 4686 R	(-)	Arm, steering, L.H.
6	B 3310 R	(-)	Washer (2 used)
7	11H 237	(-)	Pin, cotter, 1/8" x 2" (2 used)
8	F 2664 R	(-)	Nut, slotted, 3/4" (2 used)
9	D 467 R	(-)	Washer (2 used)
10	A 877 R	(-)	Bushing (4 used)
11	JD 7759	(-)	Fitting, grease, straight, 1/8" (6 used)
12	F 1743 R	(-)	Pin, dowel (4 used)
13	AF 1190 R	(-)	Knuckle, with spindle and dust excluder (2 used)
14	A 1424 R	(-)	Excluder, dust (2 used)
15	A 890 R	(-)	Washer, thrust (4 used)
16	B 2693 R	(-)	Shield, dust (2 used)
17	C 840 R	(-)	Screw, plug, (4 used)
18	C 838 R	(-)	Bearing, ball stud (8 used) (packed 10 in a pkg.)
19	11H 237	(-)	Pin, cotter, 1/8" x 2" (4 used)
20	H 982 R	(-)	End, drag link (2 used)
21	C 985 R	(-)	Nut, jam (2 used) (packed 5 in a pkg.)
22	F 1022 R	(-)	Rod, drag link (2 used)
23	19H 134	(-)	Screw, mach., fill. hd., 5/16" x 1-1/2" (4 used)
24	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (4 used)
25	12H 303	(-)	Washer, lock, 5/16" (4 used)
26	14H 785	(-)	Nut, 5/16" (2 used)
27	AF 1187 R	(-)	Sleeve, drag link (2 used)
28	JD 7760	(-)	Fitting, grease, 67-1/2°, 1/8" (2 used)

RADIUS ROD (Hi-Crop)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	F 1011 R	(-)	Bolt, "U", radius rod bracket (4 used)
2	12H 294	(-)	Washer, lock, 5/8" (8 used)
3	14H 800	(-)	Nut, 5/8" (8 used)
4	F 1010 R	(-)	Bracket, radius rod, L.H.
5	8H 1386	(-)	Bolt, sq. hd., 3/4" x 3" (2 used)
6	12H 236	(-)	Washer, lock, 3/4" (2 used)
7	14H 794	(-)	Nut, 3/4" (2 used) (sub. for A5405R)
8	F 1009 R	(-)	Bracket, radius rod, R.H.
9	F 1005 R	(-)	Rod, radius, front (2 used)
10	F 1008 R	(-)	Bolt, taper (2 used)
11	12H 293	(-)	Washer, lock, 7/16" (2 used)
12	14H 813	(-)	Nut, 7/16" (2 used)
13	R 34570 R	(-)	Coupling, radius rod (2 used) (sub. for F1007R)
14	F 562 R	(-)	Nut, special slotted (2 used) (packed 10 in a pkg.)
15	F 1006 R	(-)	Rod, radius, rear (2 used)
16	11H 222 R	(-)	Pin, cotter, 3/16" x 2"
17	F 562 R	(-)	Nut, special slotted (packed 10 in a pkg.)
18	F 1012 R	(-)	Pivot, radius rod
19	JD 7759	(-)	Fitting, grease, straight, 1/8"
20	19H 1768	(-)	Screw, cap, high-strength, 3/4" x 2" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
21	AF 1497 R	(-)	Bracket, radius rod pivot
22	14H 794	(-)	Nut, 3/4" (2 used) (sub. for A5405R)
23	12H 236	(-)	Washer, lock, 3/4" (2 used)
24	8H 1386	(-)	Bolt, sq. hd., 3/4" x 3" (2 used)

ADJUSTABLE TREAD FRONT AXLE AND RADIUS ROD (Standard)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	19H 1387 12H 294	(-)	Screw, cap, high-strength, 5/8" x 2-1/4" (2 used)
2	F 1583 R	(-)	Washer, lock, 5/8" (2 used)
3	19H 1782 12H 236	(-)	Bracket, front axle pivot
4	F 1581 R	(-)	Screw, cap, high-strength, 3/4" x 2-1/4" (2 used)
5	AF 1854 R AF 1855 R	(-)	Washer, lock, 3/4" (2 used)
6	D 156 R	(-)	Axle, front
7	D 1881 R	(-)	Extension, with pivot, R.H.
8	R 36307 R	(-)	Extension, with pivot, L.H.
9	D 1888 R	(-)	Bolt, taper (2 used)
10	AR 338 R	(-)	Cap, front wheel knuckle (4 used)
11	R 42 R	(-)	Pin, spindle (2 used) (sub. for D1701R)
12	A 5325 R	(-)	Bushing (4 used)
13	JD 7759	(-)	Knuckle, with bushings and dust excluder (2 used)
14	14H 785	(-)	Excluder, dust (2 used)
15	12H 303	(-)	Washer, spindle pin (4 used) (packed 2 in a pkg.)
16	F 1586 R	(-)	Fitting, grease, straight, 1/8" (4 used)
17	19H 1526 12H 236	(-)	Nut, 5/16" (2 used)
18	19H 1862	(-)	Washer, lock, 5/16" (2 used)
19	AF 1863 R	(-)	Clamp, extension (2 used)
20	12H 304	(-)	Screw, cap, high-strength, 3/4" x 4-1/2" (4 used)
21	14H 812	(-)	Washer, lock, 3/4" (4 used)
22	B 3310 R	(-)	Screw, cap, high-strength, 3/4" x 2-1/4" (4 used)
23	19H 1862 12H 236	(-)	Rod, radius
24	F 1582 R	(-)	Washer, lock, 3/8"
25	7H 477 B	(-)	Nut, 3/8"
26	R 47 R	(-)	Washer (2 used)
27	JD 7759	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (2 used)
28	19H 1356 12H 294	(-)	Washer, lock, 3/4" (2 used)
29	F 1625 R	(-)	Bracket, radius rod
30	19H 1801	(-)	Bolt, sq. hd., 3/8" x 4"
31	JD 7760	(-)	Pin, radius rod pivot
32	12H 304	(-)	Fitting, grease, straight, 1/8"
33	14H 812	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (4 used)
			Washer, lock, 5/8" (4 used)
			Pin, pivot
			Screw, cap, high-strength, 3/8" x 4-1/2"
			Fitting, grease, 67-1/2°, 1/8"
			Washer, lock, 3/8"
			Nut, 3/8"


FIXED TREAD FRONT AXLE (Standard)
(Serial No. 7200000-)



FIXED TREAD FRONT AXLE (Standard) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1387	(-)	Screw, cap, high-strength, 5/8" x 2-1/4" (2 used)
	12H 294	(-)	Washer, lock, 5/8" (2 used)
2	F 1583 R	(-)	Bracket, front axle pivot
3	19H 1782	(-)	Screw, cap, high-strength, 3/4" x 2-1/4" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
4	11H 234	(-)	Pin, cotter, 3/32" x 1" (4 used)
5	R 20228 R	(-)	Nut, slotted (4 used) (packed 25 in a pkg.) (sub. for C1200R)
6	12H 317	(-)	Washer, lock, 9/16" (4 used)
7	F 3206 R	(-)	Arm, steering gear
8	AR 21945 R	(-)	Socket, rod end, L.H. (2 used) (sub. for AF3178R)
9	F 3208 R	(-)	Boot, rod end socket (4 used)
10	F 3638 R	(-)	Screw, special cap (2 used)
11	19H 1137 N	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (4 used)
12	14H 785	(-)	Nut, 5/16" (4 used)
13	L 409 T	(-)	Clamp (4 used)
14	F 1630 R	(-)	Axle, front
15	F 3209 R	(-)	Link, drag
16	D 1881 R	(-)	Cap, front wheel knuckle (4 used)
17	R 36307 R	(-)	Pin, spindle (2 used) (sub. for D1701R)
18	D 156 R	(-)	Bolt, taper (2 used)
19	D 1888 R	(-)	Bushing (4 used)
20	AR 338 R	(-)	Knuckle, with bushings and dust excluder (2 used)
21	R 42 R	(-)	Excluder, dust (2 used)
22	JD 7759	(-)	Fitting, grease, straight, 1/8" (4 used)
23	A 5325 R	(-)	Washer, spindle pin (4 used) (packed 2 in a pkg.)
24	12H 303	(-)	Washer, lock, 5/16" (2 used)
25	14H 785	(-)	Nut, 5/16" (2 used)
26	JD 7760	(-)	Fitting, grease, 67-1/2°, 1/8"
27	19H 1145	(-)	Screw, cap, high-strength, 3/8" x 4-1/2"
28	F 1625 R	(-)	Pin, pivot
29	12H 11	(-)	Washer, lock, 3/8"
30	14H 812	(-)	Nut, 3/8"
31	14H 808	(-)	Nut, 5/8" (4 used)
32	12H 294	(-)	Washer, lock, 5/8" (4 used)
33	D 1898 R	(-)	Stud, 5/8" x 3-5/8" (4 used)
34	F 3200 R	(-)	Arm, steering, R.H.
35	AR 21944 R	(-)	Socket, rod end, R.H. (2 used) (sub. for AF3177R)
36	F 3207 R	(-)	Rod, tie
37	AF 1863 R	(-)	Rod, radius
38	JD 7759	(-)	Fitting, grease, straight, 1/8"
39	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
40	B 3310 R	(-)	Washer (2 used)
41	F 1582 R	(-)	Bracket, radius rod
42	R 47 R	(-)	Pin, radius rod pivot
43	19H 2228	(-)	Bolt, sq. hd., 3/8" x 4"
44	12H 304	(-)	Washer, lock, 3/8"
45	14H 812	(-)	Nut, 3/8"
46	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (4 used)
	12H 294	(-)	Washer, lock, 5/8" (4 used)
47	F 3201 R	(-)	Arm, steering, L.H.

STEERING ARMS, TIE RODS, AND DRAG LINKS FOR ADJUSTABLE TREAD
 FRONT AXLE (Standard)
 (Serial No. 7200000-)




51817

STEERING ARMS, TIE RODS, AND DRAG LINKS FOR ADJUSTABLE TREAD
 FRONT AXLE (Standard) -- Continued
 (Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	F 3638 R	(-)	Screw, special cap (2 used)
2	F 3206 R	(-)	Arm, steering gear
3	R 20228 R	(-)	Nut, slotted (4 used) (packed 25 in a pkg.) (sub. for C1200R)
4	11H 234	(-)	Pin, cotter, 3/32" x 1" (4 used)
5	12H 317	(-)	Washer, lock, 9/16" (4 used)
6	F 3208 R	(-)	Boot, rod end socket (4 used)
7	AR 21944 R	(-)	Socket, rod end, R. H. (2 used) (sub. for AF3177R)
8	19H 1849	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (4 used)
9	L 409 T	(-)	Clamp (4 used)
10	14H 785	(-)	Nut, 5/16" (4 used)
11	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4" (2 used)
12	F 3204 R	(-)	Link, drag, inner
13	F 3205 R	(-)	Link, drag, outer
14	12H 293	(-)	Washer, lock, 7/16" (2 used)
15	14H 813	(-)	Nut, 7/16" (2 used)
16	14H 808	(-)	Nut, 5/8" (4 used)
17	12H 294	(-)	Washer, lock, 5/8" (4 used)
18	D 1898 R	(-)	Stud, 5/8" x 3-5/8" (4 used)
19	F 3200 R	(-)	Arm, steering, R. H.
20	AR 21945 R	(-)	Socket, rod end, L. H. (2 used) (sub. for AF3178R)
21	F 3202 R	(-)	Rod, tie, R. H.
22	14H 813	(-)	Nut, 7/16" (2 used)
23	12H 293	(-)	Washer, lock, 7/16" (2 used)
24	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4" (2 used)
25	F 3203 R	(-)	Rod, tie, L. H.
26	F 3201 R	(-)	Arm, steering, L. H.

FRONT WHEELS (Except Single Front Wheels)
(Serial No. 7200000-)



FRONT WHEELS (Except Single Front Wheels) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	D 636 R	(-)	Washer, felt (2 used) (packed 2 in a pkg.) (general-purpose) (sub. for AA663R)
	R 20279 R	(-)	Washer, felt (2 used) (general-purpose with heavy-duty Roll-O-Matic)
	R 3 R	(-)	Washer, felt (2 used) (packed 2 in a pkg.) (standard) (sub. for AR573)
2	D 635 R	(-)	Retainer, felt (general-purpose)
	R 20277 R	(-)	Retainer, felt (general-purpose with heavy-duty Roll-O-Matic)
	R 2 R	(-)	Retainer, felt (standard)
3	JD 7224	(-)	Cone, with rollers (general-purpose)
	JD 8913	(-)	Cone, with rollers (general-purpose with heavy-duty Roll-O-Matic)
	JD 8133	(-)	Cone, with rollers (standard)
4	JD 7270	(-)	Cup, bearing (general-purpose)
	JD 7445	(-)	Cup, bearing (general-purpose with heavy-duty Roll-O-Matic)
	JD 7278	(-)	Cup, bearing (standard)
5	AA 4099 R	(-)	Hub, A3479R, with cups (general-purpose with Roll-O-Matic or 48- to 80-inch tread)
	R 20276 R	(-)	Hub, less cups (general-purpose with heavy-duty Roll-O-Matic)
	AA 4721 R	(-)	Hub, A3004R, with cups (general-purpose with double front wheel or Hi-Crop)
	AF 912 R	(-)	Hub, F843R, with cups (general-purpose with 38-inch fixed tread or 48- to 80-inch tread)
	AR 538 R	(-)	Hub, R1R, with cups (standard)
6	JD 7266	(-)	Cup, bearing
7	JD 8186	(-)	Cone, with rollers
8	JD 1274	(-7223189)	Wheel, disk, and rim, less hub (for 6.00 x 16" 4- or 6-ply rubber tire) (except Hi-Crop and standard) (sub. JD1290)
	JD 1290	(7223190-)	Wheel, disk, and rim, less hub (for 6.00 x 16" 4- or 6-ply rubber tire) (except Hi-Crop and standard)
	JD 1091	(-)	Wheel, disk, and rim, less hub (for 7.50 x 15" 6-ply rubber tire) (general-purpose with heavy-duty Roll-O-Matic or 48- to 80-inch tread)
	JD 1281	(-)	Wheel, disk, and rim, less hub (for 7.50 x 20" 4-ply rubber tire) (Hi-Crop)
	JD 1276	(-)	Wheel, disk, and rim, less hub (for 6.50 x 18" and 7.50 x 18" 4- or 6-ply rubber tire) (standard)
9	JD 19	(-)	Bolt (6 used) (packed 20 in a pkg.)
	JD 16	(-)	Bolt (6 used) (packed 10 in a pkg.) (general-purpose with heavy-duty Roll-O-Matic)
10	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2"
11	A 5146 R	(-)	Washer
12	14H 540	(-)	Nut, slotted, 1"
13	A 1556 R	(-)	Gasket (packed 10 in a pkg.)
	C 677 R	(-)	Gasket (packed 10 in a pkg.) (AA2345R spoke-type wheel only) (not furnished)
14	A 1555 R	(-)	Cap, hub (sub. for AA1407R)
	AC 119 R	(-)	Cap, C167R, hub, with grease fitting (AA2345R spoke-type wheel only) (no demand)
15	JD 7759	(-)	Fitting, grease, straight, 1/8"
16	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1/4" (sub. for F2270R) (3 used)
	12H 303	(-)	Washer, lock, 5/16" (3 used)
	F 2273 R	(-)	Screw, special cap (3 used) (packed 10 in a pkg.) (AA2345R spoke-type wheel only)
	12H 304	(-)	Washer, lock, 3/8" (3 used) (AA2345R spoke-type wheel only)
17	AA 2345 R	(-)	Wheel, front, with bearing cups (steel spoke-type) (general-purpose with double front wheels) (not furnished)
	JD 1279	(-)	Wheel, front, less hub (steel spoke-type) (standard) (not illustrated)
	19H 1262	(-)	Screw, cap, high-strength, 1/2" x 1-3/8" (6 used) (JD1279 wheel to hub)
	12H 301	(-)	Washer, lock, 1/2" (6 used) (JD1279 wheel to hub screw)
18	AA 383 R	(-)	Band, front wheel guide (set of two A777R) (use with AA2345R wheel) (not furnished)
	AR 664 R	(-)	Band, front wheel guide (set of two R832R) (use with JD1279 wheel)
19	AA 388 R	(-)	Bolt, guide band, with nuts and lock washers (set of sixteen 19H1792 12H301, and 14H809)

REAR WHEELS (Except Hi-Crop)
(Serial No. 7200000-)

REAR WHEELS (Except Hi-Crop) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	R 31490 R	(-)	Rim, demountable (for 13.6-38 or 13-38 tire) (general-purpose) (sub. for F1480R)
	A 4811 R	(-)	Rim, demountable (for 12-38 tire) (general-purpose)
	R 31491 R	(-)	Rim, demountable (for 15.5-38 tire) (general-purpose) (sub. for F3159R)
	AD 2636 R	(-)	Rim, demountable (for 14-30 or 15-30 tire) (standard)
	F 3337 R	(-)	Rim, demountable, 16" (15-30 tire) (general-purpose and standard)
	AR 771 R	(-)	Rim, demountable, 18" (for 18-26 tire) (standard)
	AP 22529 H	(-)	Rim, demountable, 20" (for 18-26 tire) (standard)
	R 32072 R	(-)	Rim, demountable, 16" (for 15-34 tire) (standard) (sub. for R2589R)
2	19H 1413	(-)	Screw, cap, high-strength, 3/4" x 2-5/8", Pinion half to wheel (3 used)
	12H 236	(-)	Washer, lock, 3/4" (3 used)
3	A 4379 R	(-)	Pinion
4	A 4384 R	(-)	Sleeve, pinion half
5	A 4883 R	(-)	Ring, retaining (2 used)
6	F 1500 R	(-)	Wheel, cast disk, rear (general-purpose)
	F 1478 R	(-)	Wheel, cast disk, rear (special offset) (general-purpose)
	F 1590 R	(-)	Wheel, cast disk, rear (for 14-30 or 15-30 tire and rim) (general-purpose and standard)
	F 1591 R	(-)	Wheel, cast disk, rear (for 18-26 tire and rim) (standard)
7	R 34828 R	(-)	Bolt, special, plated, 7/8" x 6", key half to wheel (3 used) (sub. for A4387R)
	12H 245	(-)	Washer, lock, 7/8" (3 used)
8	A 4882 R	(-)	Screw, jack (2 used)
9	A 4389 R	(-)	Bolt, mach., 5/8" x 3-3/4" (8 used) (packed 5 in a pkg.) (general-purpose)
	A 4064 R	(-)	Bolt, mach., 5/8" x 2-3/4" (8 used with F1590R and R21480R, 9 used with F1591R) (standard)
10	A 4388 R	(-)	Clamp, rim (8 used) (general-purpose)
	B 634 R	(-)	Clamp, rim (8 used with F1590R and R21480R, 9 used with F1591R) (standard)
11	14H 800	(-)	Nut, 5/8" (8 used) (general-purpose)
	14H 800	(-)	Nut, 5/8" (8 used with F1590R, 9 used with F1591R) (standard)
12	A 4380 R	(-)	Shaft, pinion
13	R 32224 R	(-)	Sleeve, key half (sub. for A4386R)
14	AD 2803 R	(-)	Bolt, lug, with nut (sub. twenty-five D411R and twenty-five 14H858)
15	AD 2857 R	(-)	Lug, 5" "A" shape (set of 8, D1283R)
16	AD 2854 R	(-)	Lug, 5" spade (set of 8, D1078R)
17	AD 2856 R	(-)	Washer, spade lug (pkg. of 8, D938R)
18	14H 800	(-)	Nut, 5/8" (8 used) (general-purpose)
	14H 800	(-)	Nut, 5/8" (8 used with F1590R and R21480R, 9 used with F1591R) (standard)
19	12H 294	(-)	Washer, lock, 5/8" (8 used) (general-purpose)
	12H 294	(-)	Washer, lock, 5/8" (8 used with F1590R, 9 used with F1591R) (standard)
20	A 4389 R	(-)	Bolt, mach., 5/8" x 3-3/4" (8 used) (packed 5 in a pkg.) (general-purpose)
	A 4064 R	(-)	Bolt, mach., 5/8" x 2-3/4" (8 used with F1590R, 9 used with F1591R) (standard)
21	AF 1713 R	(-)	Rim, steel wheel (general-purpose)
	AF 1884 R	(-)	Rim, steel wheel (use with F1590R) (standard)
	AF 1885 R	(-)	Rim, steel wheel (use with F1591R) (standard)
22	R 21480 R	(-)	Wheel, cast disk, rear (for 15-34 tire) (standard)
Parts listed below are not illustrated.			
	F 336 R	(-)	Rim, extension
	AC 453 R	(-)	Clip, six C1030R, extension rim (use D411R and 14H858 for attaching)

POWER ADJUSTED REAR WHEELS (General-Purpose)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AF 3739 R	(-)	Rim, demountable, with rails (for 13.6-38, 12-38, or 13-38 tire)
	AF 3740 R	(-)	Rim, demountable, with rails (for 15.5-38 tire)
2	M 2334 T	(-)	Stop, demountable rim rail (2 used)
3	F 3583 R	(-)	Screw, special (2 used)
4	19H 1413	(-)	Screw, cap, high-strength, 3/4" x 2-5/8", pinion half to wheel (3 used)
	12H 236	(-)	Washer, lock, 3/4" (3 used)
5	A 4379 R	(-)	Pinion
6	A 4384 R	(-)	Sleeve, pinion half
7	A 4883 R	(-)	Ring, retaining (2 used)
8	F 3534 R	(-)	Wheel, cast disk, rear
9	R 34828 R	(-)	Bolt, special, plated, 7/8" x 6", key half to wheel (3 used) (sub. for A4387R)
	12H 245	(-)	Washer, lock, 7/8" (3 used)
10	A 4882 R	(-)	Screw, jack (2 used)
11	AF 3797 R	(-)	Screw, jack, with nut (6 used)
12	A 4380 R	(-)	Shaft, pinion
13	R 33224 R	(-)	Sleeve, key half (sub. for A4386R)


REAR WHEELS (Hi-Crop)
(Serial No. 7200000-)



23226

Key	Part No.	Serial No.	Description
1	B 568 R	(-)	Screw, special cap, 5/8" x 3-3/4" (6 used)
2	F 1004 R	(-)	Hub
3	AF 1192 R	(-)	Wheel, F1003R, cast disk drive, with studs and nuts
	R 21110 R	(-)	Wheel, cast disk drive, less bolts and nuts (for 15.5-38 tire)
4	12H 294	(-)	Washer, lock, 5/8" (6 used)
5	14H 800	(-)	Nut, 5/8" (6 used)
6	A 5292 R	(-)	Stud, 5/8" x 2-1/4" (8 used) (packed 25 in a pkg.)
	A 4064 R	(-)	Bolt, mach., 5/8" x 2-3/4" (8 used) (for 15.5-38 tire) (use with R21110R)
7	AA 3043 R	(-)	Rim, demountable
	R 31491 R	(-)	Rim, demountable (for 15.5-38 tire) (use with R21110R) (sub. for F3159R)
8	B 634 R	(-)	Clamp, rim (8 used)
	A 4388 R	(-)	Clamp, rim (8 used) (for 15.5-38 tire) (use with R21110R)
9	14H 800	(-)	Nut, 5/8" (8 used)

REAR VIEW MIRROR
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	R 21686 R	(-)	Bezel
2	R 21685 R	(-)	Glass
3	AR 21860 R	(-)	Mirror, rear view
4	AR 30003 R	(-)	Mirror, rear view, with mounting bracket

OPERATOR'S MANUAL (Not Illustrated)
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
720 SERIES DIESEL TRACTORS			
..	R 2057 R	(-7214899)	Manual, operator's 720 Diesel Tractor with gasoline cranking engine
..	R 2086 R	(7214900-7299999)	Manual, operator's 720 Diesel Tractor with gasoline cranking engine
..	R 20217 R	(7222600-7299999)	Manual, operator's 720 Diesel Tractor with electric starting
..	R 2061 R	(-7299999)	Manual, operator's 720 Hi-Crop Tractor (supplement)
730 SERIES DIESEL TRACTORS			
..	R 20699 R	(7300000-)	Manual, operator's 730 Diesel Tractor with gasoline cranking engine
..	R 20703 R	(7300000-)	Manual, operator's 730 Diesel Tractor with electric starting
..	R 20696 R	(7300000-)	Manual, operator's 730 Hi-Crop (supplement)

OIL HEATER


(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AR 21021 R	(-)	Element, 140-watt oil heating, with cap and connector
2	AR 27139 R	(7300000-)	Element, 240-watt oil heating, with cap and connector (sub. for AR21019R)
3	AR 21024 R	(-)	Connector, heating element
4	R 20878 R	(-)	Cap, heating element


WATER HEATER

(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	AR 21022 R	(-)	Element, 500-watt water heating, with cap and connector
2	AR 21020 R	(-)	Element, 1000-watt water heating, with cap and connector (electric starting only)
3	AR 21024 R	(-)	Connector, heating element
4	R 20878 R	(-)	Cap, heating element

TOOLS
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	B 353 R	(-)	Wrench, lug and flywheel
2	F 3338 R	(-)	Wrench, spark plug
3	F 3537 R	(-)	Wrench, power adjustable rim

TRACTOR STEP (General-Purpose)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	19H 1732	(-)	Screw, special cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R) (2 used) (packed 10 in a pkg.)
2	24H 1305	(-)	Washer, 13/32" x 13/16" x .060" (2 used)
3	F 3195 R	(-)	Step, tractor
4	A 5234 R	(-)	Support, tractor step
5	12H 304	(-)	Washer, lock, 3/8" (2 used)
6	14H 812	(-)	Nut, 3/8" (2 used)

Part listed below is an assembly of parts in this grouping.


AA 6092 R	(-)	STEP, TRACTOR, WITH SUPPORT AND HARDWARE (ATTACHMENT)
-----------	-------	---

TRACTOR STEP (Standard)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	F 3195 R	(-)	Step, tractor (2 used)
2	19H 1139	(-)	Screw, cap, high-strength, 3/8" x 1-1/8" (2 used)
3	19H 1387	(-)	Screw, cap, 5/8" x 2-1/4"
4	F 3196 R	(-)	Bracket, tractor step
5	14H 760	(-)	Nut, 5/8" (packed 25 in a pkg.) (sub. for A5772R)
6	12H 15	(-)	Washer, lock, 5/8"
7	14H 812	(-)	Nut, 3/8" (2 used)
8	12H 304	(-)	Washer, lock, 3/8" (2 used)
9	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
10	24H 1305	(-)	Washer, 13/32" x 13/16" x .060" (2 used)
11	12H 304	(-)	Washer, lock, 3/8" (2 used)
12	14H 812	(-)	Nut, 3/8" (2 used)
13	F 3197 R	(-)	Support, tractor step
14	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (3 used)
15	24H 1211	(-)	Washer, 9/16" x 1-3/8" x .105" (3 used)
16	12H 245	(-)	Washer, lock, 1/2" (3 used)
17	14H 809	(-)	Nut, 1/2" (3 used)

FENDERS (General-Purpose)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AA 4655 R	(-)	Fender, R.H. and L.H.
2	19H 1833	(-)	Screw, cap, high-strength, 5/8" x 1-1/4" (2 used)
3	12H 294	(-)	Washer, lock, 5/8" (2 used)
4	24H 1378	(-)	Washer, 11/16" x 1-1/2" x .134" (2 used)

FENDERS LESS LAMPS (General-Purpose)
(Serial No. 7300000-)



Key	Part No.	Serial No.	Description
1	R 20759 R	(7300000-)	Grommet, fender, L.H.
2	AR 20869 R	(7300000-)	Fender, R.H. (sub. AR26595R and R20759R)
	AR 20870 R	(7300000-)	Fender, L.H.
3	14H 809	(7300000-)	Nut, 1/2" (4 used)
4	12H 301	(7300000-)	Washer, lock, 1/2" (4 used)
5	19H 1974	(7300000-)	Screw, cap, high-strength, 1/2" x 2-3/4" (4 used)
6	R 20573 R	(7300000-)	Support, fender
7	19H 1734	(7300000-)	Screw, cap, high-strength, 5/8" x 2" (3 used)
	12H 294	(7300000-)	Washer, lock, 5/8" (3 used)

WEATHERBRAKE CAB PARTS

(Serial No. 7200000-)

(Parts Listed Below are Not Illustrated)

Key	Part No.	Serial No.	Description
	AR 20144 R	(-)	Panel, engine, L.H.
	AR 20145 R	(-)	Panel, engine, R.H.
	AR 20146 R	(-)	Window, cab, side, with frame (4 used)
	AR 21843 R	(-)	Windshield, cab, glass
	R 20127 R	(-)	Windshield, cab, front
	R 20128 R	(-)	Windshield, cab, side (2 used)
	R 21229 R	(-)	Brace, cab (2 used) (except standard)
	R 21230 R	(-)	Bolt, "U", brace (2 used) (except standard)
	14H 786	(-)	Nut, 1/4" (4 used) (except standard)

WEATHERBRAKE PARTS

AR 20143 R	(-)	Windshield, side (2 used)
AR 20144 R	(-)	Panel, engine, L.H.
AR 20145 R	(-)	Panel, engine, R.H.
R 20123 R	(-)	Windshield, front
R 20124 R	(-)	Frame, windshield, front


TRACTOR CAB PARTS (Standard Only)

(Cab Serial No. 6950-)

F 1640 R	(-)	Glass, lower front (2 used)
F 1641 R	(-)	Weatherstrip, glass, lower front (2 used)
F 1642 R	(-)	Glass, side (2 used)
F 1643 R	(-)	Weatherstrip, glass, side (2 used)
F 1644 R	(-)	Gasket, side window (2 used)
F 1645 R	(-)	Weatherstrip, R.H. side
F 1646 R	(-)	Weatherstrip, L.H. side
F 1647 R	(-7219999)	Weatherstrip, cab to steering shaft support
F 3372 R	(-)	Glass, windshield
F 3373 R	(-)	Weatherstrip, glass, windshield
F 3374 R	(-)	Gasket, windshield
R 21120 R	(7300000-)	Weatherstrip, cab to steering shaft support

Parts listed below are an assembly of some of the parts in this grouping.


AF 3472 R	(-7219999)	FRAME, TRACTOR CAB (ATTACHMENT)
AR 21294 R	(7300000-)	FRAME, TRACTOR CAB (ATTACHMENT)
AF 3473 R	(-)	TOP, TRACTOR CAB AND WINDOWS (ATTACHMENT)
AR 997 R	(-)	CURTAIN, TRACTOR CAB (ATTACHMENT)

FENDERS, PLATFORM, AND TOOL BOX (Standard)
(Serial No. 7200000-)

FENDERS, PLATFORM, AND TOOL BOX (Standard) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AF 3215 R	(-)	Fender, L.H.
2	AF 2917 R	(-)	Side, tool box, with clips
3	AF 3216 R	(-)	Cover, tool box, with hinge plate
4	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (6 used)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (6 used)
5	M 399 T	(-)	Rod, hinge
6	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (4 used)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (8 used)
	12H 303	(-)	Washer, lock, 5/16" (4 used)
	14H 785	(-)	Nut, 5/16" (4 used)
7	AF 2805 R	(-7214899)	Extension, platform, with clips, L.H. (sub. AF3818R)
	AF 3818 R	(7214900-)	Extension, platform, with clips, L.H.
8	AF 2812 R	(-7214899)	Clip, platform extension support, inner, L.H. (2 used)
9	AF 2806 R	(-)	Support, platform extension, inner, R.H.
10	AF 2807 R	(-7210335)	Extension, platform, with clips, R.H. (sub. AF3604R)
	AF 3604 R	(7210336-)	Extension, platform, with clips, R.H.
11	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used) (sub. for H1085R)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (4 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
	14H 785	(-)	Nut, 5/16" (2 used)
12	AF 3214 R	(-)	Fender, R.H.
13	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (4 used) (sub. for H1085R)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (4 used)
	12H 303	(-)	Washer, lock, 5/16" (4 used)
14	19H 1833	(-)	Screw, cap, high-strength, 5/8" x 1-1/4" (8 used)
	12H 294	(-)	Washer, lock, 5/8" (8 used)
15	AF 2810 R	(-)	Latch, brake, with bracket, R.H.
	AF 2811 R	(-)	Latch, brake, with bracket, L.H.
16	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (4 used)
	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (4 used)
	12H 304	(-)	Washer, lock, 3/8" (4 used)
	14H 812	(-)	Nut, 3/8" (4 used)
17	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2"
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
18	F 2790 R	(-7210335)	Cover, platform extension, R.H. (sub. F3417R)
	F 3417 R	(7210336-)	Cover, platform extension, R.H.
19	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (4 used)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (4 used)
20	19H 99	(-)	Screw, cap, 5/16" x 9/16" (4 used)
	12H 303	(-)	Washer, lock, 5/16" (4 used)
21	19H 2020	(-7214899)	Screw, cap, high-strength, 5/16" x 1/2" (6 used)
	19H 2020	(7214900-)	Screw, cap, high-strength, 5/16" x 1/2" (4 used)
	24H 1136	(-7214899)	Washer, 11/32" x 11/16" x .060" (6 used)
	24H 1136	(7214900-)	Washer, 11/32" x 11/16" x .060" (4 used)
22	21H 1251	(-)	Screw, cap, high-strength, 1/2" x 1" (2 used)
	12H 333	(-)	Washer, lock (internal tooth) 1/2" (2 used)
23	19H 1905	(-)	Screw, cap, high-strength, 5/16" x 1" (4 used)
	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (4 used)
	12H 303	(-)	Washer, lock, 5/16" (4 used)
	14H 785	(-)	Nut, 5/16" (4 used)
24	AF 2809 R	(-)	Platform, with reinforcements (C.E.) (sub. AR20404R)
	AR 20404	(7222600-)	Platform, with reinforcements (Elec.)

INSTRUMENT PANEL AND GAUGES (C. E.) (720 Series)
(Serial No. 7200000-7299999)



Key	Part No.	Serial No.	Description
1	AA 1986 R	(-7299999)	Heat indicator, with bushings, nuts, and lock washers (sub. for AF2774R)
2	AF 2749 R	(-)	Ammeter, with clamp, nuts, and lock washers
3	AF 2729 R	(-)	Gauge, oil pressure, with nuts and lock washers (sub. for AF2868R)
4	R 20201 R	(-7299999)	Panel, instrument (sub. for F2549R)
5	A 1712 R	(-)	Clamp (2 used)
6	12H 246	(-)	Washer, lock, no. 10 (6 used) (sub. for A767R)
7	14H 631	(-)	Nut, no. 10 (8 used)
8	AA 4936 R	(-)	Elbow
9	F 1832 R	(-7299999)	Pipe, oil pressure gauge
10	AF 2209 R	(-)	Elbow
11	A 1248 R	(-)	Bushing, heat indicator tube
12	(-)	Clamp (furnished as part of AF2749R Ammeter)
13	19H 2020	(-7299999)	Screw, cap, high-strength, 5/16" x 1/2" (4 used) (sub. for A3232R)
	12H 291	(-7299999)	Washer, lock (shakeproof), 5/16" (4 used)


INSTRUMENT PANEL AND GAUGES (Elec.)
(720 Series)
(Serial No. 7222600-7299999)



INSTRUMENT PANEL AND GAUGES (Elec.) (720 Series) -- Continued
(Serial No. 7222600-7299999)


Key	Part No.	Serial No.	Description
1	AA 1986 R	(-7299999)	Heat indicator, with bushings, nuts, and lock washers (sub. for AF2774R)
2	AF 2729 R	(-)	Gauge, oil pressure, with nuts and lock washers (sub. for AF2868R)
3	R 20204 R	(7222600-7299999)	Panel, instrument
4	A 1712 R	(-)	Clamp (2 used)
5	12H 246	(-)	Washer, lock, no. 10 (4 used) (sub. for A767R)
6	14H 631	(-)	Nut, no. 10 (4 used)
7	AA 4936 R	(-)	Elbow
8	F 1832 R	(-7299999)	Pipe, oil pressure gauge
9	AF 2209 R	(-)	Elbow
10	A 1248 R	(-)	Bushing, heat indicator tube
11	19H 2020	(-7299999)	Screw, cap, high-strength, 5/16" x 1/2" (4 used) (sub. for A3232R)
	12H 291	(-7299999)	Washer, lock (shakeproof), 5/16" (4 used)

INSTRUMENT PANELS AND GAUGES (C.E.) (730 Series)
(Serial No. 7300000-)




Key	Part No.	Serial No.	Description
1	AF 2729 R	(-)	Gauge, oil pressure, with nuts, and lock washers (sub. for AF2868R)
2	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (4 used) (sub. for A3232R)
	12H 291	(-)	Washer, lock (shakeproof), 5/16" (4 used)
3	A 1712 R	(-)	Clamp
4	12H 246	(-)	Washer, lock, no. 10 (6 used) (sub. for A767R)
5	14H 631	(-)	Nut, no. 10 (8 used)
6	A 1248 R	(-)	Bushing, heat indicator tube
7	AA 4936 R	(-)	Elbow
8	R 20628 R	(7300000-)	Pipe, oil pressure gauge
9	AF 2209 R	(-)	Elbow
10	(-)	Clamp (furnished as part of AF2749R ammeter)
11	R 20454 R	(7300000-)	Panel, instrument, upper
12	AF 2749 R	(-)	Ammeter, with clamps, nuts, and lock washers
13	AR 20783 R	(7300000-)	Heat indicator, with bushing
14	R 20453 R	(7300000-)	Panel, instrument, lower
15	19H 2020	(7300000-)	Screw, cap, high-strength, 5/16" x 1/2" (2 used) (sub. for A3232R)
	12H 291	(7300000-)	Washer, lock (shakeproof), 5/16" (2 used)

INSTRUMENT PANELS AND GAUGES (Elec.) (730 Series)
(Serial No. 7300000-)



Key	Part No.	Serial No.	Description
1	AF 2729 R	(-)	Gauge, oil pressure, with nuts and lock washers (sub. for AF2868R)
2	19H 2020	(-)	Screw, cap, high-strength, 5/16" x 1/2" (4 used) (sub. for A3232R)
3	12H 291	(-)	Washer, lock (shakeproof), 5/16" (4 used)
4	A 1712 R	(-)	Clamp (2 used)
5	12H 246	(-)	Washer, lock, no. 10 (4 used) (sub. for A767R)
6	14H 631	(-)	Nut, no. 10 (4 used)
7	A 1248 R	(-)	Bushing, heat indicator tube
8	AA 4936 R	(-)	Elbow
9	R 21606 R	(7300000-)	Pipe, oil pressure gauge (sub. for R20628R)
10	AF 2209 R	(-)	Elbow
11	R 20455 R	(7300000-)	Panel, instrument, upper
12	AR 20783 R	(7300000-)	Heat indicator, with bushing
13	R 20453 R	(7300000-)	Panel, instrument, lower
	19H 2020	(7300000-)	Screw, cap, high-strength, 5/16" x 1/2" (2 used) (sub. for A3232R)
	12H 291	(7300000-)	Washer, lock (shakeproof), 5/16" (2 used)


SPEED-HOUR METER
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AR 21661 R	(-)	Speed-hour meter (miles per hour) (sub. for AF2698R)
	AF 2699 R	(-)	Speed-hour meter (kilometers per hour)
	AR 21664 R*	(-)	Speed-hour meter (miles per hour) (sub. for AR20055R)
	AR 20056 R*	(-)	Speed-hour meter (kilometers per hour)
2	F 1977 R	(-)	Clamp, speed-hour meter
3	12H 246	(-)	Washer, lock, no. 10 (2 used) (sub. for A767R)
4	14H 631	(-)	Nut, no. 10 (2 used)
5	AF 3259 R	(-7299999)	Cable, speed-hour meter (AC spark plug div.)
	AR 21158 R	(7300000-)	Cable, speed-hour meter (AC spark plug div.)
	AF 3260 R	(-7299999)	Cable, speed-hour meter (Stewart Warner)
	AR 21159 R	(7300000-)	Cable, speed-hour meter (Stewart Warner)
6	AF 3258 R	(-7299999)	Shaft, flexible, speed-hour meter, with cable
	AR 20838 R	(7300000-)	Shaft, flexible, speed-hour meter, with cable
7	19H 1948	(-)	Screw, cap, high-strength, 1/4" x 3/4" (3 used) (C.E.)
	19H 1791	(-)	Screw, cap, high-strength, 1/4" x 1-1/4" (3 used) (Elec.)
	12H 302	(-)	Washer, lock, 1/4"
8	AF 2114 R	(-)	Quill, F2072R, speed-hour meter drive, with bushing
9	F 2050 R	(-)	Bushing
10	F 2073 R	(-)	Gasket (packed 5 in a pkg.)
11	F 2071 R	(-)	Shaft, speed-hour meter drive
12	26H 3	(-)	Key, Woodruff, 3/32" x 3/8"
13	A 369 R	(-)	Snap ring (2 used) (packed 10 in a pkg.)
14	F 2053 R	(-7215912)	Gear, speed-hour meter drive (sub. F2547R)
	F 2547 R	(7215913-)	Gear, speed-hour meter drive (packed 2 in a pkg.)
15	F 2050 R	(-)	Bushing


*Part for 8 mph special fifth speed gear assembly

HOOD (C.E.) (720 Series)
(Serial No. 7200000-7299999)




Key	Part No.	Serial No.	Description
1	AF 3024 R	(-7299999)	Hood
2	R 39613 R	(-)	Grommet (sub. for A5157R)
3	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
4	24H 1330	(-)	Washer, 15/32" x 1-3/8" x .105" (2 used)
5	A 4669 R	(-)	Spacer (2 used)
6	A 4668 R	(-)	Washer (rubber) (2 used) (packed 10 in a pkg.)
7	24H 1372	(-)	Washer, 21/32" x 1-1/2" x .060" (2 used)
8	F 1273 R	(-)	Strap, hood
9	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
10	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
11	A 5659 R	(-7299999)	Washer (sub. for 24H1009)
12	A 4666 R	(-)	Washer (rubber) (packed 5 in a pkg.)
13	R 20817 R	(-7299999)	Spacer (sub. for B1839R)
14	24H 1366	(-)	Washer, 21/32" x 1-1/8" x .036"
15	A 4125 R	(-7299999)	Screw, mach., 5/16" x 1" (packed 50 in a pkg.)
	12H 303	(-7299999)	Washer, lock, 5/16"
16	21H 1018	(-)	Screw, mach., fill. hd., 1/4" x 3/8" (2 used)
17	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (2 used)
18	AF 2063 R	(-)	Bracket, hood door
19	19H 1900	(-7299999)	Screw, cap, 5/16" x 3/4" (2 used) (sub. for H1085R)
20	12H 291	(-7299999)	Washer, lock (shakeproof) 5/16" (2 used)
21	A 5659 R	(-7299999)	Washer (3 used) (sub. for 24H1009)
22	24H 1366	(-)	Washer, 21/32" x 1-1/8" x .036" (3 used)
23	R 20817 R	(-7299999)	Spacer (3 used) (sub. for B1839R)
24	A 4666 R	(-)	Washer (rubber) (3 used) (packed 5 in a pkg.)
25	12H 303	(-)	Washer, lock, 5/16"
26	14H 785	(-)	Nut, 5/16"
27	19H 1227	(-)	Screw, cap, high-strength, 1/4" x 1/2" (2 used)
28	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (2 used)
29	F 1955 R	(-7299999)	Plate, hood door hinge
30	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (5 used)
	12H 304	(-)	Washer, lock, 3/8" (5 used)
31	A 4464 R	(-7299999)	Support, rear, L.H.
32	B 1986 R	(-)	Clip
33	AA 5185 R	(-7299999)	Support, rear, top
34	A 4125 R	(-7299999)	Screw, mach., 5/16" x 1" (packed 50 in a pkg.)

HOOD (Elec.) (720 Series)
(Serial No. 7222600-7299999)




Key	Part No.	Serial No.	Description
1	AA 5678 R	(7222600-7299999)	Cover, fuel filler opening
2	AF 3019 R	(7222600-7299999)	Hood, with filler opening cover
3	R 39613	(-)	Grommet (sub. for A5157R)
4	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
5	24H 1330	(-)	Washer, 15/32" x 1-3/8" x .105" (2 used)
6	A 4669 R	(-)	Spacer (2 used)
7	A 4668 R	(-)	Washer (rubber) (2 used) (packed 10 in a pkg.)
8	24H 1372	(-)	Washer, 21/32" x 1-1/2" x .060" (2 used)
9	F 1273 R	(-)	Strap, hood
10	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
11	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
12	19H 1900	(-7299999)	Screw, cap, high-strength, 5/16" x 3/4" (2 used) (sub. for H1085R)
13	12H 291	(-7299999)	Washer, lock, (shakeproof) 5/16" (2 used)
14	A 5659 R	(7222600-7299999)	Washer (4 used) (sub. for 24H1009)
15	24H 1366	(7222600-)	Washer, 21/32" x 1-1/8" x .036" (4 used)
16	R 20817 R	(7222600-7299999)	Spacer (4 used) (packed 5 in a pkg.) (sub. for B1839R)
17	A 4666 R	(7222600-)	Washer (rubber) (4 used) (packed 5 in a pkg.)
18	14H 785	(7222600-)	Nut, 5/16" (2 used)
19	12H 303	(7222600-)	Washer, lock, 5/16" (2 used)
20	A 4125 R	(7222600-7299999)	Screw, special mach., 5/16" x 1" (2 used) (packed 50 in a pkg.)
21	19H 1936	(7222600-7299999)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (7 used)
	12H 304	(7222600-7299999)	Washer, lock, 3/8" (7 used)
22	R 20144 R	(7222600-7299999)	Support, rear, R.H.
23	AA 5185 R	(-7299999)	Support, rear, top
24	A 4464 R	(-7299999)	Support, rear, L.H.
25	B 1986 R	(-)	Clip

HOOD (C. E.) (730 Series)
(Serial No. 7300000-)




Key	Part No.	Serial No.	Description
1	AR 20648 R	(7300000-)	Hood
2	R 39613 R	(-)	Grommet (sub. for A5157R)
3	19H 1978 12H 293	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
4	24H 1330	(-)	Washer, lock, 7/16" (2 used)
5	A 4669 R	(-)	Washer, 15/32" x 1-3/8" x .105" (2 used)
6	A 4668 R	(-)	Spacer (2 used)
7	24H 1372	(-)	Washer (rubber) (2 used) (packed 10 in a pkg.)
8	F 1273 R	(-)	Washer, 21/32" x 1-1/2" x .060" (2 used)
9	24H 1290	(-)	Strap, hood
10	19H 99 12H 303	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
11	A 4666 R	(-)	Screw, cap, 5/16" x 9/16" (2 used)
12	R 20817 R	(7300000-)	Washer, lock, 5/16" (2 used)
13	24H 1366	(-)	Washer (rubber) (packed 5 in a pkg.)
14	AR 20945 R	(7300000-)	Spacer
15	21H 1018	(-)	Washer, 21/32" x 1-1/8" x .036"
16	24H 1287	(-)	Screw, special, with washer
17	AF 2063 R	(-)	Screw, mach., fill. hd., 1/4" x 3/8" (2 used)
18	AR 20946 R	(7300000-)	Washer, 9/32" x 5/8" x .060" (2 used)
19	24H 1366	(-)	Bracket, hood door
20	R 20817 R	(7300000-)	Screw, special, with washer (2 used)
21	A 4666 R	(-)	Washer, 21/32" x 1-1/8" x .036" (3 used)
22	12H 303	(-)	Spacer (3 used)
23	14H 785	(-)	Washer (rubber) (3 used) (packed 5 in a pkg.)
24	AR 21272 R	(7300000-)	Washer, lock, 5/16"
25	19H 1948	(-)	Nut, 5/16"
26	24H 1287	(-)	Support, hood rear, upper, R.H., with nut (sub. for AR20630R)
27	R 20536 R	(7300000-)	Screw, cap, high-strength, 1/4" x 3/4" (2 used)
28	R 20537 R	(7300000-)	Washer, 9/32" x 5/8" x .060" (2 used)
29	19H 1936 12H 304	(-)	Plate, hood door hinge (sub. AR21404R plate, with spacer)
30	R 20506 R	(7300000-)	Spacer, hood door hinge plate (2 used) (sub. AR21404R plate, with spacer)
31	B 1986 R	(-)	Screw, cap, high-strength, 3/8" x 3/4" (5 used)
32	AR 20631 R	(7300000-)	Washer, lock, 3/8" (5 used)
33	AR 20945 R	(7300000-)	Support, hood rear, lower, L.H.
34	R 20818 R	(7300000-)	Clip (2 used)

HOOD (Elec.) (730 Series)
(Serial No. 7300000-)




Key	Part No.	Serial No.	Description
1	AR 21097 R	(7300000-)	Hood
2	R 39613	(-)	Grommet (sub. for A5157R)
3	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
4	24H 1330	(-)	Washer, 15/32" x 1-3/8" x .105" (2 used)
5	A 4669 R	(-)	Spacer (2 used)
6	A 4668 R	(-)	Washer (rubber) (2 used) (packed 10 in a pkg.)
7	24H 1372	(-)	Washer, 21/32" x 1-1/2" x .060" (2 used)
8	F 1273 R	(-)	Strap, hood
9	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (2 used)
10	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
11	AR 20946 R	(7300000-)	Screw, special, with washer (2 used)
12	24H 1366	(-)	Washer, 21/32" x 1-1/8" x .036" (4 used)
13	R 20817 R	(7300000-)	Spacer (4 used)
14	A 4666 R	(-)	Washer (rubber) (4 used) (packed 5 in a pkg.)
15	14H 785	(-)	Nut, 5/16" (2 used)
16	12H 303	(-)	Washer, lock, 5/16" (2 used)
17	R 20818 R	(7300000-)	Washer (2 used)
18	AR 20945 R	(7300000-)	Screw, special, with washer (2 used)
19	19H 1936	(7300000-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (6 used)
	12H 304	(7300000-)	Washer, lock, 3/8" (6 used)
20	AR 21074 R	(7300000-)	Support, hood rear, lower, R.H., with clip
21	R 20506 R	(7300000-)	Support, hood rear, lower, L.H.
22	B 1986 R	(-)	Clip (2 used)
23	AR 21272 R	(7300000-)	Support, hood rear, upper, R.H., with nut (sub. for AR20630R)
24	AR 20631 R	(7300000-)	Support, hood rear, upper, L.H., with nut

GRILLE (720 Series)
(Serial No. 7200000-7299999)

GRILLE (720 Series) -- Continued
 (Serial No. 7200000-7299999)

Key	Part No.	Serial No.	Description
1	19H 1219	(-)	Screw, cap, high-strength, 3/8" x 4-1/4" (2 used)
2	B 2804 R	(-)	Spacer (2 used)
3	A 350 R	(-)	Spring (2 used)
4	24H 1309	(-)	Washer, 13/32" x 1-1/16" x .120" (2 used)
5	12H 304	(-)	Washer, lock, 3/8" (2 used)
6	14H 812	(-)	Nut, 3/8" (2 used)
7	AF 2325 R	(-7299999)	Top and side, grille
8	F 1676 R	(-)	Plug
9	AF 3261 R	(-7299999)	Medallion, with speed clips
10	A 4679 R	(-)	Clip, speed (2 used)
11	19H 1900	(-7299999)	Screw, cap, high-strength, 5/16" x 3/4" (2 used) (sub. for H1085R)
12	12H 291	(-7299999)	Washer, lock (shakeproof), 5/16" (2 used)
13	24H 1224	(-7299999)	Washer, 11/32" x 1" x .060" (4 used)
14	14H 785	(-)	Nut, 5/16" (2 used)
15	12H 10	(-)	Washer, lock, 5/16" (2 used)
16	A 4666 R	(-7299999)	Washer (rubber) (2 used) (packed 5 in a pkg.)
17	R 20912 R	(-7299999)	Spacer (2 used) (sub. for A4667R)
18	24H 1366	(-7299999)	Washer, 21/32" x 1-1/8" x .036" (2 used)
19	A 4125 R	(-7299999)	Screw, special mach., 5/16" x 1" (2 used) (packed 50 in a pkg.)
20	A 4317 R	(-)	Rod, grille (4 used)
21	12H 303	(-)	Washer, lock, 5/16" (4 used)
22	14H 785	(-)	Nut, 5/16" (4 used)
23	AF 2326 R	(-)	Frame, upper, R.H.
	AF 2328 R	(-)	Frame, upper, L.H.
24	A 4316 R	(-)	Screen, grille (2 used)
25	14H 850	(-)	Nut, jam, 1/4" (8 used)
26	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (16 used)
27	19H 1948	(-)	Screw, cap, high-strength, 1/4" x 3/4" (8 used)
	12H 302	(-)	Washer, lock, 1/4" (8 used)
28	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16" (2 used)
29	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (4 used)
30	12H 303	(-)	Washer, lock, 5/16" (2 used)
31	14H 785	(-)	Nut, 5/16" (2 used)
32	19H 1335	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (2 used)
33	24H 1106	(-)	Washer, 11/16" x 1-3/4" x .134" (2 used)
34	19H 1227	(-)	Screw, cap, high-strength, 1/4" x 1/2" (8 used)
	12H 302	(-)	Washer, lock, 1/4" (8 used)
35	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (8 used)
36	14H 850	(-)	Nut, jam, 1/4" (8 used)
37	AA 6305 R	(-)	Plate, center, with clips
38	AF 2327 R	(-)	Frame, lower, R.H.
	AF 2329 R	(-)	Frame, lower, L.H.
39	28H 1497	(-)	Spacer (2 used)
40	A 350 R	(-)	Spring (2 used)
41	24H 1309	(-)	Washer, 13/32" x 1-1/16" x .120" (2 used)
42	12H 304	(-)	Washer, lock, 3/8" (2 used)
43	14H 812	(-)	Nut, 3/8" (2 used)


GRILLE (730 Series)
(Serial No. 7300000-)



67518


GRILLE (730 Series) -- Continued
(Serial No. 7300000-)

Key	Part No.	Serial No.	Description
1	19H 1219	(-)	Screw, cap, 3/8" x 4-1/4" (2 used)
2	B 2804 R	(-)	Spacer (2 used)
3	A 350 R	(-)	Spring (2 used)
4	24H 1309	(-)	Washer, 13/32" x 1-1/16" x .120" (2 used)
5	12H 304	(-)	Washer, lock, 3/8" (2 used)
6	14H 812	(-)	Nut, 3/8" (2 used)
7	AR 20399 R	(7300000-)	Top and side, grille
8	F 1676 R	(-)	Plug
9	AR 21112 R	(7300000-)	Medallion, with speed clips
10	A 4679 R	(-)	Clip, speed (2 used)
11	AR 20946 R	(7300000-)	Screw, special, with washer (2 used)
12	A 4666 R	(7300000-)	Washer (rubber) (4 used) (packed 5 in a pkg.)
13	R 20912 R	(7300000-)	Spacer (4 used)
14	24H 1366	(7300000-)	Washer, 21/32" x 1-1/8" x .036" (4 used)
15	14H 785	(-)	Nut, 5/16" (2 used)
16	12H 303	(-)	Washer, lock, 5/16" (2 used)
17	R 20818 R	(7300000-)	Washer (2 used)
18	AR 20945 R	(7300000-)	Screw, special, with washer (4 used)
19	A 4317 R	(-)	Rod, grille (4 used)
20	12H 303	(-)	Washer, lock, 5/16" (4 used)
21	14H 785	(-)	Nut, 5/16" (4 used)
22	AF 2326 R	(-)	Frame, upper, R.H.
	AF 2328 R	(-)	Frame, upper, L.H.
23	A 4316 R	(-)	Screen, grille (2 used)
24	14H 850	(-)	Nut, jam, 1/4" (8 used)
25	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (16 used)
26	19H 1948	(-)	Screw, cap, high-strength, 1/4" x 3/4" (8 used)
	12H 302	(-)	Washer, lock, 1/4" (8 used)
27	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16" (2 used)
28	24H 1290	(-)	Washer, 21/64" x 3/4" x .036" (4 used)
29	12H 303	(-)	Washer, lock, 5/16" (2 used)
30	14H 785	(-)	Nut, 5/16" (2 used)
31	19H 1756	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (2 used)
32	24H 1106	(-)	Washer, 11/16" x 1-3/4" x .134" (2 used)
33	19H 1227	(-)	Screw, cap, high-strength, 1/4" x 1/2" (8 used)
	12H 302	(-)	Washer, lock, 1/4" (8 used)
34	24H 1287	(-)	Washer, 9/32" x 5/8" x .060" (8 used)
35	14H 850	(-)	Nut, jam, 1/4" (8 used)
36	AA 6305 R	(-)	Plate, center, with clips
37	AF 2327 R	(-)	Frame, lower, R.H.
	AF 2329 R	(-)	Frame, lower, L.H.
38	28H 1497	(-)	Spacer (2 used)
39	A 350 R	(-)	Spring (2 used)
40	24H 1309	(-)	Washer, 13/32" x 1-1/16" x .120" (2 used)
41	12H 304	(-)	Washer, lock, 3/8" (2 used)
42	14H 812	(-)	Nut, 3/8" (2 used)

BATTERY BOX AND PLATFORM (C.E.)
(Serial No. 7200000-)

BATTERY BOX AND PLATFORM (C.E.) -- Continued
(Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AF 3006 R	(-7214899)	Box, battery, with door (sub. AF3846R)
	AF 3846 R	(7214900-)	Box, battery
2	14H 844	(-)	Nut, wing (packed 25 in a pkg.) (sub. for C1572R)
3	AF 3819 R	(-7214899)	Clamp, battery, with clips (sub. for AF2079R)
	AF 3819 R	(7214900-)	Clamp, battery, with clips
4	19H 99	(-)	Screw, cap, high-strength, 5/16" x 9/16"
5	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
6	12H 303	(-)	Washer, lock, 5/16"
7	14H 785	(-)	Nut, 5/16"
8	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
9	14H 841	(-)	Nut, sq., 3/8"
10	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
11	16H 672	(-)	Rivet, R. L. O. H., 1/4" x 3/4" (4 used)
12	21H 1251	(-)	Screw, mach., 1/2" x 1" (2 used)
	12H 333	(-)	Washer, lock (internal tooth) 1/2" (2 used)
13	AR 20403 R	(-)	Platform, with brake latch supports (general-purpose) (sub. for AF2801R)
	AF 2802 R	(-)	Platform (Hi-Crop)
14	AB 330 R	(-)	Support, brake latch (2 used)
15	11H 236	(-)	Pin, cotter, 1/8" x 1" (2 used)
16	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120" (2 used)
17	B 3727 R	(-)	Latch, brake (2 used) (sub. for B2149R)
18	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8" (2 used)
	12H 295	(-)	Washer, lock (shakeproof) no. 10 (2 used)
19	AM 2049 T	(-)	Socket, electrical outlet
20	AA 5691 R	(-)	PLUG, ELECTRICAL OUTLET, WITH CABLE (ATTACHMENT)
	AA 5692 R	(-)	Plug, electrical outlet, less cable
21	14H 778	(-)	Nut, no. 10 (2 used)
22	F 2946 R	(-)	Support, battery box (4 used) (standard tractors equipped with power-shaft or powr-trol only)
23	19H 99	(-)	Screw, cap, 5/16" x 9/16" (4 used) (standard tractors equipped with powershaft or powr-trol only)
	12H 303	(-)	Washer, lock, 5/16" (4 used) (standard tractors equipped with power-shaft or powr-trol only)
24	F 2945 R	(-)	Shield, battery box support (standard tractors equipped with power-shaft or powr-trol only)
25	B 2566 R	(-)	Bolt, cge., 1/4" x 9"
26	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R and B2579R)
27	19H 1974	(-)	Screw, cap, high-strength, 1/2" x 2-3/4" (2 used) (tractors equipped with Rockshaft)
	19H 1895	(-)	Screw, cap, high-strength, 1/2" x 3/4" (sub. for F2275R) (2 used) (tractors equipped with rockshaft)
	19H 1895	(-)	Screw, cap, high-strength, 1/2" x 3/4" (sub. for F2275R) (4 used) (tractors without rockshaft, powershaft or powr-trol)
	19H 1805	(-)	Screw, cap, high-strength, 1/2" x 2-1/4" (4 used) (standard tractors equipped with powershaft or powr-trol only)
	12H 13	(-)	Washer, lock, 1/2" (4 used)

BATTERY BOX AND PLATFORM (Elec.)
(Serial No. 7222600-)

BATTERY BOX AND PLATFORM (Elec.) -- Continued
(Serial No. 7222600--)

Key	Part No.	Serial No.	Description
1	19H 99	(7222600--)	Screw, cap, 5/16" x 9/16" (4 used)
2	24H 1136	(7222600--)	Washer, 11/32" x 11/16" x .060" (4 used)
3	AR 20193 R	(7222600--)	Clamp, battery, with clip (4 used)
4	12H 303	(7222600--)	Washer, lock, 5/16" (4 used)
5	14H 785	(7222600--)	Nut, 5/16" (4 used)
6	14H 844	(7222600--)	Nut, wing (2 used) (packed 25 in a pkg.) (sub. for C1572R)
7	24H 1287	(7222600--)	Washer, 9/32" x 5/8" x .060" (2 used)
8	R 20172 R	(7222600--)	Clamp, battery (2 used)
9	AR 20196 R	(7222600--)	Box, battery (tractors equipped with float-ride seat)
	AR 20197 R	(7222600--)	Box, battery (tractors equipped with regular seat)
10	19H 1974	(-)	Screw, cap, high-strength, 1/2" x 2-3/4" (2 used) (tractors equipped with rockshaft)
	19H 1895	(-)	Screw, cap, high-strength, 1/2" x 3/4" (sub. for F2275R) (2 used) (tractors equipped with rockshaft)
	19H 1895	(-)	Screw, cap, high-strength, 1/2" x 3/4" (sub. for F2275R) (4 used) (tractors without rockshaft, powershaft, or powr-trol)
	19H 1805	(-)	Screw, cap, high-strength, 1/2" x 2-1/4" (4 used) (standard tractors equipped with powershaft or powr-trol only)
	12H 301	(-)	Washer, lock, 1/2" (4 used)
11	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
12	R 2579 R	(-)	Grommet (packed 5 in a pkg.)
13	16H 672	(-)	Rivet, R.I.O.H., 1/4" x 3/4" (4 used)
14	21H 1251	(-)	Screw, mach., flat head, 1/2" x 1" (2 used)
	12H 333	(-)	Washer, lock (internal tooth) 1/2" (2 used)
15	AR 20403 R	(7222600--)	Platform, with brake latch supports (general-purpose)
	AF 2802 R	(-)	Platform (Hi-Crop)
16	AB 330 R	(-)	Support, brake latch (2 used)
17	11H 236	(-)	Pin, cotter, 1/8" x 1" (2 used)
18	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120" (2 used)
19	P 3727 R	(-)	Latch, brake (2 used) (sub. for B2149R)
20	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8" (2 used)
	12H 295	(-)	Washer, lock (shakeproof) no. 10 (2 used)
21	AM 2049 T	(-)	Socket, electrical outlet
22	AA 5691 R	(-)	Plug, electrical outlet, with cable
	AA 5692 R	(-)	Plug, electrical outlet, less cable (part of AA5691R electrical outlet)
23	14H 778	(-)	Nut, no. 10 (2 used)
24	F 2946 R	(-)	Support, battery box (4 used) (standard tractors equipped with powershaft or powr-trol only)
25	19H 99	(-)	Screw, cap, 5/16" x 9/16" (4 used) (standard tractors equipped with powershaft or powr-trol only)
	12H 303	(-)	Washer, lock, 5/16" (4 used) (standard tractors equipped with powershaft or powr-trol only)
26	F 2945 R	(-)	Shield, battery box support (standard tractors equipped with powershaft or powr-trol only)
27	B 2566 R	(7222600--)	Bolt, cge., 1/4" x 9" (2 used)

REGULAR SEAT
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	16H 1071	(-7219246)	Rivet, R.I.O.H., 5/16" x 1/2"
2	A 3332 R	(-7219246)	Spring, seat adjusting pin
3	B 2671 R	(-7219246)	Spacer, seat adjusting pin
4	11H 236	(-7219246)	Pin, cotter, 1/8" x 1"
5	A 3334 R	(-7219246)	Lever, seat adjusting
6	A 3335 R	(-7219246)	Pin, seat adjusting
7	AR 20086 R	(7219247-)	Pin, with washer, seat lock
8	11H 206	(7219247-)	Pin, cotter, 3/32" x 3/4"
9	F 1463 R	(7219247-)	Spring, seat lock pin
10	24H 1321	(7219247-)	Washer, 29/64" x 13/16" x .018"
11	AA 6022 R	(-)	Cushion, seat arm (black) (set of 2)
	AF 3272 R	(-)	Cushion, seat arm (yellow) (set of 2)
12	AF 3004 R	(-7219246)	Frame, seat (C.E.) (sub. AR20084R)
	AR 20084 R	(7219247-)	Frame, seat, with adjusting pin (C.E.)
	AR 20231 R	(7222600-)	Frame, seat, with adjusting pin (Elec.)
13	AR 28301 R	(-)	Cushion, seat (black) (sub. for AB4035R)
	AR 30180 R	(-)	Cushion, economy seat (black) (packed 5 in a pkg.) (can be used to replace AB4035R or AR28301R) (not a substitute)
	AR 26932 R	(-)	Cushion, seat (yellow) (sub. for AF3268R)
	AR 30181 R	(-)	Cushion, economy seat (yellow) (can be used to replace AF3268R and AR26932R) (not a substitute)
	AA 4847 R	(-)	Cushion, seat (black) (special all-rubber)
	AF 3269 R	(-)	Cushion, seat (yellow) (special all-rubber)
14	AA 5357 R	(-)	Cushion, seat back (black)
	AR 21965 R	(-)	Cushion black economy seat back (can be used to replace AA5357R) (not a substitute)
	AR 21914 R	(-)	Cover, black seat back cushion (for use on AA5357R black seat back cushion) (packed 5 in a pkg.)
	AF 3271 R	(-)	Cushion, seat back (yellow)
	AR 21966 R	(-)	Cushion, yellow economy seat back (can be used to replace AF3271R) (not a substitute)
	AR 21913 R	(-)	Cover, yellow seat back cushion (for use on AF3271R yellow seat back cushion) (packed 5 in a pkg.)
15	24H 1286	(-)	Washer, 9/32" x 1/2" x .060" (4 used)
16	A 4192 R	(-7299999)	Screw, special mach. (4 used) (packed 50 in a pkg.)
	19H 1919	(7300000-)	Screw, cap, high-strength, 1/4" x 5/8" (4 used)
	12H 297	(-)	Washer, lock (shakeproof) 1/4" (4 used)


Parts listed below are not illustrated.

R	32736 R	(-)	Cover, seat (white canvas) (sub. for AB3984R)
AA	4932 R	(-)	Kit, seat cushion parts, consisting of cover assembly, corner brackets, and nails for attaching corner brackets (for AA4847R and AB4035R seat cushions)
AB	4095 R	(-)	Kit, seat cushion parts, consisting of cover assembly, molded foam rubber topper, corner brackets and nails for attaching corner brackets (for AB4035R seat cushion)

FLOAT RIDE SEAT FRAME AND CUSHIONS (Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	AF 3097 R	(-)	Pin, with washer, seat lock
2	11H 206	(-)	Pin, cotter, 3/32" x 3/4"
3	H 312 R	(-)	Spring, seat lock pin
4	24H 1305	(-)	Washer, 13/32" x 13/16" x .060"
5	AA 6022 R	(-)	Cushion, seat arm (black) (set of 2)
	AF 3272 R	(-)	Cushion, seat arm (yellow) (set of 2)
6	AF 3094 R	(-)	Frame, float-ride seat, with adjusting pin (C.E.)
	AR 20190 R	(7222600-)	Frame, float-ride seat, with adjusting pin (Elec.)
7	AA 5357 R	(-)	Cushion, seat back (black)
	AR 21965 R	(-)	Cushion, black economy seat back (can be used to replace AA5357R) (not a substitute)
	AR 21914 R	(-)	Cover, black seat back cushion (for use on AA5357R black seat back cushion) (packed 5 in a pkg.)
	AF 3271 R	(-)	Cushion, seat back (yellow)
	AR 21966 R	(-)	Cushion, yellow economy seat back (can be used to replace AF3271R) (not a substitute)
	AR 21913 R	(-)	Cover, yellow seat back cushion (for use on AF3271R yellow seat back cushion) (packed 5 in a pkg.)
8	AF 3096 R	(-)	Cushion, seat (black) (C.E.)
	AR 20237 R	(7222600-)	Cushion, seat (black) (Elec.)
	AF 3270 R	(-)	Cushion, seat (yellow) (C.E.)
	AR 20238 R	(7222600-)	Cushion, seat (yellow) (Elec.)
9	AF 3859 R	(-)	Bumper, rubber, service kit (sub. for F3303R)
10	24H 1286	(-)	Washer, 9/32" x 1/2" x .060" (4 used)
11	A 4192 R	(-7299999)	Screw, special mach. (4 used) (packed 50 in a pkg.)
	19H 1919	(7300000-)	Screw, cap, high-strength, 1/4" x 5/8" (4 used)
	12H 297	(-)	Washer, lock (shakeproof) 1/4" (4 used)
Parts listed below are not illustrated.			
	AR 20134 R	(-)	Kit, seat cushion parts, consisting of cover assembly, corner brackets, and nails for attaching corner brackets (for AF3096R and AF3270R cushions)
	AR 21761 R	(7222600-)	Kit, seat repair, consisting of cover (yellow) and attaching tacks (for AR20237R and AR20238R seat cushions)
	AR 21750 R	(-)	Cover, seat (C.E.) (sub. R39860)
	AR 21751 R	(7222600-)	Cover, seat (Elec.)

FLOAT-RIDE SEAT
(Serial No. 7200000-)


FLOAT-RIDE SEAT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	(-)	Skirt, float-ride seat (furnished only as a part of AF3276R, AR20215R or AR20349R float-ride seat)
2	19H 1831	(-)	Screw, cap, 1/2" x 2-1/4" (2 used)
3	24H 1211	(-)	Washer, 9/16" x 1-3/8" x .105" (4 used)
4	F 3296 R	(-)	Bushing, rubber, shock absorber (4 used) (packed 2 in a pkg.)
5	F 3297 R	(-)	Spacer, shock absorber (2 used)
6	12H 301	(-)	Washer, lock, 1/2" (2 used) (not required)
7	14H 473	(-)	Nut, jam, 1/2" (2 used)
8	AF 3426 R	(-)	Shock absorber
9	F 3302 R	(-)	Pin, drive, short link to skirt (4 used)
10	F 3298 R	(-)	Bearing, flanged, skirt short link support (8 used) (packed 2 in a pkg.)
11	AF 3421 R	(-)	Link, short, with bearing (4 used)
12	F 3293 R	(-)	Bearing, flanged (6 used) (packed 2 in a pkg.)
13	AF 3419 R	(-7299999)	Bulkhead, front (C.E.) (sub. AR20354R)
	AR 20354 R	(7300000-)	Bulkhead, front (C.E.)
	AR 20354 R	(7222600-)	Bulkhead, front (Elec.)
14	AF 3420 R	(-7299999)	Bulkhead, rear (C.E.) (sub. AR20355R)
	AR 20355 R	(7300000-)	Bulkhead, rear (C.E.)
	AR 20355 R	(7222600-)	Bulkhead, rear (Elec.)
15	19H 1813	(-7299999)	Screw, cap, high-strength, 5/16" x 5/8" (4 used) (C.E.)
	19H 2021	(7300000-)	Screw, cap, high-strength, 3/8" x 5/8" (4 used) (C.E.)
	19H 2021	(7222600-)	Screw, cap, high-strength, 3/8" x 5/8" (4 used) (Elec.)
	12H 303	(-7299999)	Washer, lock, 5/16" (4 used) (C.E.)
	12H 304	(7300000-)	Washer, lock, 3/8" (4 used) (C.E.)
	12H 304	(7222600-)	Washer, lock, 3/8" (4 used) (Elec.)
16	24H 1224	(-7299999)	Washer, 11/32" x 1" x .060" (4 used) (C.E.)
	24H 1305	(7300000-)	Washer, 13/32" x 13/16" x .060"
	24H 1305	(7222600-)	Washer, 13/32" x 13/16" x .060" (Elec.)
17	AF 3430 R	(-)	Shaft, cross, with lever arms (2 used) (C.E.)
18	AR 20426 R	(7222600-)	Shaft, cross, with lever arms (2 used) (Elec.)
19	R 20317 R	(7222600-)	Spacer (2 used) (Elec.)
20	34H 81	(-)	Pin, spring, 3/16" x 1-1/2" (2 used)
21	F 3451 R	(7214900-)	Washer, thrust (2 used) (packed 2 in a pkg.)
22	F 3295 R	(-7214899)	Bearing, flanged, rubber torsion spring, inner (2 used) (packed 2 in a pkg.) (sub. one F3451R and one F3452R)
	F 3452 R	(7214900-)	Bearing, flanged, rubber torsion spring, inner (2 used) (packed 2 in a pkg.)
23	F 3299 R	(-)	Spacer (2 used) (C.E.)
24	AF 3425 R	(-7299999)	Link, stabilizing (C.E.) (sub. AR20353R)
	AR 20353 R	(7300000-)	Link, stabilizing (C.E.)
	AR 20353 R	(7222600-)	Link, stabilizing (Elec.)
25	R 20236 R	(7222600-)	Bearing, stabilizing link (2 used) (Elec.)
	R 20236 R	(7300000-)	Bearing, stabilizing link (2 used) (C.E.)
26	AF 3422 R	(-7299999)	Springs, torsion, rubber, R.H. and L.H. (C.E.) (sub. AR20350R)
	AR 20350 R	(7300000-)	Springs, torsion, rubber, R.H. and L.H. (C.E.) (sub. AR39648 and AR39649)
	AR 20350 R	(7222600-)	Springs, torsion, rubber, R.H. and L.H. (Elec.) (sub. AR39648 and AR39649)
27	F 3294 R	(-7299999)	Bearing, flanged, rubber torsion spring, outer (2 used) (packed 2 in a pkg.) (sub. R20937R)
	R 20937 R	(7300000-)	Bearing, flanged, rubber torsion spring, outer (2 used) (packed 2 in a pkg.)
28	AF 3427 R	(-)	Handle, adjusting
29	34H 41	(-)	Pin, spring, 1/8" x 3/4" (2 used)
30	AF 3428 R	(-)	Bar, tie, with seat adjustment instructions

Parts listed below are an assembly of parts in this grouping.

AF 3276 R	(-7299999)	Seat, float-ride (C.E.) (sub. AR20349R)
AR 20349 R	(7300000-)	Seat, float-ride (C.E.)
AR 20215 R	(7222600-)	Seat, float-ride (Elec.)

POWERSHAFT
(Serial No. 7200000-)




POWERSHAFT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1815	(-)	Screw, cap, 1/2" x 1-1/4" (3 used)
2	F 262 R	(-)	Plate, lock (3 used)
3	F 2529 R	(-7305263)	Retainer, powershaft drive shaft bearing
	R 21121 R	(7305264-)	Retainer, powershaft drive shaft bearing
4	F 2530 R	(-7305263)	Shim (steel) (8 used)
	R 21122 R	(7305264-)	Shim (steel) (8 used)
5	F 2528 R	(-)	Nut, locking
6	JD 7688	(-)	Bearing
7	A 365 R	(-)	Snap ring
8	JD 7951	(-)	Bearing
9	AF 3478 R	(-)	Shaft, driven, and bevel pinion (16 teeth) with nut (sub. for F2527R)
10	F 2535 R	(-)	Shim (steel) (8 used)
11	405 R	(-)	Ball
12	D 993 R	(-)	Spring
13	A 4523 R	(-)	Spool, shifter shaft
14	A 552 R	(-)	Arm, shifter
15	26H 14	(-)	Key, Woodruff, 3/16" x 3/4"
16	B 387 R	(-)	Snap ring (packed 5 in a pkg.)
17	F 2542 R	(-)	Lever, shifter
18	11H 216	(-)	Pin, cotter, 3/16" x 1"
19	D 377 R	(-)	Spring
20	JD 8510	(-)	Bearing (2 used)
21	F 1337 R	(-)	Spacer
22	AF 2635 R	(-)	Gear, idler, with F2545R spider
23	26H 85	(-)	Key, Woodruff, 1/4" x 1"
24	F 2524 R	(-)	Gear, drive
25	F 1334 R	(-)	Snap ring
26	A 4514 R	(-)	Snap ring (2 used)
27	F 2541 R	(-)	Bearing, shifter shaft
28	11H 216	(-)	Pin, cotter, 3/16" x 1"
29	AF 2633 R	(-)	Shaft, shifter, with yoke
30A	(-7201804)	Wire, 16 gauge x 6" long
30B	R 1888 R	(7201805-)	Plate, lock (2 used)
31A	D 459 R	(-7201804)	Screw, cap, 3/8" x 1" (drilled) (2 used)
31B	19H 1731	(7201805-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
32	JD 7418	(-)	Cup, bearing (2 used)
33	JD 7395	(-)	Cone, with roller (2 used)
34	F 2533 R	(-)	Nut, special jam (2 used)
35	F 2534 R	(-)	Washer, locking
36	F 2538 R	(-)	Gear, sliding (29 teeth)
37	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (4 used)
38	F 262 R	(-)	Plate, lock (4 used) (sub. for F2220R)
39	F 2526 R	(-)	Quill, drive shaft
40	AF 3477 R	(-)	Shaft, drive, and bevel gear (20 teeth) with nut (sub. for F2525R)
41	A 2428 R	(-)	Coupling
42	F 2595 R	(-)	Shaft, coupling
43	16H 749	(-)	Rivet, R.I.O.H., 1/4" x 1-3/4"
44	AR 935 R	(-)	Coupling, with rivet

POWERSHAFT CLUTCH

(Serial No. 7200000-)




60101

POWERSHAFT CLUTCH -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2965 R	(-)	Powershaft
2	A 5344 R	(-)	Key, special square
3	JD 7424	(-)	Cup, bearing
4	JD 8100	(-)	Cone, with rollers
5	F 2966 R	(-)	Gear, powershaft
6	F 215 R	(-)	Snap ring (packed 2 in a pkg.)
7	JD 8128	(-)	Cone, with rollers
8	JD 7438	(-)	Cup, bearing
9	A 364 R	(-)	Snap ring
10	JD 7674	(-7210335)	Bearing
	JD 7675*	(7210336-)	Bearing
11	A 5743 R*	(7210336-)	Washer
12	F 2961 R	(-7210335)	Shaft, clutch, and gear (sub. one F3393R clutch shaft and gear and one A5743R washer)
	F 3393 R*	(7210336-)	Shaft, clutch, and gear
13	A 4705 R	(-)	Washer
14	R 1901 R	(-)	Spring (3 used)
15	A 4546 R	(-)	Spring (9 used)
16	A 4574 R	(-)	Disk, clutch cam
17	AF 2612 R	(-7210335)	Cam, clutch, with disk (sub. one AR20511R and two A4680R)
	AF 3597 R*	(7210336-7299999)	Cam, clutch, with disk (sub. AR20511R)
	AR 20511 R	(7300000-)	Cam, clutch, with disk
18	M 886 T	(-)	Ball (3 used) (sub. for A174R)
19	F 3395 R*	(7210336-)	Washer
20	R 34757 R	(7210336-)	Washer, 1-1/2" x 2-1/4" x 26 gauge (2 used)
21	A 562 R*	(7210336-)	Snap ring
22	AF 2768 R	(-)	Plate, brake, with facing
23	A 4680 R	(-7210335)	Shim, brake plate (4 used)
24	A 4605 R	(-7210335)	Plate, lock (3 used)
25	19H 1731	(-7210335)	Screw, cap, high-strength, 3/8" x 1" (3 used)
26	F 3048 R	(-7210335)	Collar, clutch (sub. F3397R)
	F 3397 R*	(7210336-)	Collar, clutch
27	A 4570 R	(-)	Shoe, clutch fork (2 used)
28	C 1246 R	(-)	Washer
29	B 3858 R	(-)	Fork, clutch (sub. for F2957R)
30	H 392 R	(-7203616)	Snap ring
	F 3366 R	(7203617-)	Ring, retaining
31	F 2958 R	(-7203616)	Shaft, clutch fork (sub. one F3365R and one F3366R retaining ring)
	F 3365 R	(7203617-)	Shaft, clutch fork
32	26H 14	(-)	Key, Woodruff, 3/16" x 3/4"
33	AR 613 R	(-)	Seal, oil
34A	(-7202281)	Wire, 16 gauge x 9" long (2 used)
34B	R 1888 R	(7202282-)	Plate, lock (4 used)
35A	A 4569 R	(-7202281)	Screw, cap, 3/8" x 1-3/4" (drilled) (2 used)
35B	19H 1765	(7202282-)	Screw, cap, high-strength, 3/8" x 1-3/4" (2 used)
36	A 4795 R	(-)	Bushing
37	AA 5247 R	(-)	Seal, oil
38A	D 459 R	(-7202281)	Screw, cap, 3/8" x 1" (drilled) (2 used)
38B	19H 1731	(7202282-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
39	AA 5666 R	(-)	Housing, A4793R, pump, with shaft and bushing
40	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
41	AA 5281 R	(-)	Gear, pump idler, with bushing
42	A 3909 R	(-)	Shaft, idler gear
43	JD 8514	(-)	Bearing
44	AF 2766 R	(-)	Drum, clutch, with shaft and bushing
45	A 4797 R	(-)	Bushing
46	A 4798 R	(-)	Washer, thrust
47	A 562 R	(-)	Snap ring
48	B 280 R	(-)	Washer
49	AR 1293 R	(-)	Plate, clutch, with facing (2 used) (packed 2 in a pkg.)
50	A 5145 R	(-)	Disk, clutch drive (12 used)
51	AR 1294 R	(-)	Disk, clutch, with facing (11 used)
52	F 2962 R	(-)	Spring (3 used)
53	A 4814 R	(-7210335)	Hub, clutch adjusting (sub. F3401R)
	F 3401 R*	(7210336-)	Hub, clutch adjusting
54	A 4817 R	(-)	Screw, special set
55	A 4816 R	(-)	Spring
56	16H 86	(-)	Rivet, R.I.O.H., 1/8" x 1/4"
57	F 3047 R	(-7210335)	Cam, clutch adjusting
	F 3398 R*	(7210336-)	Cam, clutch adjusting
Part listed below is not illustrated.			
	AF 3634 R	(-7210335)	Powershaft clutch conversion assembly (also order one F2166R decompression control rod link, one F3018R decompression control shaft, and one F3027R decompression control rod)

*Parts for 7200000-7210335 where AF3634R powershaft clutch conversion assembly has been installed.

POWERSHAFT CLUTCH COVER AND MASTER SHIELD
(Serial No. 7200000-)



POWERSHAFT CLUTCH COVER AND MASTER SHIELD -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AR 20482 R	(-)	Shield, master, powershaft (sub. for AF2686R)
2	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (4 used)
	12H 304	(-)	Washer, lock, 3/8" (4 used)
3	AF 2687 R	(-)	Bracket, master shield, with pins
4	R 26650 R	(-)	Pin, dowel (4 used) (sub. for A4879R)
5	F 1463 R	(-)	Spring (2 used)
6	F 1462 R	(-)	Pin (2 used)
7	34H 85	(-)	Pin, spring, 3/16" x 2" (2 used)
8	AA 5288 R	(-)	Guard, flipper, with hinges
9	A 3959 R	(-)	Pin, L.H.
10	F 711 R	(-)	Spring
11	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
12	A 4583 R	(-)	Pin, R.H.
13	F 2968 R	(-)	Gasket (packed 2 in a pkg.)
14	F 2969 R	(-)	Stud, 7/16" x 3-1/8" (3 used)
15	F 3396 R*	(7210336-)	Ring, retaining (3 used)
16	F 3392 R*	(7210336-)	Pin, powershaft brake plate (3 used)
17	AF 2610 R	(-7210335)	Cover, F2960R, clutch, with pins
	AF 3636 R*	(7210336-)	Cover, F3391R, clutch, with pins and guide
18	A 3439 R	(-7210335)	Washer (aluminum) (packed 10 in a pkg.)
19	19H 2346	(-7210335)	Screw, cap, 7/16" x 1/2"
20	12H 293	(-)	Washer, lock, 7/16" (3 used)
21	14H 813	(-)	Nut, 7/16" (3 used)
22	F 3403 R*	(7210336-)	Guide, adjustment indicator
23	F 3402 R*	(7210336-)	Indicator, clutch adjustment
24	A 3098 R*	(7210336-)	Washer (aluminum) (packed 5 in a pkg.)
25	F 3431 R*	(7210336-)	Nut, cap
26	F 2964 R	(-7210335)	Gasket (packed 2 in a pkg.) (sub. F3400R)
	F 3400 R*	(7210336-)	Gasket
27	F 2963 R	(-7210335)	Cover, bearing (sub. one F3399R cover and one F3400R gasket)
	F 3399 R*	(7210336-)	Cover, bearing
28	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
29	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
30	F 2967 R	(-)	Housing, oil seal
31	F 1459 R	(-)	Shim (paper) (8 used) (packed 10 in a pkg.)
	F 1461 R	(-)	Shim (steel) (2 used)
32	AA 2296 R	(-)	Seal, oil
33	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1/2"
34	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
35	19H 2106	(-)	Screw, cap, high-strength, 7/16" x 2-3/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
36	19H 2347	(-)	Screw, cap, high-strength, 7/16" x 3" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (3 used)
37	H 851 R	(-)	Washer (aluminum)
38	R 1768 R	(-)	Plug, filler
39	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)


Part listed below is not illustrated.

AF 3634 R	(-7210335)	Powershaft clutch conversion assembly (also order one F2166R decompression control rod link, one F3018R decompression control shaft, and one F3027R decompression control rod)
-----------	--------------	--

*Parts for 7200000-7210335 when AF3634R powershaft clutch conversion assembly has been installed.

POWERSHAFT CLUTCH CONTROL

(Serial No. 7200000-)



60102

Key	Part No.	Serial No.	Description
1	AF 2703 R	(-7210335)	Pedal, F2596R, clutch, with bushing
2	R 776 R	(-7210335)	Bushing
3	24H 1359	(-)	Washer, 5/8" x 7/8" x .060"
4	D 993 R*	(7210336-)	Spring
5	F 2597 R	(-)	Nut, special
6	F 3407 R*	(7210336-)	Pin, clutch pedal pivot
7	AF 3404R	(7210336-)	Pedal, F3404R, clutch, with pin (sub. for AF3649R)
8	F 3406 R*	(7210336-)	Pin
9	AF 3599 R*	(7210336-)	Pedal, F3405R, brake, with bushing
10	R 776 R*	(7210336-)	Bushing
11	AF 3600 R*	(7210336-)	Latch, brake, with set screw and nut (sub. for F3408R)
12	22H 797*	(7210336-)	Screw, set, 3/8" x 1"
13	13H 213*	(7210336-)	Nut, 3/8"
14	D 2031 R	(-)	Bolt, pivot
15	11H 236	(-)	Pin, cotter, 1/8" x 1"
16	F 2598 R	(-)	Rod, clutch operating (except Hi-Crop)
	F 2599 R	(-)	Rod, clutch operating (Hi-Crop)
17	14H 261	(-)	Nut, 9/16" (sub. for A5770R)
18	C 393 R	(-)	Yoke
19	11H 235	(-)	Pin, cotter, 1/8" x 1"
20	D 1994 R	(-)	Pin (packed 5 in a pkg.)
21	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4"
	12H 293	(-)	Washer, lock, 7/16"
22	F 2959 R	(-)	Arm, clutch fork shaft


Part 18, 19, 20, 21, 22 is not illustrated.

AF 3634 R (-7210335)

Powershaft clutch conversion assembly (also order one F2166R decompression control rod link, one F3018R decompression control shaft, and one F3027R decompression control rod)


Order for 7200000-7210335 where AF3634R powershaft clutch conversion assembly has been installed.

MEMORANDA

POWERSHAFT HOUSING AND COVERS
(Serial No. 7200000-)

POWERSHAFT HOUSING AND COVERS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2567 R	(-)	Plug
2	AF 3338 R	(-)	Housing, F2665R, powershaft, with plugs and studs
3	A 3103 R	(-)	Gasket (packed 5 in a pkg.)
4	A 4248 R	(-)	Cover
5	19H 2021	(-)	Screw, cap, high-strength, 3/8" x 5/8" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
6	F 2896 R	(-)	Stud, 5/8" x 2-3/4" (3 used)
7	14H 760	(-)	Nut, 5/8" (3 used) (sub. for A5772R)
8	A 3256 R	(-)	Plug (3 used)
9	F 3128 R	(-)	Plug
10	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (12 used)
11	R 21113 R	(-)	Gasket (sub. for F2883R)
12	F 2886 R	(-7214899)	Cover, powershaft clutch adjusting (sub. one F3584R and one 19H1924)
	F 3584 R	(7214900-)	Cover, powershaft clutch adjusting
13	12H 293	(-)	Washer, lock, 7/16" (2 used)
14	14H 813	(-)	Nut, 7/16" (2 used)
15	F 2567 R	(-)	Plug (tractors without powershaft)
16	19H 1822	(-7214899)	Screw, cap, high-strength, 7/16" x 1"
	19H 1924	(7214900-)	Screw, cap, 7/16" x 3/4"
	12H 293	(-)	Washer, lock, 7/16"
17	F 2884 R	(-7214899)	Stud, 7/16" x 1-1/2" (2 used) (sub. for F3585R)
	F 3585 R	(7214900-)	Stud, 7/16" x 1-5/16" (2 used)
18	H 356 R	(-)	Washer (aluminum)
19	F 2895 R	(-)	Plug, drain
	R 21095 R	(-)	Plug, drain (use with special rice field drawbar)
20	R 229 R	(-)	Washer (aluminum)
21	R 228 R	(-)	Plug, drain
22	F 2968 R	(-)	Gasket (packed 2 in a pkg.)
23	F 2885 R	(-)	Cover (tractors without powershaft)
24	A 3439 R	(-)	Washer (aluminum) (3 used) (packed 10 in a pkg.)
25	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (3 used)
26	F 2881 R	(-)	Gasket (packed 2 in a pkg.)
27	19H 1822	(-)	Screw, cap, high-strength, 7/16" x 1" (8 used)
	12H 12	(-)	Washer, lock, 7/16" (8 used)
28	F 2887 R	(-)	Cover (tractors without remote cylinder control valve)
29	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (5 used)
	12H 293	(-)	Washer, lock, 7/16" (5 used)


ROCKSHAFT AND POWERSHAFT HOUSING, WITH BUSHINGS, OIL SEALS, AND PLUGS
(Serial No. 7200000-)

NOTE: See pages 70-4 and 70-5 for balance of rockshaft and powershaft housing

**ROCKSHAFT AND POWERSHAFT HOUSING, WITH BUSHINGS, OIL SEALS,
AND PLUGS -- Continued**
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AB 4462 R	(-)	Seal, oil
2	F 2563 R	(-)	Bushing, L.H.
3	AF 3193 R	(-)	Housing, F2560R, rockshaft and powershaft, with bushings and plugs (on serial no. 7200000-7200625 furnish one A3606R, O-ring and one AF3442R pressure tube)
4	F 2564 R	(-)	Bushing, center
5	F 2896 R	(-)	Stud, 5/8" x 2-3/4" (3 used)
6	A 5772 R	(-)	Nut, special (3 used) (packed 25 in a pkg.) (sub. 14H760)
7	F 2888 R	(-)	Plug, dashpot retainer bore (tractors without load control) (never used)
8	A 3256 R	(-)	Plug
9	15H 564	(-)	Plug, pipe, 3/4"
10	F 2543 R	(-)	Gasket (packed 2 in a pkg.)
11	AF 2642 R	(-)	Sleeve, rockshaft, with bushing
12	AF 2643 R	(-)	Seal, oil
13	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used)
14	AF 2907 R	(-)	Seal, oil
15	19H 1815	(-)	Screw, cap, high-strength, 1/2" x 1-1/4" (12 used)
16	F 2567 R	(-)	Plug, powershaft clutch fork shaft bore (tractors without powershaft)
17	H 356 R	(-)	Washer (aluminum)
18	F 2895 R	(-)	Plug, drain
	R 21095 R	(-)	Plug, drain (use with special rice field drawbar)
19	R 228 R	(-)	Plug, drain
20	R 229 R	(-)	Washer (aluminum)
21	JD 7759	(-)	Fitting, grease, straight, 1/8" (2 used) (tractors with load control)
22	AF 3099 R	(-)	Bushings, load control yoke shaft (tractors with load control)
23	A 3910 R	(-)	Plug (2 used)
24	F 2931 R	(-)	Plug (tractors without load control)
25	A 4808 R	(-)	Washer (aluminum)
26A	A 4806 R	(-7299999)	Plug
26B	R 20413 R	(7300000-)	Plug

ROCKSHAFT AND POWERSHAFT HOUSING, WITH COVERS AND VALVES (Serial No. 7200000-)




NOTE: See pages 70-2 and 70-3 for balance of rockshaft and powershaft housing.

ROCKSHAFT AND POWERSHAFT HOUSING, WITH COVERS, AND VALVES -- Continued (Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 2909 R	(-)	Plug, with dip stick
2	F 2894 R	(-)	Gasket (packed 2 in a pkg.)
3	19H 1740	(-)	Screw, cap, high-strength, 7/16" x 1-3/4" (4 used)
	12H 293	(-)	Washer, lock, 7/16" (4 used)
4	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4"
	12H 293	(-)	Washer, lock, 7/16"
5	19H 1734	(-)	Screw, cap, high-strength, 5/8" x 2" (2 used)
6	19H 474	(-)	Screw, cap, high-strength, 1/2" x 1-7/8" (2 used)
7	F 2582 R	(-)	Cover
8	F 2583 R	(-)	Gasket (packed 2 in a pkg.)
9	AF 3193 R	(-)	Housing, F2560R, rockshaft and powershaft with bushings and plugs (on serial no. 7200000-7200625 furnish one A3606R, O-ring and one AF3442R pressure tube)
10	F 2579 R	(-)	Shaft, rockshaft throttle valve
11	F 2578 R	(-)	Valve, rockshaft throttle
12	F 2580 R	(-)	Spring, rockshaft throttle valve
13	D 465 R	(-)	Gasket (packed 2 in a pkg.)
14	F 2581 R	(-)	Plug, rockshaft throttle valve
15	A 5364 R	(-)	Washer (aluminum) (2 used) (packed 5 in a pkg.)
16	B 427 R	(-)	Nut, cap
17	14H 732	(-)	Nut, jam, 3/8"
18	12H 293	(-)	Washer, lock, 7/16" (2 used)
19	14H 813	(-)	Nut, 7/16" (2 used)
20	19H 1822	(-7214899)	Screw, cap, high-strength, 7/16" x 1"
	19H 1924	(7214900-)	Screw, cap, high-strength, 7/16" x 3/4"
	12H 293	(-)	Washer, lock, 7/16"
21	F 2886 R	(-7214899)	Cover, powershaft clutch adjusting (sub. one F3584R and one 19H1924)
	F 3584 R	(7214900-)	Cover, powershaft clutch adjusting
22	R 21113 R	(-)	Gasket (sub. for F2883R)
23	F 2884 R	(-7214899)	Stud, 7/16" x 1-1/2" (2 used)
	F 3585 R	(7214900-)	Stud, 7/16" x 1-5/16" (2 used) (sub. F2884R)
24	F 2969 R	(-)	Stud, 7/16" x 3-1/8" (3 used) (tractors with powershaft)
25	F 2968 R	(-)	Gasket (packed 2 in a pkg.)
26	F 2885 R	(-)	Cover (tractors without powershaft)
27	12H 293	(-)	Washer, lock, 7/16" (3 used) (tractors without powershaft)
28	14H 813	(-)	Nut, 7/16" (3 used) (tractors without powershaft)
29	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (5 used)
	12H 293	(-)	Washer, lock, 7/16" (5 used)
30	F 2881 R	(-)	Gasket (packed 2 in a pkg.)
31	R 1791 R	(-)	Seat, relief valve (tractors with rockshaft only)
32	F 2841 R	(-)	Ball, relief valve (tractors with rockshaft only)
33	F 2842 R	(-)	Guide, relief valve spring (tractors with rockshaft only)
34	F 2843 R	(-)	Spring, relief valve (tractors with rockshaft only)
35	R 1820 R	(-)	Washer (6 used) (tractors with rockshaft only) (sub. ten R1820R and one 24H1303)
36	H 851 R	(-)	Washer (aluminum) (tractors with rockshaft only)
37	R 1824 R	(-)	Plug (tractors with rockshaft only)
38	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4" (8 used) (tractors with rockshaft only)
	12H 293	(-)	Washer, lock, 7/16" (8 used) (tractors with rockshaft only)
39	AF 2893 R	(-)	Housing, F2880R, relief valve, with seat (tractors with rockshaft only)
40	R 495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
41	19H 1978	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (3 used) (tractors without powershaft)
42	A 3439 R	(-)	Washer (aluminum) (3 used) (tractors without powershaft)
43	M 3210 T	(-)	Stud, 5/8" x 2-1/2" (2 used) (sub. for B1333R)
44	12H 294	(-)	Washer, lock, 5/8" (2 used)
45	14H 760	(-)	Nut, special (2 used) (packed 25 in a pkg.) (sub. for A5772R)
46	F 2918 R	(-)	Bracket, rockshaft return spring (tractors without hitch)
47	F 2858 R	(-)	Gasket (packed 5 in a pkg.)
48	F 2879 R	(-)	Cover, load control shaft opening (tractors with rockshaft only)
49	19H 1139	(-)	Screw, cap, high-strength, 3/8" x 1-1/8" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)

ROCKSHAFT, ROCKSHAFT PISTON, AND LIFT ARMS (Serial No. 7200000-)




50722

ROCKSHAFT, ROCKSHAFT PISTON, AND LIFT ARMS -- Continued (Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	AF 2862 R	(-)	Bushing (pkg. of 2) (2 pkgs. used)
2	B 568 R	(-)	Screw, cap (general-purpose) (sub. for 19H1863 and 19H1477)
	19H 1890	(-)	Screw, cap, 5/8" x 2-3/4" (standard)
3	19H 1347	(-)	Screw, cap, 3/4" x 1-5/8" (2 used)
4	F 3607 R	(-)	Washer (2 used) (sub. for F2646R)
5	AF 3341 R	(-)	Arm, F2642R or F3271R, lift, with bushings, L.H. (general-purpose)
	AF 3343 R	(-)	Arm, F2644R or F3273R, lift, with bushings, L.H. (standard)
6	F 2568 R	(-)	Rockshaft
7	AF 3340 R	(-)	Arm, F2641R or F3270R, lift, with bushings, R.H. (general-purpose)
	AF 3342 R	(-)	Arm, F2643R or F3272R, lift, with bushings, R.H. (standard)
8	JD 7760	(-)	Fitting, grease, 67-1/2°, 1/8" (2 used)
9	B 139 R	(-)	Snap ring (2 used)
10	F 2569 R	(-7308312)	Arm, rockshaft crank (sub. R21346R)
	R 21346 R	(7308313-)	Arm, rockshaft crank
11	34H 169	(-7308312)	Pin, spring, 3/16" x 2-1/4"
	34H 110	(7308313-)	Pin, spring, 1/4" x 2-1/4"
12	F 2570 R	(-)	Rod, rockshaft piston
13	F 2575 R	(-7299999)	Piston, rockshaft (sub. AR21173R)
	R 20047 R	(7300000-7303841)	Piston, rockshaft (sub. AR21173R)
	AR 21173 R	(7303842-)	Piston, R21047R, rockshaft
14	F 2577 R	(-)	Washer, packing
15	F 2576 R	(-)	Packing O-ring
16	F 2574 R	(-)	Snap ring
17	F 2572 R	(-)	Cylinder, rockshaft
18	F 2573 R	(-)	Packing, O-ring
19	F 2897 R	(-)	Spring, rockshaft return
20	F 2647 R	(-)	Spacer, 1-1/2" O.D. x 17/32" (used with F2642R)
	F 3274 R	(-)	Spacer, 1-1/2" O.D. x 21/32" Thick (used with F3271R)
21	12H 294	(-)	Washer, lock, 5/8"
22	14H 760	(-)	Nut, special (packed 25 in a pkg.) (sub. for A5772R)

ROCKSHAFT VALVE HOUSING
(Serial No. 7200000-)




ROCKSHAFT VALVE HOUSING -- Continued (Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2662 R	(-)	Pin, rockshaft valve
2	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
3	F 2761 R	(-)	Valve, rockshaft
4	15H 559	(-)	Plug, pipe, 1/4" (2 used)
5	AF 2606 R	(-)	Housing, F2760R, rockshaft valve
6	A 3910 R	(-)	Plug
7	H 826 R	(-)	Pin, dowel, rockshaft valve return spring
8	F 2772 R	(-)	Ball, relief valve
9	F 2842 R	(-)	Guide, relief valve spring
10	F 2773 R	(-)	Spring, relief valve
11	F 2774 R	(-)	Screw, special, relief valve adjusting
12	F 2771 R	(-)	Gasket (packed 2 in a pkg.)
13	F 2770 R	(-)	Cover
14	R 1888 R	(-)	Plate, lock (3 used)
15	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (3 used)
16	A 4730 R	(-)	Packing, O-ring (packed 5 in a pkg.)
17	A 655 R	(-)	Spring, bypass valve
18	F 2769 R	(-)	Valve, bypass
19	F 2775 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
20	(-)	Wire, 16 gauge x 15" long
21	R 310 R	(-)	Screw, special cap
22	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (4 used)
23	A 4605 R	(-)	Plate, lock (4 used)
24	F 2764 R	(-)	Rod, push, check valve
25	F 2763 R	(-)	Valve, check
26	F 3219 R	(-)	Screw, adjusting, check valve
27	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
28	F 3220 R	(-)	Nut, lock
29	F 3221 R	(-)	Spring check valve
30	H 851 R	(-)	Washer
31	F 3222 R	(-)	Plug
32	F 2762 R	(-)	Spring, rockshaft valve return
33	R 495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
34	F 2776 R	(-)	Gasket (packed 2 in a pkg.)

ROCKSHAFT CONTROL LINKAGE
(Serial No. 7200000-)

ROCKSHAFT CONTROL LINKAGE -- Continued (Serial No. 720000-)


Key	Part No.	Serial No.	Description
1	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (2 used)
2	R 1888 R	(-)	Plate, lock (4 used)
3	24H 1304	(-)	Washer, 13/32" x 23/32" x .120" (2 used) (sub. for R1870R)
4	A 4739 R	(-)	Snap ring (12 used) (sub. for R5834R)
5	F 2651 R	(-)	Link (4 used)
6	11H 211	(-)	Pin, cotter, 1/8" x 3/4" (2 used)
7	F 2653 R	(-)	Pin (2 used)
8	F 339 R	(-)	Pin, dowel (tractors without load control)
9	F 2650 R	(-)	Lever, linkage
10	F 2654 R	(-)	Pin (5 used)
11	F 2660 R	(-)	Pin, pivot, rockshaft operating lever
12	B 1914 R	(-)	Screw, special set
13	(-)	Wire, 16 gauge x 9" long
14	F 2655 R	(-)	Ring, rockshaft operating
15	F 2656 R	(-)	Link (2 used)
16	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R)
	12H 304	(-)	Washer, lock, 3/8"
17	AF 3576 R	(-)	Arm, rockshaft operating shaft (sub. for F2659R)
18	26H 14	(-)	Key, Woodruff, 3/16" x 3/4" (2 used)
19	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for F2273R)
	12H 304	(-)	Washer, lock, 3/8"
20	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
21	F 2662 R	(-)	Pin, rockshaft valve
22	F 2661 R	(-)	Arm, rockshaft valve
23	F 2658 R	(-)	Shaft, rockshaft operating
24	F 2657 R	(-)	Lever, rockshaft operating
25	F 2652 R	(-)	Link (2 used)
26	A 4739 R	(-)	Snap ring (2 used) (tractors with load control) (sub. for A5834R)
27	F 2914 R	(-)	Pin (tractors with load control)
28	19H 1805	(-)	Screw, cap, high-strength, 1/2" x 2-1/4" (tractors with load control)
29	F 262 R	(-)	Plate, lock (tractors with load control)
30	F 2900 R	(-)	Arm, load control (tractors with load control)
31	26H 89	(-)	Key, Woodruff, 1/4" x 1-1/8" (tractors with load control)
32	F 2899 R	(-)	Shaft, load control yoke (tractors with load control)
33	AR 20149 R	(-)	Seal, oil (tractors with load control) (sub. for AF2788R)
34A	AF 3434 R	(-7214899)	Shaft, rockshaft control, with arm
	AF 3809 R	(7214900-7299999)	Shaft, rockshaft control, with arm
34B	AR 20552 R	(7300000-)	Shaft, rockshaft control, with arm
35	F 2856 R	(-)	Support, rockshaft control plate
36	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (sub. for A2273R) (2 used)
37	F 3336 R	(-)	Ring, retaining
38	F 2853 R	(-)	Disk, rockshaft control
39	AF 2904 R	(-)	Plate, rockshaft control, with facing
40	F 2857 R	(-)	Arm, rockshaft control
41	28H 1669	(7300000-)	Spacer
42	24H 1325	(7300000-)	Washer, 15/32" x 59/64" x .060" (2 used)
43	F 2854 R	(-)	Spring
44	R 20634 R	(7300000-)	Screw, special cap
45	F 2855 R	(-7299999)	Nut, special lock

RIGHT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS
(Serial No. 7200000-)

RIGHT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	3H 1463	(-)	Bolt, cge., 3/8" x 3/4" (3 used)
	12H 304	(-)	Washer, lock, 3/8" (3 used)
2	14H 812	(-)	Nut, 3/8" (3 used)
3	AF 3015 R	(-7214899)	Quadrant, rockshaft control, inner, with support
	AF 3806 R	(7214900-)	Quadrant, rockshaft control, inner, with support
4	F 2869 R	(-)	Spacer, rockshaft control quadrant (2 used)
5	F 2861 R	(-)	Ball, rockshaft control lever
6A	AF 3052 R	(-7214899)	Lever, rockshaft control, with pivot pin
6B	AF 3807 R	(7214900-7299999)	Lever, rockshaft control, with pivot pin
	AR 20847 R	(7300000-)	Lever, rockshaft control, with pivot pin
7	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
8A	F 2864 R	(-7214899)	Rod, rockshaft control
8B	F 3597 R	(7214900-)	Rod, rockshaft control
9	24H 156	(-7214899)	Washer, 13/32" x 11/16" x 16 gauge
10	14H 774	(-)	Nut, jam, 3/8"
11	L 324 T	(-)	Yoke, rockshaft control rod (sub. for F2865R)
12	C 1067 R	(-)	Pin
13	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
14	37H 7	(-)	Screw, self-tapping (tractors with rockshaft only)
15	F 2208 R	(7214900-)	Ring, retaining
16	JD 7806	(-)	Fitting, grease, 90°, 1/4"
17	F 2863 R	(-)	Ring, retaining
18	F 2867 R	(-7214899)	Quadrant, rockshaft control, outer
	F 3592 R	(7214900-)	Quadrant, rockshaft control, outer
19	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
20	F 2870 R	(-)	Screw, special
21	R 21112 R	(-)	Knob, rockshaft control lever stop (sub. for F2871R)
22	14H 785	(-)	Nut, 5/16" (2 used)
23	3H 1544	(-)	Bolt, cge., 5/16" x 1-1/4" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
24	F 2948 R	(-)	Grip
25	AF 3060 R	(-7299999)	Lever, remote cylinder control, inner (for use with remote cylinder single and dual control valve)
	AR 20848 R	(7300000-)	Lever, remote cylinder control, inner (for use with remote cylinder single and dual control valve)
26	JD 7806	(-)	Fitting, grease, 90°, 1/4" (for use with remote cylinder dual control valve)
27	A 3126 R	(-)	Pin (1 used with single control valve, 2 used with dual control valve)
28	11H 206	(-)	Pin, cotter, 3/32" x 3/4" (1 used with single control valve, 2 used with dual control valve)
29	F 2878 R	(-)	Yoke (1 used with single control valve, 2 used with dual control valve)
30	14H 732	(-)	Nut, jam, 3/8" (1 used with single control valve, 2 used with dual control valve)
31	F 2877 R	(-)	Rod, remote cylinder operating (1 used with single control valve, 2 used with dual control valve)
32	AF 3065 R	(-7299999)	Lever, remote cylinder control, outer (for use with remote cylinder dual control valve)
	AR 20849 R	(7300000-)	Lever, remote cylinder control, outer (for use with remote cylinder dual control valve)
33	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
34	F 2862 R	(-7214899)	Bracket, rockshaft control lever (sub. F3598R)
	F 3598 R	(7214900-)	Bracket, rockshaft control lever
35	F 2950 R	(-)	Support, control lever (standard tractors less rockshaft)
36	11H 236	(-)	Pin, cotter, 1/8" x 1" (standard tractors less rockshaft)
37	F 2951 R	(-)	Pin, pivot (standard tractors less rockshaft)
38	JD 7806	(-)	Fitting, grease, 90°, 1/4" (standard tractors less rockshaft)
39	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used) (standard tractors less rockshaft)
	12H 293	(-)	Washer, lock, 7/16" (2 used) (standard tractors less rockshaft)

LEFT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS (C.E.)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	19H 1765	(-)	Screw, cap, high-strength, 3/8" x 1-3/4" (for use with remote cylinder dual control valve)
2	AR 20891 R	(-)	Arm, remote cylinder control shaft, with pin, L.H. (for use with remote cylinder dual control valve)
3	12H 304	(-)	Washer, lock, 3/8" (for use with remote cylinder dual control valve)
4	14H 812	(-)	Nut, 3/8" (for use with remote cylinder dual control valve)
5	19H 980	(-)	Screw, cap, 3/8" x 2" (2 used) (for use with remote cylinder single and dual control valve)
6	AR 20889 R	(-)	Arm, remote cylinder control tube, with pin, L.H. (2 used) (for use with remote cylinder single and dual control valve)
7	12H 304	(-)	Washer, lock, 3/8" (2 used) (for use with remote cylinder single and dual control valve)
8	14H 812	(-)	Nut, 3/8" (2 used) (for use with remote cylinder single and dual control valve)
9	JD 7806	(-)	Fitting, grease, 90°, 1/4" (tractors without L.H. rockshaft control lever)
10	F 2863 R	(-)	Ring, retaining (2 used)
11	AF 3065 R	(-7299999)	Lever, remote cylinder control, outer (for use with remote cylinder dual control valve)
	AR 20849 R	(7300000-)	Lever, remote cylinder control, outer (for use with remote cylinder dual control valve)
12	F 2948 R	(-)	Grip
13	JD 7806	(-)	Fitting, grease, 90°, 1/4" (for use with remote cylinder dual control valve)


LEFT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS (C.E.) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
14	AF 3060 R	(-7299999)	Lever, remote cylinder control, inner (for use with remote cylinder single and dual control valve)
	AR 20848 R	(7300000-)	Lever, remote cylinder control, inner (for use with remote cylinder single and dual control valve)
15	F 2783 R	(-)	Washer (2 used)
16	R 20779 R	(-)	Pin, remote cylinder control lever pivot
17	R 20780 R	(-)	Bushing, remote cylinder control lever pivot pin (tractors without L.H. rockshaft control lever)
18	16H 1327	(-)	Rivet, countersunk, 3/8" x 1" (2 used)
19	F 2861 R	(-)	Ball, rockshaft control lever
20	R 20764 R	(-)	Lever, rockshaft control, L.H.
21	AR 20885 R	(-)	Plate, rockshaft control lever, with hub, L.H.
22	19H 2253	(-)	Screw, cap, high-strength, 7/16" x 3-1/2"
	12H 293	(-)	Washer, lock, 7/16"
23	JD 7759	(-)	Fitting, grease, straight, 1/8"
24	19H 2347	(-)	Screw, cap, high-strength, 7/16" x 3"
	12H 293	(-)	Washer, lock, 7/16"
25	R 20415 R	(-)	Arm, remote cylinder transport
26	F 2863 R	(-)	Ring, retaining (tractors equipped with powershaft and powr-trol only)
27	19H 1974	(-)	Screw, cap, high-strength, 1/2" x 2-3/4" (4 used) (tractors equipped with powershaft and powr-trol only)
28	R 1801 R	(-)	Spacer (2 used) (tractors equipped with powershaft and powr-trol only)
29	AR 20914 R	(-)	Support, remote cylinder control lever, L.H. (tractors equipped with powershaft and powr-trol only)
30	A 602 R	(-)	Snap ring
31	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (6 used) (sub. for F2272R)
32	AR 20888 R	(-)	Bracket, remote cylinder control tube, with bearing (2 used)
33	12H 304	(-)	Washer, lock, 3/8" (6 used)
34	14H 812	(-)	Nut, 3/8" (6 used)
35	JD 7797	(-)	Fitting, grease, straight, 1/4" (2 used) (for use with remote cylinder dual control valve)
36	AR 20890 R	(-)	Shaft, remote cylinder control, with arm, L.H. (for use with remote cylinder dual control valve)
37	26H 17	(-)	Key, Woodruff, 3/16" x 7/8" (for use with remote cylinder dual control valve)
38	F 2208 R	(-)	Ring, retaining (2 used with single control valve, 4 used with dual control valve)
39	R 20777 R	(-)	Connector (1 used with single control valve, 2 used with dual control valve)
40	R 271 R	(-)	Snap ring (2 used) (for use with remote cylinder single and dual control valve)
41	R 1678 R	(-)	Key, special (2 used) (for use with remote cylinder single and dual control valve)
42	R 20772 R	(-)	Tube, remote cylinder control, R.H. (for use with remote cylinder single and dual control valve)
43	AR 20552 R*	(7300000-)	Shaft, rockshaft control, with arm
44	A 4808 R	(-)	Washer (aluminum)
45	R 20769 R	(-)	Bushing, rockshaft control sleeve
46	R 460 R	(-)	Packing, O-ring (packed 2 in a pkg.)
47	AR 20886 R	(-)	Sleeve, rockshaft control shaft with arm, L.H.
48	F 2208 R	(-)	Ring, retaining
49	F 3597 R	(-)	Rod, rockshaft control
50	14H 774	(-)	Nut, jam, 3/8"
51	L 324 T	(-)	Yoke (sub. for F2865R)
52	C 1067 R	(-)	Pin
53	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
54	R 20770 R	(-)	Packing
55	F 2742 R	(-)	Washer (2 used)
56	F 2854 R	(-)	Spring
57	R 20771 R	(-)	Screw, special cap
58	F 2878 R	(-)	Yoke (1 used with single control valve, 2 used with dual control valve)
59	A 3126 R	(-)	Pin, (1 used with single control valve, 2 used with dual control valve)
60	11H 206	(-)	Pin, cotter, 3/32" x 3/4" (1 used with single control valve, 2 used with dual control valve)
61	14H 732	(-)	Nut, jam, 3/8" (1 used with single control valve, 2 used with dual control valve)
62	R 20776 R	(-)	Rod, remote cylinder operating (for use with remote cylinder single and dual control valve)
63	R 20785 R	(-)	Rod, remote cylinder operating (for use with remote cylinder dual control valve)
64	24H 1227	(-)	Washer, 17/32" x 13/16" x .060" (4 used) (for use with remote cylinder single and dual control valve)
65	R 1801 R	(-)	Spacer (for use with remote cylinder dual control valve)

*Parts for 7200000-7299999 where left-hand rockshaft control has been installed.

LEFT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS (Elec.)

(Serial No. 7222600-)



Key	Part No.	Serial No.	Description
1	JD 7806	(-)	Fitting, grease, 90°, 1/4" (tractors without L.H. rockshaft control lever)
2	F 2863 R	(-)	Ring, retaining (2 used)
3	F 2948 R	(-)	Grip
4	AR 21166 R	(-)	Lever, remote cylinder control, outer (for use with remote cylinder dual control valve)
5	F 2208 R	(-)	Ring, retaining (2 used with single control valve, 4 used with dual control valve)
6	R 20800 R	(-)	Connector (1 used with single control valve, 2 used with dual control valve)
7	JD 7806	(-)	Fitting, grease, 90°, 1/4" (2 used) (for use with remote cylinder dual control valve)
8	AR 20913 R	(-)	Shaft, remote cylinder control, with arm, L.H. (for use with remote cylinder dual control valve)
9	26H 17	(-)	Key, Woodruff, 3/16" x 7/8" (for use with remote cylinder dual control valve)
10	AR 21165 R	(-)	Lever, remote cylinder control, inner (for use with remote cylinder single and dual control valve)
11	R 20804 R	(-)	Bushing
12	F 2783 R	(-)	Washer (4 used)
13	R 20803 R	(-)	Pin, remote cylinder control lever pivot
14	R 20805 R	(-)	Bushing, remote cylinder control lever pivot (tractors without L.H. rockshaft control lever)

LEFT-HAND ROCKSHAFT AND REMOTE CYLINDER CONTROLS (Elec.) -- Continued
(Serial No. 7222600-)


Key	Part No.	Serial No.	Description
15	19H 980	(-)	Screw, cap, 3/8" x 2" (2 used) (for use with remote cylinder single and dual control valve)
16	AR 20899 R	(-)	Arm, remote cylinder control tube, with pin, L.H. (for use with remote cylinder single and dual control valve)
17	12H 304	(-)	Washer, lock, 3/8" (2 used) (for use with remote cylinder single and dual control valve)
18	14H 812	(-)	Nut, 3/8" (2 used) (for use with remote cylinder single and dual control valve)
19	F 2861 R	(-)	Ball, rockshaft control lever
20	AR 20907 R	(-)	Lever, rockshaft control, L.H.
21	A 242 R	(-)	Washer
22	19H 2253	(-)	Screw, cap, high-strength, 7/16" x 3-1/2"
	19H 293	(-)	Washer, lock, 7/16"
23	JD 7777	(-)	Fitting, grease, 105°, 1/8"
24	19H 2347	(-)	Screw, cap, high-strength, 7/16" x 3"
	19H 293	(-)	Washer, lock, 7/16"
25	R 20415 R	(-)	Arm, remote cylinder transport
26	F 2863 R	(-)	Ring, retaining (tractors equipped with powershaft and powr-trol only)
27	19H 1974	(-)	Screw, cap, high-strength, 1/2" x 2-3/4" (4 used) (tractors equipped with powershaft and powr-trol only)
28	R 1801 R	(-)	Spacer (2 used) (tractors equipped with powershaft and powr-trol only)
29	AR 20914 R	(-)	Support, remote cylinder control lever, L.H. (tractors equipped with powershaft and powr-trol only)
30	R 271 R	(-)	Snap ring (for use with remote cylinder single and dual control valve)
31	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (4 used)
32	AR 20911 R	(-)	Bracket, remote cylinder control tube, with bearing (2 used)
33	12H 304	(-)	Washer, lock, 3/8" (4 used)
34	14H 812	(-)	Nut, 3/8" (4 used)
35	R 1678 R	(-)	Key, special (2 used) (for use with remote cylinder single and dual control valve)
36	R 20797 R	(-)	Tube, remote cylinder control lever, L.H. (for use with remote cylinder single and dual control valve)
37	24H 1292	(-)	Washer, 11/32" x 3/4" x .120" (2 used with single control valve, 4 used with dual control valve)
38	R 20799 R	(-)	Arm, remote cylinder control tube, R.H. (for use with remote cylinder single and dual control valve)
39	11H 236	(-)	Pin, cotter, 1/8" x 1" (1 used with single control valve, 2 used with dual control valve)
40	H 858 R	(-)	Pin (1 used with single control valve, 2 used with dual control valve)
41	R 20809 R	(-)	Arm, remote cylinder control shaft, R.H. (for use with remote cylinder dual control valve)
42	14H 812	(-)	Nut, 3/8" (for use with dual control valve)
43	12H 304	(-)	Washer, lock, 3/8" (for use with remote cylinder dual control valve)
44	19H 1765	(-)	Screw, cap, high-strength, 3/8" x 1-3/4" (for use with remote cylinder dual control valve)
45	F 2878 R	(-)	Yoke (1 used with single control valve, 2 used with dual control valve)
46	14H 732	(-)	Nut, jam, 3/8" (1 used with single control valve, 2 used with dual control valve)
47	R 20801 R	(-)	Rod, remote cylinder operating (1 used with single control valve, 2 used with dual control valve)
48	R 20802 R	(-)	Connector (1 used with single control valve, 2 used with dual control valve) (tractors equipped with R.H. remote cylinder control levers)
49	A 602 R	(-)	Snap ring (2 used)
50	AR 20552 R*	(7300000-)	Shaft, rockshaft control, with arm
51	A 4808 R	(-)	Washer (aluminum)
52	R 20769 R	(-)	Bushing, rockshaft control sleeve
53	R 460 R	(-)	Packing, O-ring (packed 2 in a pkg.)
54	AR 20909 R	(-)	Sleeve, rockshaft control shaft, with arm, L.H.
55	C 1067 R	(-)	Pin
56	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
57	14H 774	(-)	Nut, jam, 3/8"
58	F 3597 R	(-)	Rod, rockshaft control
59	F 2208 R	(-)	Ring, retaining
60	L 324 T	(-)	Yoke (sub. for F2865R)
61	R 20770 R	(-)	Packing
62	F 2742 R	(-)	Washer (2 used)
63	F 2854 R	(-)	Spring
64	R 20771 R	(-)	Screw, special cap

*Parts for 7222600-7299999 where left-hand rockshaft control has been installed.

SINGLE REMOTE CYLINDER VALVE HOUSING

(Valve Housing Serial No. SRCV100-


)



SINGLE REMOTE CYLINDER VALVE HOUSING -- Continued
(Valve Housing Serial No. SRCV100-)

Key	Part No.	Serial No.	Description
1	19H 2021	(-)	Screw, cap, high-strength, 3/8" x 5/8" (4 used)
2	A 3098 R	(-)	Washer (aluminum) (4 used) (packed 5 in a pkg.)
3	F 3095 R	(-)	Cover
4	F 3096 R	(-)	Gasket (packed 5 in a pkg.)
5	22H 720	(-)	Screw, set, 3/8" x 3/4"
6	14H 774	(-)	Nut, jam, 3/8"
7	F 2836 R	(-)	Arm, control valve
8	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
9	F 2353 R	(-)	Pin
10	15H 559	(-)	Plug, pipe, 1/4"
11	15H 624	(-)	Plug, special pipe (3 used) (sub. for A3125R)
12	R 495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
13	F 2881 R	(-)	Gasket (packed 2 in a pkg.)
14	11H 236	(-)	Pin, cotter, 1/8" x 1"
15	AF 2906 R	(-)	Shaft, control, with arm
16	26H 14	(-)	Key, Woodruff, 3/16" x 3/4"
17	AF 2907 R	(-)	Seal, oil
18	F 2845 R	(-)	Screw, control bypass
19	F 2846 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
20	F 2847 R	(-)	Nut, cap
21	D 2361 R	(-)	Ball, check valve (4 used)
22	R 1811 R	(-)	Valve, check (2 used)
23	R 1812 R	(-)	Shaft, check valve metering (2 used)
24	A 1280 R	(-)	Spring (2 used)
25	AF 2908 R	(-)	Spring, with pin (2 used)
26	A 3606 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
27	F 3076 R	(-)	Adapter, oil line
28	19H 2055	(-)	Screw, cap, high-strength, 7/16" x 2-1/4" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (3 used)
29	R 1824 R	(-)	Plug (2 used)
30	H 851 R	(-)	Washer (aluminum) (2 used)
31	R 1820 R	(-)	Washer (6 used) (sub. ten R1820R and one 24H1303)
32	F 2843 R	(-)	Spring, relief valve
33	F 2842 R	(-)	Guide, relief valve spring
34	F 2841 R	(-)	Ball, relief valve
35	F 2832 R	(-)	Seat, relief valve
36	F 2844 R	(-)	Detent, control valve
37	R 1822 R	(-)	Spring, control valve detent
38	AF 3213 R	(-)	Housing, F2831R, powr-trol valve, with seat
39	R 1792 R	(-)	Valve, control
40	R 1794 R	(-)	Retainer, valve spring, upper
41	R 1793 R	(-)	Spring, control valve
42	R 1795 R	(-)	Retainer, valve spring, lower
43	B 387 R	(-)	Snap ring (packed 5 in a pkg.)
44	F 2834 R	(-)	Gasket (packed 2 in a pkg.)
45	R 1839 R	(-)	Shim (steel) (4 used) (sub. for R1840R)
46	F 2833 R	(-)	Cover, control valve
47	19H 1801	(-)	Screw, cap, 3/8" x 2" (2 used)
	19H 1765	(-)	Screw, cap, 3/8" x 1-3/4"
	12H 304	(-)	Washer, lock, 3/8" (3 used)
48	19H 1828	(-)	Screw, cap, high-strength, 7/16" x 4" (8 used)
	12H 293	(-)	Washer, lock, 7/16" (8 used)
49	15H 562	(-)	Plug, pipe, 1"

DUAL REMOTE CYLINDER VALVE HOUSING (Valve Housing Serial No. DRCV3700-)




NOTE: See pages 70-22 and 70-23 for balance of dual remote cylinder valve housing

DUAL REMOTE CYLINDER VALVE HOUSING -- Continued
(Valve Housing Serial No. DRCV3700-)

Key	Part No.	Serial No.	Description
1	19H 1731	(-)	Screw, cap, high-strength, 3/8" x 1" (5 used)
	12H 304	(-)	Washer, lock, 3/8" (5 used)
2	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
3	A 3098 R	(-)	Washer (aluminum) (packed 5 in a pkg.)
4	R 1809 R	(-)	Cover
5	R 1810 R	(-)	Gasket (packed 2 in a pkg.)
6	22H 720	(-)	Screw, set, 3/8" x 3/4"
7	14H 774	(-)	Nut, jam, 3/8" (2 used)
8	AR 1331 R	(-)	Arm, R1799R, control valve, with pin, L.H.
9	R 1800 R	(-)	Pin (2 used)
10	22H 719	(-)	Screw, set, 3/8" x 5/8"
11	AR 1330 R	(-)	Arm, R1798R control valve, with pin, R.H.
12	AA 6314 R	(-)	Valve, thermal relief
13	R 21629 R	(-)	Plug, pipe, 1/16" (sub. for 15H560)
14	AR 1335 R	(-)	Seal, oil
15	R 1678 R	(-)	Key, special
16	11H 236	(-)	Pin, cotter, 1/8" x 1" (2 used)
17	AR 1333 R	(-)	Sleeve, control, with arm
18	B 2762 R	(-)	Packing, O-ring (packed 10 in a pkg.)
19	26H 14	(-)	Key, Woodruff, 3/16" x 3/4"
20	AR 1332 R	(-)	Shaft, control, with arm
21	R 21630 R	(-)	Plug, pipe, 1/8" (2 used) (sub. for 15H558)
22	R 1792 R	(-)	Valve, control (2 used)
23	R 1794 R	(-)	Retainer, control valve spring, upper (2 used)
24	R 1793 R	(-)	Spring, control valve (2 used)
25	R 1795 R	(-)	Retainer, control valve spring, lower (2 used)
26	B 387 R	(-)	Snap ring (2 used) (packed 5 in a pkg.)
27	R 1797 R	(-)	Gasket (2 used) (packed 2 in a pkg.)
28	R 1839 R	(-)	Shim (steel) .010" (quantity used as required) (sub. for R1840R)
29	R 1952 R	(-)	Cover (2 used)
30	19H 2313	(-)	Screw, cap, high-strength, 5/16" x 1-3/4" (8 used) (sub. for R2271R)
	12H 303	(-)	Washer, lock, 5/16" (8 used)
31	R 1820 R	(-)	Washer, shim (quantity as required) (sub. twenty R1820R and two 24H1303)
32	R 1819 R	(-)	Spring, relief valve (2 used)
33	R 1953 R	(-)	Guide, relief valve spring (2 used)
34	R 1818 R	(-)	Ball, relief valve (2 used)
35	R 1791 R	(-)	Seat, relief valve (2 used)
36	AF 3211 R	(-)	Housing, F3190R dual, powr-trol with seats
37	F 3191 R	(-)	Plug (2 used)
38	F 3171 R	(-)	Packing, O-ring (2 used) (packed 2 in a pkg.)

DUAL REMOTE CYLINDER VALVE HOUSING -- Continued
 (Valve Housing Serial No. DRCV3700-)
 (Tractor Serial No. 7200000-)




NOTE: See pages 70-20 and 70-21 for balance of dual remote cylinder valve housing.

DUAL REMOTE CYLINDER VALVE HOUSING -- Continued
(Valve Housing Serial No. DRCV3700-)
(Tractor Serial No. 7200000-)

Key	Part No.	Valve Housing Serial No.	Tractor Serial No.	Description
1	R 1827 R	(-)	(-)	Seat, detent relief valve
2	R 1814 R	(-)	(-)	Plug (2 used)
3	A 3606 R	(-)	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
4	A 1280 R	(-)	(-)	Spring, check valve (2 used)
5	D 2361 R	(-)	(-)	Ball, check valve (4 used)
6	R 1812 R	(-)	(-)	Shaft, check valve metering (2 used)
7	R 1811 R	(-)	(-)	Valve, check (2 used)
8	15H 624	(-)	(-)	Plug, pipe, 1/2" (sub. for A3125R)
9	AA 6314 R	(-)	(-)	Valve, thermal relief
10	15H 624	(-)	(-)	Plug, pipe, 1/2" (2 used) (sub. for A3125R)
11	R 495 R	(-)	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
12A	R 1652 R	(-)	(-7201101)	Gasket (packed 2 in a pkg.)
12B	F 2881 R	(-)	(7201102-	Gasket (packed 5 in a pkg.)
13	F 3352 R	(-)	(7201102-	Tube, oil line adapter
14	15H 559	(-)	(7201102-	Plug, pipe, 1/4"
15	F 3077 R	(-)	(-7201101)	Adapter, oil line (sub. one AF3447R adapter and one F3353R O-ring)
	AF 3447 R	(-)	(7201102-	Adapter, oil line, with tube and plug
16	F 2847 R	(-)	(-)	Nut, special cap
17	F 2223 R	(-)	(-)	Washer (aluminum) (packed 10 in a pkg.)
18	F 3078 R	(-)	(-7218001)	Screw, special (sub. F2845R, 720 diesel only)
	F 2845 R	(-)	(7218002-	Screw, special
19	19H 1821	(-)	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (2 used)
	12H 293	(-)	(-)	Washer, lock, 7/16" (2 used)
20	F 3353 R	(-)	(7201102-	Packing, O-ring
21	A 3606 R	(-)	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
22	AR 1336 R	(-)	(-)	Spring, check, valve retainer, with spring (2 used)
23	A 1280 R	(-)	(-)	Spring, check valve (2 used)
24	D 2361 R	(-)	(-)	Ball, check valve (4 used)
25	R 1812 R	(-)	(-)	Shaft, check valve metering (2 used)
26	R 1811 R	(-)	(-)	Valve, check (2 used)
27	R 1824 R	(-)	(-)	Plug
28	H 851 R	(-)	(-)	Washer (aluminum)
29	R 1822 R	(-)	(-)	Spring, detent
30	R 1821 R	(-)	(-)	Detent, control valve
31	AF 3211 R	(-)	(-)	Housing, F3190R, dual remote cylinder valve, with seats
32	24H 1325	(-)	(-7201101)	Washer, 15/32" x 59/64" x .060"
	F 2742 R	(-)	(7201102-	Washer
33	19H 2349	(-)	(-)	Screw, cap, high-strength, 7/16" x 5-1/2"
	12H 293	(-)	(-7201101)	Washer, lock, 7/16"
34	15H 624	(-)	(-)	Plug, pipe, 1/2" (6 used) (sub. for A3125R)
35	19H 2349	(-)	(-)	Screw, cap, high-strength, 7/16" x 5-1/2" (4 used)
	12H 293	(-)	(-)	Washer, lock, 7/16" (4 used)
36	19H 1687	(-)	(-)	Screw, cap, high-strength, 7/16" x 4-3/4" (4 used)
	12H 293	(-)	(-)	Washer, lock, 7/16" (4 used)
37	R 1821 R	(-)	(-)	Detent, control valve
38	R 1822 R	(-)	(-)	Spring, detent
39	H 851 R	(-)	(-)	Washer (aluminum)
40	AR 1487 R	(-)	(-)	Plug, with pin
41	R 1818 R	(-)	(-)	Ball, detent relief valve (2 used)
42	R 1826 R	(-)	(-)	Spring, detent relief valve
43	D 465 R	(-)	(-)	Gasket (packed 2 in a pkg.)

POWER-TROL OIL TUBES
(Serial No. 7200000--)




POWR-TROL OIL TUBES -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2750 R	(-)	Retainer
	12H 293	(-)	Washer, lock, 7/16" (2 used)
2	19H 1822	(-)	Screw, cap, high-strength, 7/16" x 1" (2 used)
3	AF 2745 R	(-)	Tube, powr-trol suction
4	R 28819 R	(-)	Packing (2 used) (sub. for F2749R)
5	F 2113 R	(-)	Retainer
6	19H 1773	(-)	Screw, cap, high-strength, 7/16" x 1-1/8" (4 used)
	12H 293	(-)	Washer, lock, 7/16" (4 used)
7	R 1662 R	(-)	Packing (2 used) (packed 2 in a pkg.)
8	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H 304	(-)	Washer, lock, 3/8"
9	24H 1305	(-)	Washer, 13/32" x 13/16" x .060"
10	B 1588 R	(-)	Clip
11	AF 2743 R	(-7200625)	Tube, powr-trol pressure (sub. AF3442R)
	AF 3442 R	(7200626-)	Tube, powr-trol pressure
12	19H 1773	(-)	Screw, cap, high-strength, 7/16" x 1-1/8" (2 used)
	12H 293	(-)	Washer, lock, 7/16" (2 used)
13	F 3329 R	(-7200625)	Retainer (used only with AF2743R)
14	A 3606 R	(7200626-)	Packing, O-ring (tractors with rockshaft) (packed 10 in a pkg.)
15	AF 2997 R	(-)	Tube, remote cylinder, upper
16	AF 2998 R	(-)	Tube, remote cylinder, lower
17	F 2953 R	(-)	Clamp, half (2 used)
18	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (2 used) (sub. for F2270R)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
19	19H 1773	(-)	Screw, cap, high-strength, 7/16" x 1-1/8" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (3 used)
20	F 3070 R	(-)	Retainer
21	R 1662 R	(-)	Packing (2 used) (packed 2 in a pkg.)
22	AF 3001 R	(-)	Plug, dust, with chain and ring (2 used)
23	AF 2999 R*	(-)	Line, flexible oil, breakaway coupler (1/2" I.D. x 15-3/8" long) (2 used)
24	F 3067 R	(-)	Socket, breakaway coupler
25	AF 3000 R	(-)	Coupler, breakaway (2 used)
26	R 21722 R	(-)	Packing, O-ring (2 used) (packed 5 in a pkg.) (sub. for F3145R and R495R)
27	AF 3212 R	(-)	Tip, breakaway coupler, male (2 used)
28	F 3069 R	(-)	Snap ring (2 used)
29	AF 3002 R	(-7214899)	Valve, remote cylinder relief (2 used) (factory calibrated) (sub. AF3798R)
	AF 3798 R	(7214900-)	Valve, remote cylinder relief (2 used) (factory calibrated)
30	F 3066 R	(-)	Bracket, oil line coupler
31	12H 256	(-)	Washer, lock (shakeproof) 7/16" (2 used)
32	F 3068 R	(-)	Screw, special (2 used)
33	AF 3431 R	(-)	Bracket, with spring clip, breakaway coupler dust plug

*For bulk flexible oil lines and reusable couplings, see page 70-27.

BREAKAWAY COUPLER FOR SECOND REMOTE CYLINDER (Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	F 3068 R	(-)	Screw, special (2 used)
2	12H 325	(-)	Washer, lock, (shakeproof) 7/16" (2 used)
3	AR 20739 R	(-)	Bracket, breakaway coupler, with clips
4	19H 1821	(-)	Screw, cap, high-strength, 7/16" x 1-1/4"
5	24H 1330	(-)	Washer, 15/32" x 1-3/8" x .105" (2 used)
6	AF 3001 R	(-)	Plug, dust, with chain and ring (2 used)
7	19H 1801	(-)	Screw, cap, high-strength, 3/8" x 2"
8	12H 304	(-)	Washer, lock, 3/8"
9	A 147 R	(-)	Washer
10	B 3682 R	(-)	Spacer (4 used)
11	14H 813	(-)	Nut, 7/16" (2 used)
12	8H 3945	(-)	Bolt, special, 7/16" x 6-1/4"
13	12H 293	(-)	Washer, lock, 7/16"
14	R 20640 R	(-)	Support, breakaway coupler bracket
15	JD 172	(-)	Union, adapter (2 used)
16	F 3067 R	(-)	Socket, breakaway coupler
17	AF 3000 R	(-)	Coupler, breakaway (2 used)
18	F 3069 R	(-)	Snap ring (2 used)
19	R 495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
20	AF 3212 R	(-)	Tip, breakaway coupler, male (2 used)
21	AF 3798 R	(-)	Valve, remote cylinder relief (2 used) (factory calibrated)
22	F 3171 R	(-)	Packing, O-ring (2 used) (packed 2 in a pkg.)
23	JD 188	(-)	Union, adapter
24	JD 189	(-)	Union, adapter
25	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R) (packed 10 in a pkg.)
26	F 1682 R	(-)	Clamp, half (2 used)
27	14H 785	(-)	Nut, 5/16"
28	AR 20738 R	(-)	Line, flexible oil, breakaway coupler (1/2" I.D. x 26-3/4" long) (2 used)

Part listed below is an assembly of parts in this grouping.

AR 20737 R (-) COUPLER, BREAKAWAY, WITH MISC. ITEMS, FOR SECOND REMOTE CYLINDER (ATTACHMENT)

BULK FLEXIBLE OIL LINE AND REUSABLE LOK-PIN COUPLINGS

Oil line (Length Approx. 50 ft.)	Set of Ferrules with Pins (packed 10 in a pkg.)*	Stem-Straight Thread, with O-ring (Packed 5 in a pkg.)	Stem-Pipe Thread (Packed 5 in a pkg.)
R 34790 R 3/8" I.D. -1 Wire	AR 39629	AR 39635**	R 39687
R 34791 R 1/2" I.D. -1 Wire	AR 39630	AR 39636**	R 39688
R 34792 R 3/4" I.D. -1 Wire	AR 39631	AR 39637#	R 39689
R 34793 R 3/8" I.D. -2 Wire	AR 39632	AR 39635**	R 39687
R 34794 R 1/2" I.D. -2 Wire	AR 39633	AR 39636**	R 39688
R 34795 R 3/4" I.D. -2 Wire	AR 39634	AR 39637#	R 39689

*Each set of ferrules includes two R39681 pins -- extra pins may be ordered, packed 20 in a package.

**Includes R26375R O-ring

#Includes F3171R O-ring

REUSABLE COUPLINGS (Use with Single Wire Braid Flexible Oil Line)

Coupling No.	I.D.	Thread
AF 3585 R	3/8"	3/8" - 18 MPTF (packed 2 in a pkg.)
AF 3586 R	1/2"	1/2" - 14 NPTF (packed 2 in a pkg.)
AF 3587 R	5/8"	3/4" - 14 NPTF (packed 2 in a pkg.)
AF 3588 R	3/4"	3/4" - 14 NPTF (packed 2 in a pkg.)
R 34644 R	3/8"	3/4" - 16 O-ring type thread
R 34646 R	1/2"	3/4" - 16 O-ring type thread

REUSABLE COUPLINGS (Use with Double Wire Braid Flexible Oil Line)

Coupling No.	I.D.	Thread
AR 21629 R	3/8"	3/4" - 18 NPTF (packed 2 in a pkg.)
AR 21630 R	1/2"	1/2" - 14 NPTF (packed 2 in a pkg.)
AR 21631 R	5/8"	3/4" - 14 NPTF (packed 2 in a pkg.)
AR 21632 R	3/4"	3/4" - 14 NPTF (packed 2 in a pkg.)
AR 21634 R	1"	1" - 11-1/2 NPTF (packed 2 in a pkg.)
R 34645 R	3/8"	3/4" - 16 O-ring type thread
R 34647 R	1/2"	3/4" - 16 O-ring type thread

BULK SINGLE WIRE BRAID FLEXIBLE OIL LINE (Use with Reusable Coupling for Single Wire Braid Flexible Oil Line)

Part No.	I.D.	O.D.	Length
A 5775 R	3/8"	25/32"	Approx. 50 ft.
A 5776 R	1/2"	29/32"	Approx. 50 ft.
A 5777 R	5/8"	1-1/32"	Approx. 50 ft.


BULK DOUBLE WIRE BRAID FLEXIBLE OIL LINE (Use with Reusable Coupling for Double Wire Braid Flexible Oil Line)

Part No.	I.D.	O.D.	Length
R 21531 R	3/8"	29/32"	Approx. 50 ft.
R 21532 R	1/2"	31/32"	Approx. 50 ft.
R 21533 R	5/8"	1-3/32"	Approx. 50 ft.
R 21534 R	3/4"	1-1/4"	Approx. 50 ft.
R 21535 R	1"	1-9/16"	Approx. 50 ft.

WORM DRIVE TYPE HOSE CLAMPS

Part No.	Description
AR 21837 R	Clamp, hose, for 1/2" - 1-1/2" O.D. hose
AR 21839 R	Clamp, hose, for 3/4" - 1-11/16" O.D. hose
AR 21840 R	Clamp, hose, for 1-3/4" - 2-11/16" O.D. hose
AR 21841 R	Clamp, hose, for 2-3/4" - 3-11/16" O.D. hose
AR 21842 R	Clamp, hose, for 3-1/2" - 4-7/16" O.D. hose

POWER-TROL PUMP
(Serial No. 7200000-)



50047


POWR-TROL PUMP -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	A 3910 R	(-)	Plug
2	A 3907 R	(-)	Bushing
3	C 951 R	(-)	Washer, thrust
4	F 2104 R	(-)	Gear, pump drive
5	F 2106 R	(-)	Yoke, shifter
6	34H 58	(-)	Pin, spring, 5/32" x 7/8" (2 used)
7	F 2107 R	(-)	Shifter
8	A 4748 R	(-)	Spring
9	AF 2135 R	(-)	Seal, oil
10	24H 1211	(-)	Washer, 9/16" x 1-3/8" x .105"
11	F 2210 R	(-)	Handle, shifter
12	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
13	F 2105 R	(-)	Spring
14	24H 1452	(-)	Washer, 1-1/32" x 1-3/4" x .105"
15	A 602 R	(-)	Snap ring
16	F 2431 R	(-)	Shaft, drive
17	26H 9	(-)	Key, Woodruff, 1/8" x 5/8" (2 used)
18	F 2022 R	(-)	Gasket (packed 5 in a pkg.)
19	F 2021 R	(-)	Cover (tractors without powr-trol)
20	A 3439 R	(-)	Washer (aluminum) (3 used) (tractors without powr-trol)
21	19H 337	(-)	Screw, cap, high-strength, 7/16" x 1-1/4" (3 used) (tractors without powr-trol)
22	AF 1925 R	(-)	Seal, oil (sub. two AR21900R oil seals and one R21720R spacer)
23	AF 2133 R	(-)	Housing, F2096R, powr-trol pump, with bushings
24	A 819 R	(-)	Pin, dowel (2 used)
25	A 4130 R	(-)	Bushing (4 used)
26	26H 9	(-)	Key, Woodruff, 1/8" x 5/8"
27	R 1608 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
28	F 2099 R	(-)	Shaft, pump idler
29	F 2102 R	(-)	Washer, thrust (3 used) (packed 5 in a pkg.)
30	F 2100 R	(-)	Body, pump
31	F 2098 R	(-)	Gear, pump (2 used)
32	AF 2134 R	(-)	Cover, F2103R, powr-trol pump, with bushings
33	A 3439 R	(-)	Washer (aluminum) (3 used)
34	8H 2736	(-)	Screw, cap, 7/16" x 6-3/4" (3 used)
35	19H 2007	(-)	Screw, cap, high-strength, 3/8" x 4-1/2" (2 used)
36	19H 1726	(-)	Screw, cap, high-strength, 3/8" x 2-1/4" (6 used)

Part listed below is an assembly of parts in this grouping.

AF 2132 R	(-)	Pump, powr-trol, complete
-----------	-------	---------------------------

REMOTE CONTROL CYLINDER (Hydraulic-Stop Type)
 (Remote Cylinder Serial No. 3-1/2RC100-) and (3-1/2RCS29376-)




Key	Part No.	Serial No.	Description
1	F 2917 R	(-7223382)	Arm, cylinder transport (C.E.) (sub. R20415R)
	R 20227 R	(7223383-7299999)	Arm, cylinder transport (C.E.) (sub. R20415R)
	R 20227 R	(7222600-7299999)	Arm, cylinder transport (Elec.) (sub. R20415R)
	R 20415 R	(7300000-)	Arm, cylinder transport
	R 21065 R	(-)	Arm, remote cylinder transport (for no. 2 cylinder)
2	19H 2253	(-)	Screw, cap, high-strength, 7/16" x 3-1/2"
3	19H 2347	(-)	Screw, cap, high-strength, 7/16" x 3"
4	AA 4864 R	(-)	Coupling for flexible oil line
5	JD 185	(-)	Union, adapter (2 used dual remote cylinder)
6	F 3171 R	(-)	Packing, O-ring (2 used dual remote cylinder) (packed 2 in a pkg.)
7	F 3164 R	(-)	Cap, dust (2 used dual remote cylinder)
8	AA 4542 R*	(-)	Line, flexible oil, 1/2" I.D. x 88" long (2 used single remote cylinder, 4 used dual remote cylinder) (except Hi-Crop)
	AA 3752 R*	(-)	Line, flexible oil, 1/2" I.D. x 48" long (4 used single remote cylinder, 8 used dual remote cylinder) (Hi-Crop)
	15H 600	(-)	Coupling for flexible oil line, 1/2" (2 used single remote cylinder, 4 used dual remote cylinder) (Hi-Crop)
9	JD 184	(-)	Union adapter (2 used front rockshaft single control, 4 used dual control)

*For bulk flexible oil lines and reusable couplings, see page 70-27.

REMOTE CONTROL CYLINDER (Hydraulic-Stop Type) -- Continued
 (Remote Cylinder Serial No. 3-1/2RC100-) and (3-1/2RCS29376-)

Key	Part No.	Cylinder Serial No.	Cylinder with Special Stop Serial No.	Description
10	F 1426 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Cap, remote cylinder
11	F 1427 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Gasket (packed 5 in a pkg.)
12	F 1431 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, piston packing (2 used) (packed 5 in a pkg.)
13	A 4723 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Gasket, oil passage (2 used) (packed 5 in a pkg.)
14	A 4744 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Spring, stop valve
15	A 5295 R	(-)	(3-1/2RCS29376-)	Valve, stop
16	A 4743 R	(3-1/2RC100-)	(-)	Valve, stop (sub. AA5731R)
17	F 1425 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Cylinder, remote
18	A 4740 R	(3-1/2RC100-)	(-)	Valve, bleed (sub. AA5731R on regular cylinder only)
	A 4740 R	(-)	(3-1/2RCS29376-)	Valve, bleed
19	A 4741 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Spring, bleed valve
20	A 4742 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Ball, bleed valve
21	A 4739 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Snap ring (2 used)
22	A 4736 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Rod, stop
23	15H 624	(3-1/2RC100-)	(3-1/2RCS29376-)	Plug, pipe, 1/2" (sub. for A3125R)
24	F 1441 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Gasket, piston rod guide (packed 2 in a pkg.)
25	A 5320 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Lever, stop
26	34H 58	(3-1/2RC29376-)	(3-1/2RCS29376-)	Pin, roll, 5/32" x 7/8", in stop lever
27	25H 760	(3-1/2RC100-)	(3-1/2RCS29376-)	Pin, groove, 7/32" x 1-1/4", stop rod arm
28	A 5304 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Arm, stop rod
29	F 1428 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Piston
30	F 2439 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Nut, special lock (packed 10 in a pkg.)
31	F 1430 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Packing, O-ring (packed 2 in a pkg.)
32	19H 474	(3-1/2RC100-)	(3-1/2RCS29376-)	Screw, cap, high-strength, 1/2" x 1-7/8" (4 used)
	12H 301	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, lock, 1/2" (4 used)
33	AA 6309 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Pin, attaching
34	A 4738 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, stop rod
35	A 4737 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Spring, stop rod
36	24H 1301	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, stop rod, 13/32" x 9/16" x .060"
37	A 4748 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Spring, stop rod packing
38	A 4747 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Adapter, stop rod packing, male (packed 2 in a pkg.)
39	A 4745 R	(3-1/2RC100-)	(3-1/2RCS29376-)	"V" packing, stop rod (3 used) (packed 5 in a pkg.)
40	A 4746 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Adapter, stop rod packing, female
41	F 1440 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Guide, piston rod
42	A 3606 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Packing, O-ring, piston rod (packed 5 in a pkg.)
43	19H 1731	(3-1/2RC100-)	(3-1/2RCS29376-)	Screw, cap, high-strength, 3/8" x 1" (3 used)
	12H 304	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, lock, 3/8" (3 used)
44	F 1432 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Washer, piston rod packing (packed 5 in a pkg.)
45	AP 19547 H	(3-1/2RC100-)	(3-1/2RCS29376-)	Seal, oil, piston rod wiper
46	A 5301 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Screw, stop
47	R 1870 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Washer, on stop screw (sub. for A147R)
48	R 27423 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Stop, piston rod (sub. for F2300R)
49	AF 2331 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Rod, piston, with yoke
50	A 3581 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Pin, spring locking (2 used) (packed 25 in a pkg.)
51	AA 6307 R	(3-1/2RC29376-)	(3-1/2RCS29376-)	Pin, attaching, with clip
Parts listed below are an assembly of most of the parts in this grouping.				
	AF 1586 R	(3-1/2RC100-)	(-)	CYLINDER, REMOTE, 3-1/2" x 8" (ATTACHMENT)
	AF 2322 R	(-)	(3-1/2RCS29376-)	CYLINDER, REMOTE, WITH SPECIAL STOP VALVE, 3-1/2" x 8" (ATTACHMENT)
	AR 21772 R	(3-1/2RC100-)	(3-1/2RCS29376-)	Kit, remote cylinder overhaul (to service 3-1/2" cylinders)

FRONT MOUNTED ROCKSHAFT
(Serial No. 7200000-)

51921


FRONT MOUNTED ROCKSHAFT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (2 used)
	12H 294	(-)	Washer, lock, 5/8" (2 used)
2	12H 294	(-)	Washer, lock, 5/8" (2 used)
3	A 5772 R	(-)	Nut, special (2 used) (packed 25 in a pkg.)
4	F 2922 R	(-)	Bracket, front rockshaft and cylinder, L.H.
5	R 20135 R	(-)	Washer (2 used) (sub. for A198R)
6	19H 1335 R	(-)	Screw, cap, high-strength, 5/8" x 1-1/2" (2 used)
7	F 2925 R	(-)	Arm, front rockshaft and cylinder, L.H.
8	JD 7781	(-)	Fitting, grease, 90°, 1/8" (2 used—single control; 3 used—dual control)
9	24H 1569	(-)	Washer, 1-25/32" x 2-1/4" x .036" (12 used)
10	F 2919 R	(-)	Rockshaft, front
11	8H 2474	(-)	Bolt, mach., 5/8" x 2-1/2" (2 used)
12	F 2927 R	(-)	Shield, heat, L.H.
13	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (2 used)
14	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
15	F 2920 R	(-)	Bracket, front rockshaft, R.H. (single control)
16	19H 1356	(-)	Screw, cap, high-strength, 5/8" x 1-3/4" (2 used)
	12H 294	(-)	Washer, lock, 5/8" (2 used)
17	F 2923 R	(-)	Arm, front rockshaft, R.H. (single control)
18	19H 1900	(-)	Screw, cap, high-strength, 5/16" x 3/4" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
19	24H 1136	(-)	Washer, 11/32" x 11/16" x .060" (2 used)
20	F 2926 R	(-)	Shield, heat, R.H.
21	F 2924 R	(-)	Arm, front rockshaft and cylinder, R.H. (dual control)
22	F 2921 R	(-)	Bracket, front rockshaft and cylinder, R.H. (dual control)
23	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R) (dual control)
24	F 1682 R	(-)	Clamp, half (dual control)
25	F 1683 R	(-)	Clamp, half (dual control)
26	14H 785	(-)	Nut, 5/16" (dual control)
27	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R) (dual control) (packed 10 in a pkg.)
	12H 304	(-)	Washer, lock, 3/8" (dual control)
28	F 3172 R	(-)	Clamp (dual control)
29	19H 2038	(-)	Screw, cap, high-strength, 3/8" x 1/2"
30	F 3170 R	(-)	Bracket, oil line clamp
31	F 1682 R	(-)	Clamp, half
32	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R)
	12H 303	(-)	Washer, lock, 5/16"
33	14H 785	(-)	Nut, 5/16" (not required)
34	F 1682 R	(-)	Clamp, half (not required)
35	19H 1758	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R) (not required)
36	F 1683 R	(-)	Clamp, half (not required)

O-RING PACKING KIT (Not Illustrated)

Key	Part No.	Serial No.	Description
..	AR 34473 R	(-)	Kit, O-ring packing, consisting of:
			Five A 3606 R packing, O-ring
			Ten A 3917 R packing, O-ring
			Ten A 4365 R packing, O-ring
			Five A 4540 R packing, O-ring
			Five A 4730 R packing, O-ring
			Ten B 2762 R packing, O-ring
			Five B 3685 R packing, O-ring
			Ten F 3353 R packing, O-ring
			Ten R 375 R packing, O-ring
			Ten R 394 R packing, O-ring
			Ten R 459 R packing, O-ring
			Five R 460 R packing, O-ring
			Five R 495 R packing, O-ring
			Five R 1138 R packing, O-ring
			Five R 1225 R packing, O-ring
			Ten R 10093 R packing, O-ring
			Ten R 26976 R packing, O-ring
			Five R 27149 R packing, O-ring
			Ten R 27490 R packing, O-ring
			Five R 29463 R packing, O-ring
			Five R 30319 R packing, O-ring
			Ten R 34802 R packing, O-ring
			Ten R 34812 R packing, O-ring
			Five P 45750 H packing, O-ring
			Ten P 46051 H packing, O-ring
			Ten P 48347 H packing, O-ring
			Ten T 13119 T packing, O-ring
			Five U 10289 U packing, O-ring
			Five U 11017 U packing, O-ring
			Five U 12037 U packing, O-ring


AR30963R SPARK PLUG CABLE AND LEAD WIRE KIT



Part No.	Serial No.	Description
A 3539 R	(-)	Nipple, distributor (10 in a pkg.)
R 26861 R	(-)	Boot, spark plug (10 in a pkg.)
R 32006 R	(-)	Spark plug cable, 7 mm., 50 ft. (1 spool)
R 32007 R	(-)	Primary cable, 14-ga., 100 ft. (1 spool)
R 32008 R	(-)	Primary cable, 12-ga., 100 ft. (1 spool)
R 32009 R	(-)	Primary cable, 10-ga., 50 ft. (1 spool)
R 32011 R	(-)	Tool, wiring
R 32012 R	(-)	Terminal, ignition, distributor end (50 in a pkg.)
R 32013 R	(-)	Terminal, ignition, straight (50 in a pkg.)
R 32014 R	(-)	Terminal, ignition, 90° (50 in a pkg.)
R 32016 R	(-)	Terminal, primary, 14-16-ga., no. 10 spade (50 in a pkg.)
R 32017 R	(-)	Terminal, primary, 10-12-ga., no. 10 spade (25 in a pkg.)
R 32018 R	(-)	Terminal, primary, 14-16-ga., no. 10 eyelet (50 in a pkg.)
R 32019 R	(-)	Terminal, primary, 10-12-ga., no. 10 eyelet (25 in a pkg.)
R 32021 R	(-)	Terminal, primary, 10-12-ga., 1/4" eyelet (25 in a pkg.)
R 32022 R	(-)	Terminal, primary, 10-12-ga., 3/8" eyelet (20 in a pkg.)
R 32023 R	(-)	Terminal, primary, 10-12-ga., 1/2" eyelet (20 in a pkg.)
R 32024 R	(-)	Terminal, female blade, with lead (10 in a pkg.)
R 32025 R	(-)	Terminal, male blade, with lead (10 in a pkg.)
R 32026 R	(-)	Terminal, male bullet (50 in a pkg.)
R 32027 R	(-)	Terminal, splice, 14-16 ga. wire (50 in a pkg.)
R 32028 R	(-)	Terminal, splice, 10-12-ga. wire (25 in a pkg.)
R 32029 R	(-)	Terminal, 2-wire bullet connector (10 in a pkg.)
R 32196 R	(-)	Spark plug cable, 7 mm., 100 ft. (1 spool)

Part listed below is an assembly of parts in this grouping.


AR 30963 R (-) Kit, spark plug cable and lead wire

LOAD CONTROL AND DASHPOT
(Serial No. 7200000-)

LOAD CONTROL AND DASHPOT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	F 2900 R	(-)	Arm, load control
2	F 262 R	(-)	Plate, lock
3	19H 1805	(-)	Screw, cap, high-strength, 1/2" x 2-1/4"
4	F 2901 R	(-)	Piston, dashpot
5	F 2902 R	(-)	Packing, O-ring
6	R 1818 R	(-)	Ball, dashpot check valve
7	F 2223 R	(-)	Washer (aluminum) (packed 10 in a pkg.)
8	AF 2912 R	(-)	Valve, dashpot relief (factory calibrated)
9	F 2903 R	(-)	Spring, dashpot check valve
10	F 2904 R	(-)	Cup, dashpot check valve
11	F 2905 R	(-)	Spring, dashpot piston
12	F 1649 R	(-)	Packing, O-ring (packed 5 in a pkg.)
13	F 2906 R	(-)	Retainer, dashpot piston spring
14	F 2907 R	(-)	Snap ring
15	F 2911 R	(-)	Washer
	F 2912 R	(-)	Washer (2 used)
16	F 2909 R	(-)	Spring, load control, outer
17	F 2908 R	(-)	Spring, load control, inner
18	F 2910 R	(-)	Adapter, load control spring
19	AF 2921 R	(-7213813)	Pointer, load control, with screws (sub. one F2915R and two 3H1524)
	F 2915 R	(7213814-)	Pointer, load control
20	3H 1524	(7213814-)	Bolt, cge., 5/16" x 1" (2 used)
21	24H 1224	(-)	Washer, 11/32" x 1" x .060" (2 used)
22	12H 291	(-)	Washer, lock (shakeproof) 5/16" (2 used)
23	14H 785	(-)	Nut, 5/16" (2 used)
24	F 3257 R	(-)	Yoke, load control (sub. for F2898R)
25	34H 201	(-)	Pin, spring, 1/4" x 2"
26	F 2899 R	(-)	Shaft, load control yoke
27	26H 89	(-)	Key, Woodruff, 1/4" x 1-1/8"
28	AF 2788 R	(-7224729)	Seal, oil (sub. AR20149R)
	AR 20149 R	(7224730-)	Seal, oil

DRAFT LINKS AND UPPER LINK (Serial No. 7200000-)



DRAFT LINKS AND UPPER LINK -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	AF 2716 R	(-)	Bar, draft link, with ball (2 used)
2	AF 2715 R	(-)	Tube, draft link, L.H.
	AR 21497 R	(7308580-)	Tube, draft link, L.H. (Hi-Crop)
3	JD 7759	(-)	Fitting, grease (2 used)
4	F 2693 R	(-)	Pin, draft link lock (2 used)
5	D 2865 R	(-)	Washer (2 used)
6	F 2695 R	(-)	Spring (2 used)
7	F 2694 R	(-)	Washer (2 used)
8	B 2477 R	(-)	Washer (2 used)
9	F 2208 R	(-)	Ring, retaining (2 used)
10	F 2781 R	(-)	Pin, draft link pivot (2 used)
11	A 3581 R	(-)	Pin, spring locking (2 used) (packed 25 in a pkg.)
12	AF 2799 R	(-)	Pin, with handle, center link pivot
13	F 2830 R	(-)	Pin, spring locking
14	AF 2798 R	(-)	End, center link
15	21H 1017	(-)	Screw, mach., rd. hd., no. 10 x 3/8"
	12H 246	(-)	Washer, lock, no. 10
16	F 2816 R	(-)	Spring, center link adjusting lever
17	AF 2873 R	(-)	Body, F2813R, center link, with plug
18	F 2814 R	(-)	Pivot, center link adjusting lever
19	30H 26	(-)	Plug, expansion, 2-1/8"
20	AF 2797 R	(-)	Seal, oil, center link adjusting lever pivot
21	37H 44	(-)	Screw, drive (2 used) (sub. for D454R)
22	F 2828 R	(-)	Lever, center link adjusting
23	F 2824 R	(-)	Handle, center link latch
24	34H 90	(-)	Pin, spring, 7/32" x 1-1/4"
25	34H 47	(-)	Pin, spring, 1/8" x 1-1/4"
26	F 2823 R	(-)	Spring, center link latch handle
27	F 2820 R	(-)	Hook, center link
	AR 21917 R	(-)	Hook, center link, with latch (consists of F2820R, F2821R, F2822R, F2823R, F2824R, F2825R, F2827R, F2849R, 34H47, 34H90 and two 34H78)
28	F 2822 R	(-)	Spring, center link latch
29	F 2821 R	(-)	Latch, center link
30	34H 78	(-)	Pin, roll, 3/16" x 1-1/8" (2 used)
31	F 2949 R	(-)	Clip, center link chain
32	F 2825 R	(-)	Chain, center link
33	F 2827 R	(-)	Snap, center link chain
34	F 2685 R	(-)	Bushing, adapter, implement hitch, long, category 1* (2 used)
35	F 2684 R	(-)	Bushing, adapter, implement hitch, short, category 1* (2 used)
36	F 2680 R	(-)	Ball, implement hitch, category 1*
37	11H 215	(-)	Pin, cotter, 1/4" x 1-1/2", category 1*
38	F 2682 R	(-)	Pin, implement hitch ball, category 1*
39	F 2681 R	(-)	Ball, implement hitch, category 2**
40	F 2683 R	(-)	Pin, implement hitch ball, category 2**
41	11H 249	(-)	Pin, cotter, 1/4" x 2", category 2**
42	28H 1753	(-)	Spacer, implement mast, category 2**
43	AF 2714 R	(-)	Tube, draft link, R.H.
	AR 21496 R	(7308580-)	Tube, draft link, R.H. (Hi-Crop)


Part listed below is not illustrated.

AF 3147 R	(-)	Bar, implement hitch
-----------	-------	----------------------

*For Adopting Category 1 - John Deere, Allied or Competitive Implements with 3/4" Dia. Bore Implement Ball to the 720 Diesel Series Tractor Hitch.


**For Adopting Category 2 - John Deere and Allied Implements Produced for the No. 800 Hitch and New Implements with 1" Dia. Bore Implement Ball to the 720 Diesel Series Hitch.

LIFT LINKS (Except Hi-Crop)
(Serial No. 7200000-)




Key	Part No.	Serial No.	Description
1	16H 1419	(-)	Rivet, R.I.O.H., 3/8" x 3" (2 used)
2	F 2676 R	(-)	Handle, lift link (2 used)
3	F 2675 R	(-)	Collar, lift link (2 used)
4	34H 152	(-)	Pin, spring, 1/2" x 1-1/2" (2 used)
5	34H 118	(-)	Pin, spring, 5/16" x 1-1/2" (2 used)
6	DA 5883 A	(-)	Pin, quik-lock (4 used)
7	F 2673 R	(-)	Washer (2 used)
	F 2674 R	(-)	Washer (2 used)
8	AF 2704 R	(-)	Yoke, lift link, with pivot (2 used)
9	JD 7759	(-)	Fitting, grease, straight, 1/8" (4 used)
10	19H 1901	(-)	Screw, cap, high-strength, 5/16" x 2" (2 used)
	12H 303	(-)	Washer, lock, 5/16" (2 used)
11	14H 785	(-)	Nut, 5/16" (2 used)
12	B 2804 R	(-)	Spacer, lift link float lock (2 used)
13	F 2671 R	(-)	Lock, lift link float (2 used)
14	AF 2706 R	(-)	Rod, lift link, with bearing, R.H.
	AF 2707 R	(-)	Rod, lift link, with bearing, L.H.
15	F 2670 R	(-)	Body, lift link (2 used)
16	34H 78	(-)	Pin, spring, 3/16" x 1-1/8" (L.H. lift link only)
17	11H 218	(-)	Pin, cotter, 3/16" x 1-1/2" (2 used)
18	F 2679 R	(-)	Pin (2 used)

LIFT LINKS (Hi-Crop)
(Serial No. 7200000-7308579)



Key	Part No.	Serial No.	Description
1	16H 1419	(-7308579)	Rivet, R.I.O.H., 3/8" x 3" (2 used)
2	F 2676 R	(-7308579)	Handle, lift link (2 used)
3	F 2675 R	(-7308579)	Collar, lift link (2 used)
4	34H 152	(-7308579)	Pin, spring, 1/2" x 1-1/2" (2 used)
5	34H 118	(-7308579)	Pin, spring, 5/16" x 1-1/2" (2 used)
6	DA 5883 A	(-7308579)	Pin, quik-lock (2 used)
7	F 2673 R	(-7308579)	Washer (2 used)
	F 2674 R	(-7308579)	Washer (2 used)
8	AF 2704 R	(-7308579)	Yoke, lift link, with pivot (2 used)
9	JD 7759	(-7308579)	Fitting, grease, straight, 1/8" (4 used)
10	19H 1901	(-7308579)	Screw, cap, high-strength, 5/16" x 2" (2 used)
	12H 303	(-7308579)	Washer, lock, 5/16" (2 used)
11	14H 785	(-7308579)	Nut, 5/16" (2 used)
12	B 2804 R	(-7308579)	Spacer, lift link float lock (2 used)
13	F 2671 R	(-7308579)	Lock, lift link float (2 used)
14	AF 3915 R	(-7308579)	Rod, lift link, with bearing (2 used)
15	F 3674 R	(-7308579)	Body, lift link (2 used)
16	F 2679 R	(-7308579)	Pin (2 used)
17	11H 218	(-7308579)	Pin, cotter, 3/16" x 1-1/2" (2 used)
18	F 3670 R	(-7308579)	Link, draft (2 used)
19	19H 2113	(-7308579)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
20	F 3672 R	(-7308579)	Spacer (2 used)
21	F 3671 R	(-7308579)	Brace, draft link pivot (2 used)
22	19H 1782	(-7308579)	Screw, cap, high-strength, 3/4" x 2-1/4" (2 used)
23	12H 234	(-7308579)	Washer, lock, 3/4" (2 used)
24	14H 794	(-7308579)	Nut, 3/4", special (2 used) (sub. for A5405R)


THREE-POINT HITCH (Hi-Crop)
(Serial No. 7308580-)



THREE-POINT HITCH (Hi-Crop) -- Continued
(Serial No. 7308580-)

Key	Part No.	Serial No.	Description
1	16H 1419	(7308580-)	Rivet, R.I.O.H., 3/8" x 3" (2 used)
2	F 2676 R	(7308580-)	Handle, lift link (2 used)
3	F 2675 R	(7308580-)	Collar, lift link (2 used)
4	34H 152	(7308580-)	Pin, spring, 1/2" x 1-1/2" (2 used)
5	34H 118	(7308580-)	Pin, spring, 5/16" x 1-1/2" (2 used)
6	DA 5883 A	(7308580-)	Pin, quik-lock (2 used)
7	F 2673 R	(7308580-)	Washer (2 used)
	F 2674 R	(7308580-)	Washer (2 used)
8	AF 2704 R	(7308580-)	Yoke, lift link with pivot (2 used)
9	JD 7759	(7308580-)	Fitting, grease, straight, 1/8" (2 used)
10	19H 1901	(7308580-)	Screw, cap, high-strength, 5/16" x 2" (2 used)
	12H 303	(7308580-)	Washer, lock, 5/16" (2 used)
11	14H 785	(7308580-)	Nut, 5/16" (2 used)
12	B 2804 R	(7308580-)	Spacer, lift link float lock (2 used)
13	F 2671 R	(7308580-)	Lock, lift link float (2 used)
14	AF 3915 R	(7308580-)	Rod, lift link, with bearing (2 used)
15	F 3674 R	(7308580-)	Body, lift link (2 used)
16	F 2679 R	(7308580-)	Pin (2 used)
17	11H 218	(7308580-)	Pin, cotter, 3/16" x 1-1/4" (2 used)
18	F 2827 R	(7308580-)	Snap, center link chain
19	F 2825 R	(7308580-)	Chain, center link
20	F 2949 R	(7308580-)	Clip, center link chain
21	F 2824 R	(7308580-)	Handle, center link latch
22	37H 44	(7308580-)	Screw, drive (2 used) (sub. for D454R)
23	F 2828 R	(7308580-)	Lever, center link adjusting
24	AF 2799 R	(7308580-)	Pin, with handle, center link pivot
25	F 2830 R	(7308580-)	Pin, spring locking
26	21H 1017	(7308580-)	Screw, mach., rd. hd., no. 10 x 3/8"
27	12H 246	(7308580-)	Washer, lock, no. 10
28	F 2816 R	(7308580-)	Spring, center link adjusting lever
29	AF 2797 R	(7308580-)	Seal, oil, center link adjusting lever pivot
30	34H 90	(7308580-)	Pin, spring, 7/32" x 1-1/4"
31	34H 47	(7308580-)	Pin, spring, 1/8" x 1-1/4"
32	34H 78	(7308580-)	Pin, spring, 3/16" x 1-1/8" (2 used)
33	F 2823 R	(7308580-)	Spring, center link latch handle
34	F 2820 R	(7308580-)	Hook, center link
35	F 2822 R	(7308580-)	Spring, center link latch
36	F 2821 R	(7308580-)	Latch, center link
37	30H 26	(7308580-)	Plug, expansion, 2-1/8"
38	F 2814 R	(7308580-)	Pivot, center link adjusting lever
39	AF 2873 R	(7308580-)	Body, F2813R, center link, with plug
40	AF 2798 R	(7308580-)	End, center link
41	14H 794	(7308580-)	Nut, hex., 3/4" (4 used) (6 used)*
42	12H 236	(7308580-)	Washer, lock, 3/4" (4 used) (6 used)*
43	19H 2113	(7308580-)	Screw, cap, 3/4" x 3-1/4" (2 used)
44	B 1190 R	(7308580-)	Screw, cap, 3/4" x 4"
	19H 1782	(7308580-)	Screw, cap, 3/4" x 2-1/4"*
45	AR 21494 R	(7308580-)	Support, draft link (2 used)
46	R 21343 R	(7308580-)	Anchor, draft link chains
47	DA 5883 A	(7308580-)	Pin, quik-lock (4 used)
48	R 21527 R	(7308580-)	Rivet, drilled (4 used)
49	AR 21495 R	(7308580-)	Chain, with eyebolt
50	31603 A	(7308580-)	Clevis (4 used)
51	R 21342 R	(7308580-)	Nut, eye (2 used)
52	14H 760	(7308580-)	Nut, hex., 5/8" (2 used) (sub. for A5237R)
53	A 3581 R	(7308580-)	Pin, spring, locking, plated (4 used)
54	AR 21496 R	(7308580-)	Tube, draft link, R.H.
	AR 21497 R	(7308580-)	Tube, draft link, L.H.
55	JD 7759	(7308580-)	Fitting, grease (2 used)
56	F 2693 R	(7308580-)	Pin, draft link lock (2 used)
57	D 2865 R	(7308580-)	Washer (2 used)
58	F 2695 R	(7308580-)	Spring (2 used)
59	F 2694 R	(7308580-)	Washer (2 used)
60	B 2477 R	(7308580-)	Washer (2 used)
61	F 2208 R	(7308580-)	Ring, retaining (2 used)
62	AF 2716 R	(7308580-)	Bar, draft link, with ball (2 used)


*Used only when sway chain anchor is bolted to rear drawbar support.

DRAWBAR AND DRAFT LINK SUPPORT
(Serial No. 7200000-)

DRAWBAR AND DRAFT LINK SUPPORT -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	8H 3904	(-)	Bolt, mach., 5/8" x 5-1/4" (2 used)
2	14H 760 R	(-)	Nut, 5/8" (2 used)
3	R 21718 R	(-)	Lock, sway, L.H. (sub. for F2785R)
4	F 2786 R	(-)	Spacer (4 used)
5	16H 1371	(-)	Rivet, ctsk., 3/8" x 1-3/4" (4 used)
6	19H 1909	(-)	Screw, cap, high-strength, 3/4" x 3-3/4" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
7	19H 2026	(-)	Screw, cap, high-strength, 3/4" x 4" (2 used)
	12H 236	(-)	Washer, lock, 3/4" (2 used)
8	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)
9	14H 760	(-)	Nut, 5/8" (4 used) (sub. for A5772R)
10	F 2783 R	(-)	Washer (4 used)
11	F 2782 R	(-)	Shim (4 used)
12	M 3210 T	(-)	Stud, 5/8" x 2-1/2" (4 used) (sub. for B1333R)
13	AF 2664 R	(-7214899)	Support, drawbar
	AF 3772 R	(7214900-)	Support, drawbar
	AR 21256 R	(-)	Support, drawbar (special for rice field)
14	AF 3759 R	(-)	Pin, drawbar, with handle (sub. for AF1318R)
	F 3380 R	(-)	Pin, drawbar pivot (special for rice field)
15	AF 2792 R	(-)	Support, F2778R, draft link, with strip, R.H.
16	8H 1110	(-)	Bolt, mach., 5/8" x 4-1/4" (2 used)
17	14H 760	(-)	Nut, special (2 used) (sub. for A5772R)
18	R 21717 R	(-)	Lock, sway, R.H. (sub. for F2784R)
19	F 2780 R	(-)	Strip, wear, draft link support (2 used)
20	19H 2354	(-)	Screw, cap, high-strength, 9/16" x 1-1/4" (2 used)
21	24H 1355	(-)	Washer, 37/64" x 1-1/8" x .120" (2 used)
22	19H 1908	(-)	Screw, cap, high-strength, 7/8" x 2" (2 used)
23	A 5542 R	(-)	Washer (4 used)
24	19H 2089	(-)	Screw, cap, high-strength, 7/8" x 2-3/4" (2 used)
25	19H 1909	(-)	Screw, cap, high-strength, 3/4" x 3-3/4" (2 used)
26	19H 1820	(-)	Screw, cap, 1/2" x 3" (2 used)
27	14H 391	(-)	Nut, 1/2" (2 used)
28	12H 301	(-)	Washer, lock, 1/2" (2 used)
29A	R 21333 R	(-7214899)	Drawbar (sub. for F2633R)
29B	R 20405 R	(7214900-)	Drawbar (sub. for F3538R)
	R 21094 R	(-)	Drawbar (special for rice field)
30	14H 479	(7214900-)	Nut, special (2 used) (sub. for A5405R)
31	12H 236	(7214900-)	Washer, lock, 3/4" (2 used)
32	14H 479	(7214900-)	Nut, jam, 5/8" (2 used)
33	12H 294	(7214900-)	Washer, lock, 5/8"
34	R 576 R	(7214900-)	Strap, hammer
35	19H 2113	(7214900-)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
36	AR 937 R	(7214900-)	Pin, drawbar, with handle
37	F 3539 R	(7214900-)	Retainer, drawbar pin
38	F 3542 R	(7214900-)	Spacer
39	F 3541 R	(7214900-)	Spring
40	24H 1372	(7214900-)	Washer, 21/32" x 1-1/2" x .060"
41	19H 2124	(7214900-)	Screw, cap, high-strength, 5/8" x 3-3/4"
42	AF 2793 R	(-)	Support, F2779R, draft link, with strip, L.H.
Parts listed below are not illustrated.			
..	14H 760	(-)	Nut, pivot pin retainer to drawbar (special for rice field) (sub. for A5237R)
..	F 2451 R	(-)	Retainer, drawbar pivot pin (special for rice field)
..	19H 1734	(-)	Screw, cap, 5/8" x 2", pivot pin retainer to drawbar support (special for rice field)


HEAVY-DUTY DRAWBAR (Serial No. 7200000-)



67851

Key	Part No.	Serial No.	Description
1	R 21028 R	(-7214899)	Screw, cap, high-strength, 5/8" x 3-1/2"
19H	2124	(7214900-7225552)	Screw, cap, high-strength, 5/8" x 3-3/4"
2	14H 760	(7225553-)	Nut, 5/8" (2 used) (packed 25 in a pkg.) (sub. for A5772R)
3	24H 1372	(-)	Washer, 21/32" x 1-1/2" x .060"
4	D 377 R	(-7214899)	Spring
	F 3541 R	(7214900-)	Spring
5	F 3542 R	(-)	Spacer
6	R 1160 R	(-7214899)	Retainer, drawbar pin
	F 3539 R	(7214900-)	Retainer, drawbar pin
7	14H 479	(-7225552)	Nut, jam, 5/8" (2 used)
8	AR 937 R	(-)	Pin, drawbar, with handle
9	R 576 R	(-)	Strap, hammer
10	12H 294	(-7225552)	Washer, lock, 5/8"
11	19H 2124	(7225553-)	Screw, cap, high-strength, 5/8" x 4-1/4"
12	12H 236	(-)	Washer, lock, 3/4" (2 used)
13	14H 794	(-)	Nut, 3/4" (2 used) (sub. for A5405R)
14	R 21207 R	(-)	Drawbar, heavy-duty (sub. for F2450R)
15	19H 2113	(-)	Screw, cap, high-strength, 3/4" x 3-1/4" (2 used)
16	AF 2449 R	(-)	Support, drawbar, heavy-duty
17	14H 479	(-)	Nut, jam, 5/8"
18	14H 760	(-)	Nut, 5/8" (packed 25 in a pkg.) (sub. for A5772R)
19	12H 294	(-)	Washer, lock, 5/8"
20	D 377 R	(-)	Spring
21	R 21028 R	(-)	Screw, cap, high-strength, 5/8" x 3-1/2"
22	F 2451 R	(-)	Retainer, drawbar pivot pin
23	F 3380 R	(-)	Pin, drawbar pivot (sub. for R577R)
24	A 5542 R	(-)	Washer (4 used)
25	19H 1908	(-)	Screw, cap, high-strength, 7/8" x 2" (2 used)
26	19H 2089	(-)	Screw, cap, high-strength, 7/8" x 2-3/4" (2 used)
27	19H 1505	(-)	Bolt, sq. hd., 3/4" x 4-1/4" (2 used)
28	12H 236	(-)	Washer, lock, 3/4" (2 used)
29	14H 794	(-)	Nut, 3/4" special (2 used) (sub. for A5405R)


DRAWBAR (Hi-Crop)
(Serial No. 7200000-)



23209


Key	Part No.	Serial No.	Description
1	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)
2	12H 236	(-)	Washer, lock, 3/4" (4 used)
3	F 988 R	(-7308579)	Support, drawbar rear, L.H. (sub. R21335R)
	R 21335 R	(7308580-)	Support, drawbar rear, L.H.
4	F 1024 R	(-)	Stud, 3/4" x 2-3/4" (4 used)
5	19H 1363	(-)	Screw, cap, high-strength, 3/4" x 1-7/8" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
6	F 986 R	(-)	Support, drawbar, front (2 used)
7	F 985 R	(-)	Side, drawbar, L.H.
8	19H 1799	(-)	Bolt, mach., 1" x 3" (2 used)
	12H 234	(-)	Washer, lock, 1" (2 used)
	14H 854	(-)	Nut, 1" (2 used)
9	F 983 R	(-)	Drawbar
10	F 984 R	(-)	Side, drawbar, R.H.
11	F 987 R	(-7508579)	Support, drawbar rear, R.H. (sub. R21334R)
	R 21334 R	(7308580-)	Support, drawbar rear, R.H.
12	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)

HEAVY-DUTY DRAWBAR (Hi-Crop)
(Serial No. 7200000-)



Key	Part No.	Serial No.	Description
1	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)
2	12H 236	(-)	Washer, lock, 3/4" (4 used)
3	F 988 R	(-7308579)	Support, drawbar rear, L.H. (sub. R21335R)
4	R 21335 R	(7308580-)	Support, drawbar rear, L.H.
5	F 1024 R	(-)	Stud, 3/4" x 2-3/4" (4 used)
6	19H 1363	(-)	Screw, cap, high-strength, 3/4" x 1-7/8" (4 used)
7	12H 236	(-)	Washer, lock, 3/4" (4 used)
8	F 986 R	(-)	Support, drawbar, front (2 used)
9	19H 1799	(-)	Bolt, mach., 1" x 3" (2 used)
10	12H 234	(-)	Washer, lock, 1" (2 used)
11	14H 854	(-)	Nut, 1" (2 used)
12	F 3369 R	(-)	Member, drawbar cross, front
13	F 987 R	(-7308579)	Support, drawbar rear, R.H. (sub. R21334R)
14	R 21334 R	(7308580-)	Support, drawbar rear, R.H.
15	19H 1862	(-)	Screw, cap, high-strength, 3/4" x 2-1/2" (4 used)
16	12H 236	(-)	Washer, lock, 3/4" (4 used)
17	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)
18	F 3371 R	(-7308579)	Side, drawbar (2 used) (sub. R21336R)
19	R 21336 R	(7308580-)	Side, drawbar (2 used)
20	F 3368 R	(-)	Drawbar
	19H 1768	(-)	Screw, cap, high-strength, 3/4" x 2" (4 used)
	12H 236	(-)	Washer, lock, 3/4" (4 used)
	14H 794	(-)	Nut, 3/4" (4 used) (sub. for A5405R)
	F 3370 R	(-)	Member, drawbar cross, rear


GASKET SET FOR VALVE REPLACEMENT
(Serial No. 7200000-)



60106

Part No.		Gasket set consisting of:			Description
AF 3907 R					
Ten		264 R	(-	Washer, lead, cylinder head studs
Three	A	3439 R	(-	Washer (aluminum) tappet lever cover to bracket screw
Two	A	3439 R	(-	Washer (aluminum) cylinder cover to cylinder screw
One	F	519 R	(-	Gasket, cylinder head water inlet
Two	F	1056 R	(-	Packing, O-ring, lower water pipe
One	F	1752 R	(-	Gasket, air intake body
Two	F	1764 R	(-	Gasket, exhaust outlet
Two	F	1779 R	(-	Gasket, cylinder head water outlet
One	F	1898 R	(-	Gasket, tappet lever cover
One	R	61 R	(-	Gasket, cylinder cover
Two	R	463 R	(-	Washer (copper) injector nozzle
One	R	21449 R	(-	Gasket, cylinder head (sub. for F3512R)

GASKET SET FOR RING AND CYLINDER REPLACEMENT
(Serial No. 7200000-7214899)




41698

Part No.				Description
*AF 2248 R	Gasket set consisting of:			
Ten		264 R	(-7214899) Washer, lead, cylinder head studs
Three	A	3439 R	(-7214899) Washer (aluminum) tappet lever cover to bracket screw
Two	A	3439 R	(-7214899) Washer (aluminum) cylinder cover to cylinder screw
Two	A	4365 R	(-7214899) Packing, O-ring, injection pump bracket oil inlet tube
One	F	519 R	(-7214899) Gasket, cylinder head water inlet
Two	F	1056 R	(-7214899) Packing, O-ring, lower water pipe
One	F	1752 R	(-7214899) Gasket, air intake body
Two	F	1764 R	(-7214899) Gasket, exhaust outlet
One	F	1777 R	(-7214899) Gasket, cylinder water outlet
Two	F	1779 R	(-7214899) Gasket, cylinder head water outlet
One	F	1781 R	(-7214899) Gasket, thermostat cover
One	F	1791 R	(-7214899) Gasket, cranking engine oil drain hole
One	F	1803 R	(-7214899) Gasket, crankcase cover, R.H.
One	F	1804 R	(-7214899) Gasket, crankcase cover, L.H.
One	F	1898 R	(-7214899) Gasket, tappet lever cover
One	F	2043 R	(-7214899) Gasket, governor lever housing
One	F	2251 R	(-7214899) Gasket, cylinder to case
Two	F	2438 R	(-7214899) Gasket, injection pump bracket to cylinder
Two	F	3450 R	(-7214899) Packing, O-ring, upper water pipe
One	R	61 R	(-7214899) Gasket, cylinder cover
Two	R	463 R	(-7214899) Washer (copper) injector nozzle
Four	R	495 R	(-7214899) Packing, O-ring, cranking engine water inlet and outlet pipes
One	R	1138 R	(-7214899) Packing, O-ring, governor lever housing
One	R	20037 R	(-7214899) Gasket, air cleaner (sub. for F143R)
One	R	21449 R	(-7214899) Gasket, cylinder head (sub. for F3212R)

*Sub. AF3906R, see page 80-3.

GASKET SET FOR RING AND CYLINDER REPLACEMENT
(Serial No. 7214900-)



41698


Part No.
AF 3906 R

Gasket set consisting of:

Description


Ten		264 R	(7214900-)	Washer, lead, cylinder head studs
Three	A	3439 R	(7214900-)	Washer (aluminum) tappet lever cover to bracket screw
Two	A	3439 R	(7214900-)	Washer (aluminum) cylinder cover to cylinder screw
Two	A	4365 R	(7214900-)	Packing, O-ring, injection pump bracket oil inlet tube
One	F	519 R	(7214900-)	Gasket, cylinder head water inlet
Two	F	1056 R	(7214900-)	Packing, O-ring, lower water pipe
One	F	1752 R	(7214900-)	Gasket, air intake body
Two	F	1764 R	(7214900-)	Gasket, exhaust outlet
One	F	1777 R	(7214900-)	Gasket, cylinder water outlet
Two	F	1779 R	(7214900-)	Gasket, cylinder head water outlet
One	F	1781 R	(7214900-)	Gasket, thermostat cover
One	F	1791 R	(7214900-)	Gasket, cranking engine oil drain hole
One	F	1803 R	(7214900-)	Gasket, crankcase cover, R.H.
One	F	1804 R	(7214900-)	Gasket, crankcase cover, L.H.
One	F	1898 R	(7214900-)	Gasket, tappet lever cover
One	F	2043 R	(7214900-)	Gasket, governor lever housing
One	F	2251 R	(7214900-)	Gasket, cylinder to case
Two	F	2438 R	(7214900-)	Gasket, injection pump bracket to cylinder
Two	F	3450 R	(7214900-)	Packing, O-ring, upper water pipe
One	R	61 R	(7214900-)	Gasket, cylinder cover
Two	R	463 R	(7214900-)	Washer (copper) injector nozzle
Four	R	495 R	(7214900-)	Packing, O-ring, cranking engine water inlet and outlet pipes
One	R	1138 R	(7214900-)	Packing, O-ring, governor lever housing
One	R	20037 R	(7214900-)	Gasket, air cleaner (sub. for F143R)
One	R	20169 R	(7222600-)	Gasket (cranking motor bracket)
One	R	21449 R	(7214900-)	Gasket, cylinder head (sub. for F3512R)

GASKET SET FOR CRANKSHAFT AND BEARING REPLACEMENT
(Serial No. 720000-)




Part No.	Gasket set consisting of:				Description
AF 3356 R					
One	A	3817 R	(-)		Gasket, transmission drive shaft outer bearing cover
One	A	4224 R	(-)		Packing, flywheel spacer
One	A	4847 R	(-)		Gasket, main bearing oil hole, R.H.
One	F	157 R	(-)		Gasket, R.H. brake
One	F	1396 R	(-)		Gasket, pulley oil seal
One	F	1791 R	(-)		Gasket, cranking engine oil drain hole
One	F	1803 R	(-)		Gasket, crankcase cover, R.H.
One	F	1804 R	(-)		Gasket, crankcase cover, L.H.
One	F	1922 R	(-)		Gasket, R.H. main bearing housing
One	F	2041 R	(-)		Gasket, governor case
One	F	2504 R	(-)		Gasket, first reduction gear cover
One	F	2589 R	(-)		Gasket, timing gear housing
Four	R	495 R	(-)		Packing, O-ring, cranking engine water inlet and outlet pipes
One	R	20169 R	(7222600-)		Gasket (cranking motor bracket)
One	R	20232 R	(-)		Gasket (crankshaft oil slinger housing)

GASKET SET FOR GOVERNOR OVERHAUL
(Serial No. 7200000-)




Part No.						Description
AF 2244 R	Gasket set consisting of:					
One	A	3190 R	(-)	Packing, O-ring, generator drive pulley
One	A	3190 R	(-)	Packing, O-ring, governor lever pivot pin
One	A	4847 R	(-)	Gasket, governor shaft, L.H. bearing oil lead hole
One	B	293 R	(-)	Packing, fan shaft support tube
One	B	2127 R	(-)	Packing, rear fan bearing
One	F	1755 R	(-)	Gasket, fuel pump housing
One	F	2041 R	(-)	Gasket, governor case
One	F	2043 R	(-)	Gasket, governor lever housing
Four	F	2056 R	(-)	Shim, L.H. governor bearing housing
Four	F	2057 R	(-)	Shim, L.H. governor bearing housing
One	F	2068 R	(-)	Gasket, speed control housing
One	F	2070 R	(-)	Gasket, governor case cover
One	F	2073 R	(-)	Gasket, speed-hour meter drive quill
Five	F	2077 R	(-)	Shim, fan shaft rear bearing housing
One	R	316 R	(-)	Packing, speed control rod
One	R	1138 R	(-)	Packing, O-ring, governor lever housing

GASKET SET FOR TRANSMISSION AND REAR END OVERHAUL
(Serial No. 7200000-)



Part No.	Gasket set consisting of:				Description
AF 3357 R					
One	A	3606 R	(-	Packing, O-ring, powr-trol pressure line
One	A	3817 R	(-	Gasket, transmission drive shaft outer bearing cover
Two	F	157 R	(-	Gasket, brake housing
One	F	1396 R	(-	Gasket, pulley oil seal
Five	F	1459 R	(-	Shim, power shaft oil seal housing
One	F	2504 R	(-	Gasket, first reduction gear cover
One	F	2507 R	(-	Packing, differential bearing quill
One	F	2543 R	(-	Gasket, rear axle housing cover
One	F	2589 R	(-	Gasket, timing gear housing
One	F	2968 R	(-	Gasket, powershaft clutch cover
Two	F	2593 R	(-	Gasket, rear axle housing to case
One	F	2996 R	(-	Gasket, first and third shifter shaft bearing
One	F	3004 R	(-	Gasket, transmission case cover
One	F	3400 R	(-	Gasket, powershaft clutch shaft bearing cover (sub. for F2964R)
Two	R	1662 R	(-	Packing, powr-trol pressure line
Two	R	1662 R	(-	Packing, remote cylinder oil line adapter
One	R	20232 R	(-	Gasket, crankshaft, oil slinger housing
Two	R	28819 R	(-	Packing, powr-trol suction line (sub. for F2749R)

GASKET SET FOR CRANKING ENGINE OVERHAUL

(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-)*

Part No.		Tractor Serial No.	Cranking Engine Serial No.	Description
AF 2243 R	Gasket set consisting of:			
One	A 4365 R	(-)	(-)	Packing, O-ring, governor arm
Two	B 2762 R	(-)	(-)	Packing, O-ring, water pump to cylinder tube
One	F 1777 R	(-)	(-)	Gasket, cylinder water outlet
One	F 1787 R	(-)	(-)	Gasket, timing gear cover
One	F 1791 R	(-)	(-)	Gasket, oil drain hole
Three	F 3520 R	(-)	(-)	Shim, main bearing
Two	F 1845 R	(-)	(-)	Gasket, cylinder head
Ten	F 1856 R	(-)	(-)	Shim, oil pump body to cylinder
One	F 1861 R	(-)	(-)	Gasket, crankcase cover
Four	F 1870 R	(-)	(-)	Packing, O-ring, cylinder liner
One	F 1872 R	(-)	(-)	Gasket, cylinder cover
Four	F 1941 R	(-)	(-)	Washer, packing, tappet lever shaft
Two	F 1944 R	(-)	(-)	Gasket, tappet lever cover
Ten	F 1965 R	(-)	(-)	Shim, water pump to cylinder
One	F 1969 R	(-)	(-)	Gasket, water pump housing cover
One	F 1997 R	(-)	(-)	Gasket, transmission housing
One	F 2083 R	(-)	(-)	Gasket, distributor
Two	F 2087 R	(-)	(-)	Gasket, manifold
One	F 2115 R	(-)	(-)	Gasket, air cleaner
One	R 394 R	(-)	(-)	Packing, O-ring, ventilator pipe
One	R 459 R	(-)	(-)	Packing, O-ring, oil drain plug
Four	R 495 R	(-)	(-)	Packing, O-ring, water inlet and outlet pipes
One	R 640 R	(-)	(-)	Gasket, carburetor

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

DECALCOMANIA SET (720 and 730 Diesel Series)
(Not Illustrated)

Part No.	Description
AR 21959 R*	Decalcomania set, consisting of: "John Deere" for sides of hood, R.H. and L.H. "John Deere" for seat "Series Designation" for sides of grille, R.H. and L.H. "Roll-O-Matic" "6-Volt" for battery box (C.E.) "12-Volt" for battery box (Elec.) "Power Steering" (2 used) "Air Cleaner Instructions" (diesel engine) "Air Cleaner Instructions" (cranking engine) "Power-Trol" "Starting Instructions" (Elec.) "Crankcase Oil Specifications" (diesel engine) "Crankcase Oil Specifications" (cranking engine) "Float-Ride Seat Adjustment Instructions" "Air Cleaner Instructions" (crankcase) "Diesel" for sides of hood (2 used)

*Sub. for AF3146R, AR21140R and AR21148R

DECALCOMANIA SET (Tractors Painted other than John Deere Green) (720 Series)
(Serial No. 7200000-7299999)


JOHN DEERE

JOHN DEERE

Power Steering JOHN DEERE

720


60105



DIESEL

Part No.	Description
AF 3619 R	Decalcomania set consisting of: "John Deere" for sides of hood (2 used) (except LP-gas) "John Deere" for sides of hood (2 used) (LP-gas) "John Deere" for seat "Diesel" for sides of hood (2 used) "Series Designation" (2 used) "Power Steering" (2 used) "Suspension Seat Adjustment Instructions"

DECALCOMANIA SET (720 Series)
(Serial No. 7200000-7299999)






Part No.	Description
AR 21140 R (sub. AR21959R)	Decalcomania set, consisting of:
	"John Deere" for sides of hood, R.H. and L.H.
	"John Deere" for seat
	"Series Designation" for sides of grille, R.H. and L.H.
	"Roll-O-Matic"
	"6-Volt" for battery box (C.E.)
	"12-Volt" for battery box (Elec.)
	"Power Steering" (2 used)
	"Air Cleaner Instructions" (diesel engine)
	"Air Cleaner Instructions" (cranking engine)
	"Powr-Trol"
	"Starting Instructions" (Elec.)
	"Float-Ride Seat Adjustment Instructions"

DECALCOMANIA SET (730 Series)
(Serial No. 7300000-)

JOHN DEERE

730 DIESEL



12V

JOHN DEERE

Power Steering

JOHN DEERE
CUSTOM
POWER-TROL


6V

68121

Part No.	Description
AR 21148 R	Decalcomania set, consisting of:
(sub. AR21959R)	

- "John Deere" for sides of hood, R.H. and L.H.
- "John Deere" for seat
- "Series Designation"
- "Roll-O-Matic"
- "6-Volt" for battery box (C.E.)
- "12-Volt" for battery box (Elec.)
- "Power Steering" (2 used)
- "Air Cleaner Instructions" (diesel engine)
- "Air Cleaner Instructions" (cranking engine)
- "Power-Trol"
- "Starting Instructions" (Elec.)
- "Crankcase Oil Specifications" (diesel engine)
- "Crankcase Oil Specifications" (cranking engine)
- "Float-Ride Seat Adjustment Instructions"
- "Air Cleaner Instructions" (crankcase)

ADDITIONAL DECALCOMANIAS
(The Following Decalcomanias are Available in Packages of 5 Each)



Key	Part No.	Size	Key	Part No.	Size
1	JD 250	1/2" x 7-1/8"	4	JD 259	1" x 10-3/4"
	JD 251	11/16" x 10"		JD 118	1/2" x 5-3/8"
	JD 235*	11/16" x 10"		JD 119	3/4" x 8-1/16"
	JD 252	1" x 14-1/4"		JD 260	1-7/16" x 2"
	JD 236*	1" x 14-1/4"		JD 5260**	1-7/16" x 2"
	JD 5152 (dark green)	1" x 14-1/4"		JD 261	2-1/8" x 3"
	JD 253	1-1/4" x 17-3/4"		JD 5202*	2-1/8" x 3"
	JD 237*	1-1/4" x 17-3/4"		JD 5261**	2-1/8" x 3"
	JD 5153 (dark green)	1-1/4" x 17-3/4"		JD 5240***	2-1/8" x 3"
	JD 267	1-1/2" x 21-3/8"		JD 262	2-7/8" x 4"
	JD 238*	1-1/2" x 21-3/8"		JD 5203	2-7/8" x 4"
	JD 254	1-3/4" x 25"		JD 5262**	2-7/8" x 4"
	JD 239*	1-3/4" x 25"		JD 5241***	2-7/8" x 4"
	JD 255	2-1/4" x 32"		JD 263	3-9/16" x 5"
	JD 5206*	5-3/4" x 8"		JD 5204*	3-9/16" x 5"
	JD 5208*	2-1/2" x 35-5/8"		JD 5263**	3-9/16" x 5"
	JD 256	4" x 57"		JD 5242***	3-9/16" x 5"
	JD 5155 (dark green)	2-1/4" x 32"		JD 264	4-1/4" x 6"
2	JD 110	3/4" x 6"	5	JD 5205*	4-1/4" x 6"
	JD 111	1" x 8"		JD 5264**	4-1/4" x 6"
	JD 112	1-1/4" x 10"		JD 5243***	4-1/4" x 6"
	JD 113	1-1/2" x 12"		JD 5244***	5-3/4" x 8"
	JD 114	2-1/2" x 20"		JD 265	6-3/8" x 9"
	JD 115	2" x 16"		JD 5265**	6-3/8" x 9"
3	JD 257	1/2" x 6"		JD 5165 (yellow deer)	6-3/8" x 9"
	JD 258	3/4" x 9"		JD 268	8-1/2" x 12"
	JD 243*	3/4" x 9"		JD 5207*	8-1/2" x 12"
	JD 259	1" x 12"		JD 269	11-3/4" x 16-5/8"


*Black decals for machines painted other than John Deere green.

**Leaping deer decals for South and Central America.

***Leaping deer decals for South and Central America. (Industrial, black and yellow)

CRANKING ENGINE CYLINDER BLOCK AND COVERS

(Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*



*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE CYLINDER BLOCK AND COVERS -- Continued


(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-)*

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	21H 1023	(-)	(-)	Screw, mach., rd. hd., 1/4" x 5/8" (6 used)
	12H 302	(-)	(-)	Washer, lock, 1/4" (6 used)
2	AF 2168 R	(-)	(-)	Cover, cylinder
3	F 1872 R	(-)	(-)	Gasket (packed 5 in a pkg.)
4	AF 2215 R	(-7214899)	Cylinder, F1865R, with liners, bushings, dowel pins and oil relief tube (sub. AR21763R cylinder block (F3516R), AF3715R main bearing housing (F3517R), and AF3722R crankshaft (F3518R))
	AR 21763 R	(SE1000-)	Cylinder, F3516R, with liners, bushings, dowel pins and oil relief tube
	AF 2358 R	(-7214899)	Short block engine replacement, consisting of engine assembly, less flywheel, clutch, transmission, carburetor, distributor, cranking motor, etc. (use with AF2243R cranking engine overhaul gasket set) (sub. AF3723R)
	AF 3723 R	(SE1000-)	Short block engine replacement, consisting of engine assembly, less flywheel, clutch, transmission, carburetor, distributor, cranking motor, etc. (use with AF2243R cranking engine overhaul gasket set)
5	15H 253	(-7214899)	Plug, pipe, 1/8"
6	F 1870 R	(-)	(-)	Packing, O-ring (4 used) (packed 2 in a pkg.)
7	F 1869 R	(-)	(-)	Liner, cylinder (4 used)
8	R 21630 R	(-)	(-)	Plug, pipe, 1/8" (sub. for 15H558)
9	R 26650 R	(-)	(-)	Pin, dowel (2 used) (sub. for A4879R)
10	F 1787 R	(-)	(-)	Gasket (packed 5 in a pkg.)
11	19H 1978	(-)	(-)	Screw, cap, high-strength, 7/16" x 1-1/2"
	12H 293	(-)	(-)	Washer, lock, 7/16"
12	AF 1989 R	(-7214899)	Cover, F1786R, timing gear, with tube (sub. one AF3745R cover, one F3551R governor arm, one F3552R governor lever, and two 21H1161 machine screws)
	AF 3745 R	(SE1000-)	Cover, F3550R, timing gear, with tube
13	19H 2055	(-)	(-)	Screw, cap, high-strength, 7/16" x 2-1/4"
	12H 293	(-)	(-)	Washer, lock, 7/16"
14	R 693 R	(-)	(-)	Tube, oil level rod
15	R 793 R	(-)	(-)	Gasket (packed 5 in a pkg.)
16	AF 2021 R	(-)	(-)	Cap, with dip stick
17	R 459 R	(-)	(-)	Packing, O-ring (packed 10 in a pkg.)
18	F 1788 R	(-)	(-)	Plug, oil drain
19	19H 1227	(-)	(-)	Screw, cap, 1/4" x 1/2"
20	24H 1287	(-)	(-)	Washer, 9/32" x 5/8" x .060"
21	19H 1758	(-)	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R) (6 used)
	12H 303	(-)	(-)	Washer, lock, 5/16" (6 used)
22	F 1791 R	(-)	(-)	Gasket (packed 5 in a pkg.)
23	19H 1906	(-)	(-)	Screw, cap, high-strength, 5/16" x 1-1/2" (3 used) (sub. for 19H1906)
	12H 303	(-)	(-)	Washer, lock, 5/16" (3 used)
24	24H 1321	(-)	(-)	Washer, 29/64" x 13/16" x 26 gauge (quantity used as required)
25	19H 1227	(-7201442)	Screw, cap, 1/4" x 1/2" (5 used)
	19H 1919	(7201443-)	(-)	Screw, cap, high-strength, 1/4" x 5/8" (5 used)
	12H 9	(-)	(-)	Washer, lock, 1/4" (5 used)
26	F 1860 R	(-7201442)	Cover, crankcase (sub. one F3321R cover and five 19H1919 cap screws)
	F 3321 R	(7201443-)	(-)	Cover, crankcase
27	F 1861 R	(-)	(-)	Gasket (packed 2 in a pkg.)
28	R 26650 R	(-)	(-)	Pin, dowel (2 used) (sub. for A4879R)

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE OILING SYSTEM

(Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*



*NOTE: Cranking engines have separate serial numbers on tractors serial No. 7214900-


CRANKING ENGINE OILING SYSTEM -- Continued
 (Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	R 623 R	(-7214899)	(SE1000-1179)	Tube, oil relief
	F 3667 R	(SE1180-)	Tube, oil relief
2	R 568 R	(-7214899)	Spring, leaf, oil relief
	AF 3874 R	(SE1000-1179)	Spring, leaf, with pilot (sub. AF3911R)
	D 2425 R	(SE1000-1179)	Pilot
	R 568 R	(SE1180-)	Spring, leaf, oil relief
3	A 1280 R	(-7214899)	(SE1000-1179)	Spring, oil pressure adjusting
	F 2580 R	(SE1180-)	Spring, oil pressure adjusting
4	24H 1286	(-7214899)	(SE1000-1179)	Washer, 9/32" x 1/2" x .060"
	24H 1301	(SE1180-)	Washer, 13/32" x 9/16" x .060"
5	AR 515 R	(-7214899)	Bracket, oil relief spring, with pin (sub. AF3911R)
	AF 3875 R	(SE1000-1179)	Bracket, oil relief spring, with pin (sub. AF3911R)
	AF 3912 R	(SE1180-)	Bracket, oil relief spring, with pin
6	21H 1144	(-)	(-)	Screw, mach., rd. hd., 1/4" x 1/2" (2 used)
	12H 302	(-)	(-)	Washer, lock, 1/4" (2 used)
7	R 446 R	(-)	(-)	Snap ring
8	F 1858 R	(-7214899)	Gear, oil pump drive
	F 3637 R	(SE1000-)	Gear, oil pump drive
9	19H 1948	(-)	(-)	Screw, cap, high-strength, 1/4" x 3/4" (2 used)
	12H 302	(-)	(-)	Washer, lock, 1/4" (2 used)
10	19H 1758	(-)	(-)	Screw, cap, high-strength, 5/16" x 1-1/4" (sub. for F2270R) (3 used)
	12H 303	(-)	(-)	Washer, lock, 5/16" (3 used)
11A	F 1855 R	(-7214899)	Cover, oil pump body
11B	F 3636 R	(SE1000-)	Cover, oil pump body
12	26H 7	(-)	(-)	Key, Woodruff, 1/8" x 1/2"
13A	F 1854 R	(-7214899)	Gear, oil pump driver
13B	F 3634 R	(SE1000-)	Gear, oil pump driver
14A	R 561 R	(-7214899)	Gear, oil pump idler
14B	F 3635 R	(SE1000-)	Gear, oil pump idler
15A	F 1852 R	(-7214899)	Body, oil pump
15B	F 3633 R	(SE1000-)	Body, oil pump
16	F 1856 R	(-)	(-)	Shim (paper) (packed 10 in a pkg.)
17	F 1853 R	(-)	(-)	Gear, bevel
18A	AF 2320 R	(-7214899)	Screen, oil pump (sub. one AF3871R and one A258R)
18B	AF 3871 R	(SE1000-)	Strainer, oil pump
19	A 258 R	(SE1000-)	Connector, strainer tube to cylinder
Part listed below is not illustrated.				
	AF 3911 R	(SE1000-1179)	Bracket, oil relief spring and misc. items consisting of: one AF3912R oil relief spring bracket, one R568R leaf spring, one F3667R oil relief tube, one F2580R spring, and one 24H1301 washer

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE FLYWHEEL, MAIN BEARING, CRANKSHAFT, CONNECTING ROD, AND PISTONS

(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-)*



*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

**CRANKING ENGINE FLYWHEEL, MAIN BEARING, CRANKSHAFT, CONNECTING
ROD, AND PISTONS -- Continued**
(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-) *


Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	14H 793	(-)	(-)	Nut, jam, 3/4"
2	F 1836 R	(-)	(-)	Plate, lock
3	R 619 R	(-)	(-)	Pin, clutch drive (3 used)
4	F 2265 R	(-)	(-)	Gear, starter ring
5	AF 2012 R	(-)	(-)	Flywheel, F1835R, with starter gear and pins
6	AF 2167 R	(-7214899)	(SE1000-)	Seal, oil
	AF 3717 R	(SE1000-)	(SE1000-)	Seal, oil
7	A 487 R	(-)	(-)	Screw, special cap (3 used)
8	H 246 R	(-)	(-)	Plate, lock (3 used)
9	AF 2013 R	(-7214899)	(SE1000-)	Housing, F1838R, main bearing, with bushing and pin
	AF 3715 R	(SE1000-)	(SE1000-)	Housing, F3517R, main bearing, with bushing washer, and oil seal
10	F 1840 R	(-7214899)	(SE1000-)	Pin, dowel
11	AF 2175 R	(-7214899)	(SE1000-)	Bushing (pkg. of 2)
	AR 697 R	(SE1000-)	(SE1000-)	Bushing (pkg. of 2)
12	R 622 R	(SE1000-)	(SE1000-)	Washer, thrust
13	F 1841 R	(-7214899)	(SE1000-)	Shim (.005") (paper) (packed 5 in a pkg.) (sub. F3520R)
	F 2420 R	(-7214899)	(SE1000-)	Shim (.010") (steel) (sub. F3519R)
	F 3520 R	(SE1000-)	(SE1000-)	Shim (.005") (paper) (packed 5 in a pkg.)
	F 3519 R	(SE1000-)	(SE1000-)	Shim (.010") (steel)
14	26H 19	(-)	(-)	Key, Woodruff, 1/4" x 7/8"
15	AF 2010 R	(-7214899)	(SE1000-)	Crankshaft, F1833R, with pins (sub. AF3720R crankshaft and main bearing assembly)
	AF 3722 R	(SE1000-)	(SE1000-)	Crankshaft, F3518R, with pins
16	T 16573 T	(-)	(-)	Pin (2 used) (sub. for F1837R)
17	F 1807 R	(-)	(-)	Bolt, connecting rod (8 used) (packed 2 in a pkg.)
18	F 1808 R	(-)	(-)	Plate, lock (4 used)
19	AF 3418 R	(-)	(-)	Rod, F3300R, connecting (4 used)
20	AF 1994 R	(-)	(-)	Ring, piston (set of 4 oil control and 8 compression)
21	AF 1992 R	(-)	(-)	Pistons, four F1810R, with rings and pins
	AR 20852 R	(-)	(-)	Piston, one F1810R, with rings
22	F 1811 R	(-)	(-)	Pin, piston (4 used) (packed 4 in a pkg.) (sub. for AF1993R)
23	F 1812 R	(-)	(-)	Snap ring (8 used)
24	26H 10	(-)	(-)	Key, Woodruff, 5/32" x 5/8"
25	F 1843 R	(-7214899)	(SE1000-)	Washer, thrust
	R 622 R	(SE1000-)	(SE1000-)	Washer, thrust
26	AF 2175 R	(-7214899)	(SE1000-)	Bushing (pkg. of 2)
	AR 697 R	(SE1000-)	(SE1000-)	Bushing (pkg. of 2)
27	F 1834 R	(-)	(-)	Gear, crankshaft
28	A 602 R	(-)	(-)	Snap ring
29	AF 2167 R	(-)	(-)	Seal, oil

Part listed below is not illustrated.

AF 3720 R (-7214899) Crankshaft and main bearing assembly

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-


CRANKING ENGINE CYLINDER HEAD, VALVES, AND TAPPETS

(Tractor Serial No. 720000-)
(Cranking Engine Serial No. SE1000-)*

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	21H 981	(-)	(-)	Screw, mach., fill. hd., no. 10 x 1/2" (4 used)
2	F 1941 R	(-)	(-)	Washer, packing (4 used) (packed 2 in a pkg.)
3	F 1940 R	(-)	(-)	Shaft, tappet lever (2 used)
4	22H 710	(-)	(-)	Screw, set, no. 10 x 3/8" (2 used)
5	AF 3620 R	(-)	(-)	Lever, tappet (8 used) (sub. for AF2178R)
6	F 1942 R	(-)	(-)	Spring, tappet lever spacer (4 used)
7	F 1944 R	(-)	(-)	Gasket (2 used) (packed 2 in a pkg.)
8	F 1943 R	(-)	(-)	Cover, tappet lever (2 used)
9	19H 1227	(-)	(-)	Screw, cap, 1/4" x 1/2" (12 used)
10	12H 302	(-)	(-)	Washer, lock, 1/4" (12 used)
11A	14H 861	(-)	(-)	Nut, no. 10 (8 used)
11B	F 1939 R	(-7214899)	(-)	Screw, special set, tappet lever adjusting (8 used)
12	F 3579 R	(-)	(SE1000-)	Screw, special set, tappet lever adjusting (8 used)
13	F 1851 R	(-)	(-)	Lock, valve spring retainer (16 used) (packed 2 in a pkg.)
14	F 1850 R	(-)	(-)	Cap, valve spring (8 used)
15	F 1849 R	(7214899)	(-SE4731)	Spring, valve (8 used) (packed 2 in a pkg.) (sub. R20129R)
16	R 20129 R	(-)	(SE4732-)	Spring, valve (8 used) (packed 2 in a pkg.)
17	F 2087 R	(-)	(-)	Gasket, manifold (2 used) (packed 2 in a pkg.)
18	AF 2083 R	(-7214899)	(-)	Guide, valve (pkg. of 8) (1 pkg. used) (sub. F3531R)
19	F 3531 R	(-)	(SE1000-)	Guide, valve (8 used) (packed 4 in a pkg.)
20	19H 2227	(-)	(-)	Screw, cap, high-strength, 7/16" x 2-1/2" (10 used)
21	AF 2015 R	(-7214899)	(-)	Head, F1844R, cylinder, with valve guides (2 used) (sub. AF3736R)
22	AF 3736 R	(-)	(SE1000-)	Head, F3530R, cylinder, with valve guides (2 used)
23	F 1845 R	(-)	(-)	Gasket (2 used)
24	F 3217 R	(-)	(-)	Valve, exhaust (4 used) (packed 4 in a pkg.) (sub. for AF2016R and AF3148R)
25	F 1848 R	(-)	(-)	Valve, intake (4 used) (packed 4 in a pkg.) (sub. for AF2017R)

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-


CRANKING ENGINE CAMSHAFT AND CAM FOLLOWERS
 (Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*



Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	30H 15	(-)	(-)	Plug, expansion, 1-1/8"
2	F 2218 R	(-)	(-)	Bushing, rear
3	F 1840 R	(-)	(-)	Pin, dowel
4	AF 2138 R	(-7214899)	Camshaft, with pin (sub. one AF3743R, one F3547R, one F3548R, one F3549R and one 26H14)
5A	AF 3743 R	(SE1000-)	Camshaft, with pin
	F 1936 R	(-7214899)	Follower, cam (8 used) (sub. one F3577R, one F3578R and one F3579R)
5B	F 3577 R	(SE1000-)	Follower, cam (8 used)
6	F 2219 R	(-)	(-)	Bushing, center
7A	F 1937 R	(-7214899)	Rod, tappet (8 used)
7B	F 3578 R	(SE1000-)	Rod, tappet (8 used)
8	26H 72	(-7214899)	Key, Woodruff, 1/8" x 5/8"
	26H 14	(SE1000-)	Key, Woodruff, 3/16" x 3/4"
9	F 2217 R	(-)	(-)	Bushing, front
10	F 1934 R	(-)	(-)	Plate, thrust
11	19H 1948	(-)	(-)	Screw, cap, high-strength, 1/4" x 3/4" (2 used)
	12H 302	(-)	(-)	Washer, lock, 1/4" (2 used)
12	F 1935 R	(-7214899)	Gear, camshaft
	F 3547 R	(SE1000-)	Gear, camshaft
13	F 3548 R	(SE1000-)	Washer, thrust
14	F 1783 R	(-7214899)	Retainer, governor ball
	F 3549 R	(SE1000-)	Retainer, governor ball
15	A 602 R	(-)	(-)	Snap ring

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-


CRANKING ENGINE MANIFOLD AND EXHAUST PIPE
 (Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*



Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	F 2388 R	(-)	(-)	Manifold
2	F 2088 R	(-)	Pipe, exhaust
3	A 4656 R	(-)	Clamp
4	19H 1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
5	AF 3221 R	(-)	Muffler
6	24H 1136	(-)	Washer, 11/32" x 11/16" x .060"
7	19H 99	(-)	Screw, cap, 5/16" x 9/16"
8	19H 1906	(-)	(-)	Screw, cap, high-strength, 5/16" x 1-1/2" (6 used)
9	15H 624	(-)	(-)	Plug, pipe, 1/2" (2 used)
10	F 2087 R	(-)	(-)	Gasket (2 used) (packed 2 in a pkg.)

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE AIR CLEANER (Serial No. 7200000-)




60287

Key	Part No.	Serial No.	Description
1	19H 1780	(-7214899)	Screw, cap, 1/4" x 2-3/8" (4 used)
	19H 2228	(7214900-7215891)	Screw, cap, high-strength, 1/4" x 4-1/2" (4 used)
	19H 1716	(7215892-)	Screw, cap, high-strength, 1/4" x 4-3/4" (4 used)
2	F 2116 R	(-)	Washer (copper) (4 used) (packed 5 in a pkg.)
3	A 2880 R	(-)	Nut
4A	AF 2181 R	(-7214899)	Tube, ventilator
4B	AF 3738 R	(7214900-7215891)	Tube, ventilator (sub. one F3678R spacer, one AF3935R ventilator tube, and four 19H1716 cap screws)
	AF 3935 R	(7215892-)	Tube, ventilator
5	R 394 R	(-)	Packing, O-ring
6	AR 1426 R	(-7214899)	Air cleaner
	AF 3737 R	(7214900-)	Air cleaner
7	F 2190 R	(-7214899)	Gasket (packed 2 in a pkg.)
	R 2768 R	(7214900-)	Gasket (sub. F2190R)
8	AR 1428 R	(-7214899)	Clamp, with bolt
	AB 1629 R	(7214900-)	Clamp, with bolt
9	AR 1428 R	(-7214899)	Bolt, clamp (sub. for R1910R)
	B 1569 R	(7214900-)	Bolt, clamp
10	R 1911 R	(-7214899)	Lock, spring
11	R 1906 R	(-)	Cup, oil
12	F 2115 R	(-7214899)	Gasket (packed 2 in a pkg.)
	F 2115 R	(7214900-)	Gasket (2 used) (packed 2 in a pkg.)
13	F 3532 R	(7214900-7215891)	Spacer, air cleaner (sub. one F3678R spacer, one AF3935R ventilator tube, and four 19H1716 cap screws)
	F 3678 R	(7215892-)	Spacer, air cleaner

CRANKING ENGINE FUEL SYSTEM

(Tractor Serial No. 7200000-)



CRANKING ENGINE FUEL SYSTEM -- Continued
(Tractor Serial No. 7200000-)


Key	Part No.	Serial No.	Description
1	F 3620 R	(7214900-)	Valve, fuel shut-off (packed 2 in a pkg.)
2	F 3621 R	(7214900-)	Washer, rubber, valve seat (packed 2 in a pkg.)
3	F 3574 R	(7214900-)	Body, fuel shut-off
4	A 4979 R	(7214900-)	Spring, valve
5	A 4980 R	(7214900-)	Retainer, valve spring (packed 5 in a pkg.)
6	A 4981 R	(7214900-)	Ring, retaining, valve spring (packed 10 in a pkg.)
7	A 4982 R	(7214900-)	Plate, pressure
8	A 4983 R	(7214900-)	Diaphragm (2 used) (packed 10 in a pkg.)
9	A 4984 R	(7214900-)	Spacer, diaphragm
10	A 4988 R	(7214900-)	Pin, valve (packed 5 in a pkg.)
11	A 4986 R	(7214900-)	Bolt, primer (packed 5 in a pkg.)
12	A 4985 R	(7214900-)	Cover, fuel shut-off
13	21H 1159	(7214900-)	Screw, mach., fill. hd., no. 8 x 5/8" (6 used)
	12H 315	(7214900-)	Washer, lock, no. 8 (6 used) (sub. for A766R)
14	A 4987 R	(7214900-)	Nut, primer bolt (packed 5 in a pkg.)
15	21H 994	(7214900-)	Bolt, mach., fill. hd., no. 8 x 7/8"
	B 1085 R	(7214900-)	Washer, lock
16	AR 27977 R	(7214900-)	Switch, pressure (sub. for AF3882R)
17	AF 3883 R	(7214900-)	Tee
18	F 3576 R	(7214900-)	Pipe, oil, fuel shut-off
19	F 3648 R	(7214900-)	Support, fuel shut-off
20	AA 4937 R	(7214900-)	Connector, fuel shut-off oil pipe to cylinder
21	F 3575 R	(7214900-)	Connector, fuel shut-off to carburetor
22	F 2136 R	(-7214899)	Elbow, gasoline shut-off valve
	F 357 R	(7300000-)	Elbow, gasoline line to fuel shut-off
23	AF 3774 R	(7214900-)	Fuel shut-off
24	15H 511	(7214900-)	Bushing, reducer, shut-off valve to fuel shut-off
25	AF 2153 R	(-7299999)	Valve, needle, gasoline shut-off
26	14H 786	(7214900-7299999)	Nut, 1/4"
27	12H 302	(7214900-7299999)	Washer, lock, 1/4"
28	AF 3779 R	(7214900-7299999)	Support, gasoline shut-off rod
29	19H 1227	(7214900-7299999)	Screw, cap, 1/4" x 1/2"
30	AF 3208 R	(-7299999)	Rod, gasoline shut-off, with handle
31	R 1156 R	(-7299999)	Handle
32	AF 3209 R	(-7299999)	Joint, universal
33	R 638 R	(-7299999)	Screw, set (2 used)
34	AF 2152 R	(-)	Line, flexible gasoline
35	F 2135 R	(-7299999)	Pin, hinge, hood door
	R 20538 R	(7300000-)	Pin, hinge, hood door
36	AF 2155 R	(-)	Cap, filler
37	AF 2150 R	(-7214899)	Door, hood and gasoline tank (sub. one AF3776R hood door and gasoline tank, one AF3778R fuel strainer, one 29H483 pipe nipple, and one E1994R connector)
	AF 3776 R	(7214900-7299999)	Door, hood and gasoline tank
	AR 20650 R	(7300000-)	Door, hood and gasoline tank
38	M 316 T	(-)	Pin, cross
39	F 2134 R	(-)	Fastener, wing, hood door
40	F 357 R	(-7214899)	Elbow, flexible gasoline line to gasoline tank
41	29H 483	(7214900-)	Nipple, pipe, gasoline tank to fuel strainer
42	AF 3778 R	(7214900-)	Strainer, fuel
43	F 3643 R	(7214900-)	Plug, fuel strainer body
44	AF 3876 R	(7214900-)	Body, fuel strainer
45	AF 3877 R	(7214900-)	Screen
46	F 3644 R	(7214900-)	Gasket (packed 2 in a pkg.)
47	AF 3878 R	(7214900-)	Bowl, fuel strainer, with gasket
48	AF 3880 R	(7214900-)	Nut, bail
49	AF 3879 R	(7214900-)	Bail, fuel strainer
50	E 1994 R	(7214900-)	Connector

CRANKING ENGINE CARBURETOR

(Tractor Serial No. 7200000-

(Cranking Engine Serial No. SE1000-

)*



*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	AR 13014 R	(-)	(-)	Needle, main jet adjusting (packed 2 in a pkg.) (sub. for AZN11R)
2	R 13013 R	(-)	(-)	Spring, main jet adjusting needle (packed 2 in a pkg.) (sub. for ZN12R)
3	21H 982 **	(-)	(-)	Screw, mach., fill. hd., no. 10 x 1/2" (4 used)
	12H 246	(-)	(-)	Washer, lock, no. 10 (4 used)
4	AR 13012 R	(-)	(-)	Cover, fuel bowl, with plugs (sub. for AZN8R)
5*	(-)	(-)	Gasket, fuel bowl cover
6*	(-)	(-)	Gasket, fuel valve

CRANKING ENGINE CARBURETOR -- Continued

(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-)***

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
7	AR 13002 R**	(-)	(-)	Valve, float, with seat (sub. for AZN9R)
8	AR 13013 R	(-)	(-)	Float, with lever (sub. for AZN10R)
9	R 13011 R**	(-)	(-)	Pin, float (packed 2 in a pkg.) (sub. for ZN10R)
10	R 13012 R**	(-7214899)	(-)	Jet, main (packed 2 in a pkg.) (sub. for ZN11R)
	R 13004 R**	(-)	(SE1000-)	Jet, main (packed 2 in a pkg.)
11*	(-)	(-)	Gasket, main jet
12	R 13015 R**	(-7214899)	(-)	Jet, compensator (packed 2 in a pkg.) (sub. for ZN14R)
	R 13005 R**	(-)	(SE1000-)	Jet, compensator (packed 2 in a pkg.)
13	AR 13010 R	(-)	(-)	Bowl, fuel, with plugs (sub. for AZN6R)
14*	(-)	(-)	Gasket, metering well
15	R 13014 R	(-)	(-)	Well, metering (packed 2 in a pkg.) (sub. for ZN13R)
16*	(-)	(-)	Gasket (2 used)
17	ZN 15 H	(-7214899)	(-)	Plug (2 used) (sub. H21008H)
	H 21008 H	(-)	(SE1000-)	Plug (2 used) (sub. for R13006R)
18*	(-)	(-)	Gasket
19	H 20921 H**	(-)	(-)	Washer, felt (sub. for ZN2H)
20	H 20922 H**	(-)	(-)	Retainer, felt washer (2 used) (sub. for ZN3H)
21	AR 13007 R	(-)	(-)	Shaft, choke, with lever (sub. for AZN3R)
22	21H 1079	(-7214899)	(-)	Screw, mach., fill. hd., no. 8 x 5/8" (sub. R13000R)
	R 13000 R	(-)	(SE1000-)	Screw, special mach.
23	AR 13004 R	(-7214899)	(-)	Shaft, throttle, with lever and adjusting screw (sub. for AZN2R)
	AR 13001 R	(-)	(SE1000-)	Shaft, throttle, with lever and adjusting screw
24	ZN 1 H	(-7214899)	(-)	Pin, throttle stop (sub. R13001R)
	R 13001 R	(-)	(SE1000-)	Pin, throttle stop
25	R 13008 R	(-7214899)	(-)	Disk, throttle (packed 2 in a pkg.) (sub. for ZN4R)
	R 13002 R	(-)	(SE1000-)	Disk, throttle (packed 2 in a pkg.)
26	21H 959 **	(-)	(-)	Screw, mach., fill. hd., no. 5 x 3/16" (2 used)
	12H 233	(-)	(-)	Washer, lock, no. 5 (2 used)
27	R 13009 R**	(-7214899)	(-)	Ring, deflecting (packed 2 in a pkg.) (sub. for ZN8R) (not used)
28	R 640 R	(-)	(-)	Gasket (packed 2 in a pkg.)
29	A 3612 R	(-)	(-)	Stud, 5/16" x 1-1/4" (2 used)
30	12H 303	(-)	(-)	Washer, lock, 5/16" (2 used)
31	14H 785	(-)	(-)	Nut, 5/16" (2 used)
32	R 13010 R	(-)	(-)	Plug, priming (packed 2 in a pkg.) (sub. for ZN9R)
33	AR 13011 R	(-)	(-)	Screw, special cap, with lock washer (2 used) (packed 2 in a pkg.) (sub. for AZN7R)
34	AR 13009 R**	(-)	(-)	Jet, idle (sub. for AZN5R)
35*	(-)	(-)	Gasket, idle jet
36	R 13007 R**	(-)	(-)	Needle, idle adjusting (sub. for ZN6R)
37	H 20923 H	(-)	(-)	Spring, idle adjusting needle (sub. for ZN7H)
38	AR 13006 R	(-7214899)	(-)	Body, carburetor, with bushings and discharge nozzle (sub. for AZN1R) (sub. AF3775R)
	AR 13000 R	(-)	(SE1000-)	Body, carburetor, with bushings and discharge nozzle (sub. AF3775R)
39	ZN 5 R	(-7214899)	(-)	Pin, choke stop (packed 2 in a pkg.) (sub. R13003R)
	R 13003 R	(-)	(SE1000-)	Pin, choke stop (packed 2 in a pkg.)
40	AR 13008 R	(-)	(-)	Disk, choke (packed 2 in a pkg.) (sub. for AZN4R)
41	21H 959 **	(-)	(-)	Screw, mach., fill. hd., no. 5 x 3/16" (2 used)
	12H 233	(-)	(-)	Washer, lock, no. 5 (2 used)
42	F 2115 R	(-)	(-)	Gasket (packed 2 in a pkg.)
Parts listed below are assemblies of parts in this grouping.				
	AF 3775 R	(-)	(SE1000-)	Carburetor
	AR 13015 R*	(-)	(-)	Kit, carburetor gasket (individual gaskets not sold) (sub. for AZN12R)
	AR 13005 R**	(-7214899)	(-)	Kit, carburetor service (this kit also includes gaskets marked*) (sub. for AZN13R)
	AR 13003 R	(-)	(SE1000-)	Kit, carburetor service (this kit also includes gaskets marked*) (sub. for AZN13R)


***NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE COOLING SYSTEM

(Tractor Serial No. 7200000-

(Cranking Engine Serial No. SE1000-

)*



*NOTE: Cranking Engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE COOLING SYSTEM -- Continued

(Tractor Serial No. 7200000-

(Cranking Engine Serial No. SE1000-


)*

Key	Part No.		Tractor Serial No.	Cranking Engine Serial No.	Description
1	19H	1905	(-)	(-)	Screw, cap, high-strength, 5/16" x 1" (3 used)
	12H	303	(-)	(-)	Washer, lock, 5/16" (3 used)
2	F	2390 R	(-)	(-)	Cover, thermostat
3	F	2391 R	(-)	(-)	Gasket (packed 5 in a pkg.)
4	AF	2415 R	(-)	(-)	Thermostat (range 100° F. - 115° F.)
5	AF	2416 R	(-)	(-)	Pipe, water bypass
6	R	394 R	(-)	(-)	Packing, O-ring
7	R	495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
8	F	2393 R	(-)	Pipe, water outlet, manifold to diesel cylinder head outlet
9	A	4656 R	(-)	Clamp
10	19H	1936	(-)	Screw, cap, high-strength, 3/8" x 3/4" (sub. for F2272R)
	12H	304	(-)	Washer, lock, 3/8"
11	R	495 R	(-)	Packing, O-ring (2 used) (packed 10 in a pkg.)
12	F	1970 R	(-)	Pipe, water inlet, water pump to diesel cylinder block
13	19H	1949	(-)	(-)	Screw, cap, high-strength, 5/16" x 2-1/2" (2 used)
14	19H	172	(-)	(-)	Screw, cap, 5/16" x 3-3/4"
15	F	2389 R	(-)	(-)	Cover, water pump
16	F	1969 R	(-)	(-)	Gasket (packed 2 in a pkg.)
17	F	1853 R	(-)	(-)	Gear, bevel, water pump
18	F	1965 R	(-)	(-)	Shim (paper) (packed 10 in a pkg.)
19	F	1960 R	(-7214899)	Housing, water pump (sub. F3504R)
	F	3504 R	(SE1000-	Housing, water pump
20	B	2762 R	(-)	(-)	Packing, O-ring (2 used) (packed 2 in a pkg.)
21	F	1967 R	(-)	(-)	Tube, water pump to cylinder
22	AF	2056 R	(-)	(-)	Seal, oil
23	F	1962 R	(-)	(-)	Shaft, water pump
24	AF	2057 R	(-)	(-)	Seal, water pump
25	F	1964 R	(-)	(-)	Impeller, water pump

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE GOVERNOR AND CONTROLS

(Tractor Serial No. 7200000-)
 (Cranking Engine Serial No. SE1000-)*



*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE GOVERNOR AND CONTROLS -- Continued

(Tractor Serial No. 7200000-)
(Cranking Engine Serial No. SE1000-)*

Key	Part No.	Tractor Serial No.	Cranking Engine Serial No.	Description
1	11H 231	(-)	Pin, cotter, 1/16" x 1" (2 used)
2	F 2123 R	(-)	Rod, choke
3	12H 9 R	(-)	Washer, lock, 1/4" (2 used)
4	24H 131	(-)	Washer, 17/64" x 5/8" x 16 gauge (2 used)
5	A 4192 R	(-7299999)	Screw, mach., 1/4" x 5/8" (2 used) (packed 50 in a pkg.) (sub. 19H1919)
	19H 1919	(7300000-)	Screw, cap, high-strength, 1/4" x 5/8" (2 used)
6	F 2120 R	(-7214999)	Spring, governor (sub. F3553R)
	F 3553 R	(7214900-)	Spring, governor
7	F 2121 R	(-)	Bracket, governor spring
8	24H 1283	(-)	(-)	Washer, 7/32" x 1/2" x .048"
9	F 1789 R	(-7214899)	Arm, governor
	F 3551 R	(.....)	(SE1000-)	Arm, governor
10	A 4365 R	(-)	(-)	Packing, O-ring (packed 2 in a pkg.)
11	24H 1301	(-)	(-)	Washer, 13/32" x 9/16" x .060" (2 used)
12	21H 1161	(-7214899)	Screw, mach., rd. hd., no. 10 x 1/2"
	21H 1161	(.....)	(SE1000-)	Screw, mach., rd. hd., no. 10 x 1/2" (2 used)
13	12H 295	(-7214899)	Washer, lock (shakeproof) no. 10
	12H 295	(.....)	(SE1000-)	Washer, lock (shakeproof) no. 10 (2 used)
14A	F 1790 R	(-7214899)	Lever, governor
14B	F 3552 R	(.....)	(SE1000-)	Lever, governor
15	14H 778	(-)	(-)	Nut, no. 10 (2 used)
16	F 2119 R	(-)	(-)	Swivel, throttle rod
17	11H 231	(-)	(-)	Pin, cotter, 1/16" x 1" (2 used)
18	24H 1283	(-)	(-)	Washer, 7/32" x 1/2" x .048"
19	F 2118 R	(-)	(-)	Rod, throttle
20	A 4138 R	(-)	Swivel, choke lever
21	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
22	24H 1286	(-)	Washer, 9/32" x 1/2" x .060"
23	14H 785	(-)	Nut, 5/16"
24	19H 2313	(-7299999)	Screw, cap, high-strength, 5/16" x 1-3/4"
	R 20925 R	(7300000-)	Screw, special cap
25	D 1856 R	(-)	Spacer
26	F 2124 R	(-)	Lever, choke
27	F 2125 R	(-)	Spring, throttle and choke lever
28	F 2126 R	(-)	Plate, throttle and choke
29	A 4192 R	(-7299999)	Screw, mach., 1/4" x 5/8" (2 used) (packed 50 in a pkg.) (sub. 19H1919)
	A 4322 R	(7300000-)	Screw, drive (2 used)
30	F 2122 R	(-)	Lever, throttle
31	D 1856 R	(-)	Spacer
32	24H 1286	(-)	Washer, 9/32" x 1/2" x .060"
33	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
34	A 4138 R	(-)	Swivel, throttle lever
35	14H 785	(-)	Nut, 5/16"
36	19H 2313	(-7299999)	Screw, cap, high-strength, 5/16" x 1-3/4" (sub. for F2271R)
	R 20925 R	(7300000-)	Screw, special cap
37	F 1935 R	(-7214899)	Gear, camshaft
	F 3547 R	(.....)	(SE1000-)	Gear, camshaft
38	F 3548 R	(.....)	(SE1000-)	Washer, thrust
39	D 2361 R	(-)	(-)	Ball, governor (3 used)
40	F 1783 R	(-7214899)	Retainer, governor ball
	F 3549 R	(.....)	(SE1000-)	Retainer, governor ball
41	602 R	(-)	(-)	Snap ring
42	AF 1987 R	(-)	(-)	Race, governor ball, with plunger

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-


CRANKING ENGINE DISTRIBUTOR

(Tractor Serial No. 7200000-

(Distributor Serial No. 001000-

(Cranking Engine Serial No. SE1000-

)*



39977

*NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

CRANKING ENGINE DISTRIBUTOR -- Continued
 (Tractor Serial No. 7200000-)
 (Distributor Serial No. 001000-)
 (Cranking Engine Serial No. SE1000-)**

Key	Part No.	Distributor Serial No.	Description
1	9261 B	(001000-)	Cam, breaker
2	F 2080 R	(001000-)	Key (packed 2 in a pkg.)
3	F 2081 R	(001000-)	Washer, special (packed 2 in a pkg.)
4	F 2082 R	(001000-)	Plate, lock (packed 2 in a pkg.)
5	F 2199 R	(001000-)	Screw, special cap (packed 5 in a pkg.)
6	F 2083 R	(001000-)	Gasket (packed 5 in a pkg.)
7	AP 19170 H	(001000-)	Spark plug (Champion J-8-64F) (4 used)
	AF 2180 R	(001000-)	Spark plug (AC45M) (4 used)
8	X 9652	(001000-031071)	Cable, spark plug, upper (2 used) (sub. AR12004R)
	AR 12004 R	(031072-)	Cable, spark plug, upper (2 used)
	X 9653	(001000-031071)	Cable, spark plug, lower (2 used) (sub. AR12005R)
	AR 12005 R	(031072-)	Cable, spark plug, lower (2 used)
9	B 1986 R	(001000-)	Clip, cable (2 used)
10	9268	(001000-)	Plate, back
11	24H 1283	(001000-)	Washer, 7/32" x 1/2" x .048", distributor to timing gear cover screw (4 used)
12	21H 981	(001000-)	Screw, mach., fill. hd., no. 10 x 1/2", distributor to timing gear cover (4 used)
13	2179	(001000-)	Grommet, spark plug cable (4 used)
14	X 9021	(001000-)	Point, breaker, set (2 used)
15	5446	(001000-)	Felt, cam wiper (2 used)
16	2965	(001000-)	Washer (brass) (2 used)
17	21H 1076	(001000-)	Screw, mach., fill. hd., no. 6 x 5/16" (2 used)
	12H 314	(001000-)	Washer, lock, no. 6 (2 used) (sub. for A765R)
18	X 9295	(001000-)	Coil (2 used)
19	(001000-)	Not furnished
20	9262	(001000-)	Gasket
21	X 9299	(001000-)	Cover, distributor
22	21H 986	(001000-)	Screw, mach., rd. hd., no. 10 x 1-1/4" (2 used)
	12H 246	(001000-)	Washer, lock, no. 10 (2 used)
23	21H 994	(001000-)	Screw, mach., fill. hd., no. 8 x 7/8" (3 used)
	12H 315	(001000-)	Washer, lock, no. 8 (3 used)
24	21H 994	(001000-)	Screw, mach., fill. hd., no. 8 x 7/8" (2 used)
	12H 315	(001000-)	Washer, lock, no. 8 (2 used)
25	X 9257	(001000-)	Core, coil
26	21H 1076	(001000-)	Screw, mach., fill. hd., no. 6 x 5/16" (2 used)
	12H 314	(001000-)	Washer, lock, no. 6 (2 used) (sub. for A765R)
27	21H 1076	(001000-)	Screw, mach., fill. hd., no. 6 x 5/16" (2 used)
	12H 314	(001000-)	Washer, lock, no. 6 (2 used) (sub. for A765R)
28	X 9263	(001000-)	Condenser (2 used)
29	14H 605	(001000-)	Nut, no. 8 (2 used)
30	12H 315	(001000-)	Washer, lock, no. 8 (2 used)
31	M 33 X*	(001000-)	Washer
32	AF 2177 R	(001000-)	Stud, connector, with insulators


Part listed below is an assembly of most of the parts in this grouping.

AR 1370 R (-) Distributor (Wico) (6-volt)

*Furnished by John Deere Dubuque Tractor Works.

**NOTE: Cranking engines have separate serial numbers on tractors serial no. 7214900-

AR1203R CRANKING MOTOR (Delco-Remy) (C.E.)
(Serial No. 7200000-)



45010


AR1203R CRANKING MOTOR (Delco-Remy) (C.E.) -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	817114	(-)	Band, commutator cover
2	R 11281 R	(-)	Bolt, thru (2 used) (sub. for 809053)
3	(-)	Plug, expansion
4	(-)	Bushing, commutator end frame
5	12H 302	(-)	Washer, lock, 1/4" (2 used)
6	R 11093 R	(-)	Pin, brush hold stop (2 used) (sub. for 817314)
7	1907038	(-)	Frame, commutator end
8	AR 11062 R	(-)	Pin, brush holder stop and insulation assembly (2 used) (sub. for 812015)
9	R 11091 R	(-)	Spring, brush (4 used) (sub. for 813521)
10	AR 11064 R	(-)	Lead, ground brush (2 used) (sub. for 813554)
11	21H 969	(-)	Screw, special mach., ground brush lead to frame (2 used)
	12H 315	(-)	Washer, lock, no. 8 (2 used) (sub. for A766R)
12	R 11090 R	(-)	Holder, brush (4 used) (sub. for 810226)
13	811553	(-)	Brush (4 used)
14	21H 964	(-)	Screw, special mach., brush attaching (4 used)
	12H 314	(-)	Washer, lock, no. 6 (4 used) (sub. for A765R)
15	21H 1189	(-)	Screw, mach., no. 10 x 1/4", lead to field coil (2 used)
	12H 246	(-)	Washer, lock, no. 10 (2 used) (sub. for A767R)
16	R 11092 R	(-)	Pin, brush holder hinge (2 used) (sub. for 817313)
17	AR 11063 R	(-)	Pin, brush holder hinge and insulation assembly (2 used) (sub. for 812016)
18	R 11086 R	(-)	Pin, dowel (sub. for 809062)
19	AR 11065 R	(-)	Lead, brush connector (sub. for 819362)
20	810601	(-)	Shoe, pole (4 used)
21	1921196	(-)	Coil, field, L.H.
22	1921195	(-)	Coil, field, R.H.
23	826938	(-)	Screw, special, starting motor terminal
24	24H 1303	(-)	Washer, 13/32" x 11/16" x .060" (2 used)
25	R 11099 R	(-)	Washer, insulating (2 used) (sub. for 1861076)
26	R 11107 R	(-)	Washer, insulating (2 used) (sub. for 1904669)
27	12H 304	(-)	Washer, lock, 3/8" (2 used)
28	14H 732	(-)	Nut, jam, 3/8" (2 used)
29	1930611	(-)	Screw, special, magnetic switch to frame (2 used)
30	14H 605	(-)	Nut (2 used)
31	12H 315	(-)	Washer, lock (2 used) (sub. for 804485)
32	B 1085 R	(-)	Washer (2 used)
33	14H 812	(-)	Nut, 3/8" (4 used)
34	12H 304	(-)	Washer, lock, 3/8" (6 used)
35	AR 39959	(-)	Switch, magnetic (sub. for 1465 or 119799)
36	R 40137	(-)	Connector, switch (sub. for 1932513)
37	(-)	Frame, main
38	R 11087 R	(-)	Pin, dowel (sub. for 809595)
39	R 11104 R	(-)	Screw, pole shoe (4 used) (sub. for 1881869)
40	810620	(-)	Bushing
41	1932102	(-)	Housing, motor drive
42	R 11096 R	(-)	Washer (sub. for 838602)
43	1932442	(-)	Pinion
44	1848528	(-)	Spring, anti-drift
45	1859033	(-)	Snap ring
46	1902342	(-)	Shaft, Bendix drive
47	1916461	(-)	Washer, special (2 used) (furnished by John Deere Harvester Works)
48	1878421	(-)	Spring, drive
49	1878418	(-)	Snap ring
50	1932103	(-)	Drive, Bendix
51	26H 10	(-)	Key, Woodruff, 5/32" x 5/8"
52	1878077	(-)	Armature
53	818265	(-)	Washer, leather brake
54	1878419	(-)	Screw, special

Part listed below is an assembly of parts in this grouping.

AR 1203 R (-) Motor, cranking (6-volt) (Delco-Remy no. 1107155) (sub. AR11156R)

AR11156R CRANKING MOTOR (Delco-Remy) (C.E.)



R 11860

AR11156R CRANKING MOTOR (Delco-Remy) (C.E.) -- Continued


Key	Part No.	Serial No.	Description
1	14H 605	(-)	Nut, no. 8 (2 used)
2	804485	(-)	Washer, lock, (2 used)
3	B 1085 R	(-)	Washer
4	1916529	(-)	Screw, switch attaching (2 used)
5	AR 39959	(-)	Switch, magnetic
6	12H 304	(-)	Washer, lock, 3/8" (4 used)
7	14H 812	(-)	Nut, 3/8" (4 used)
8	R 39852	(-)	Connector
9	T 737 T	(-)	Grommet
10	(-)	Frame, main
11	R 11104 R	(-)	Screw, pole shoe (4 used)
12	R 11087 R	(-)	Pin, dowel
13	810601	(-)	Shoe, pole (4 used)
14	AT 16884 T	(-)	Coil, field
15	12H 246	(-)	Washer, lock, no. 10
16	21H 1189	(-)	Screw, machine, no. 10 x 1/4"
17	21H 1020	(-)	Screw, machine, no. 10 x 1/2" (4 used)
18	12H 246	(-)	Washer, lock, no. 10 (4 used)
19	14H 631	(-)	Nut, special hex. no. 10 (4 used)
20	AT 516 T	(-)	Support, brush, package (2 used)
21	T 740 T	(-)	Spring, brush (2 used)
22	T 739 T	(-)	Holder, brush, insulated (2 used)
23	T 738 T	(-)	Holder, brush, ground (2 used)
24	AT 514 T	(-)	Lead, brush ground (2 used)
25	37H 2	(-)	Screw, tapping, brush attaching (4 used)
26	T 18712 T	(-)	Brush (4 used)
27	T 736 T	(-)	Pin, brush holder support (2 used)
28	810620	(-)	Bushing
29	AT 517 T	(-)	Frame, commutator end
30	T 741 T	(-)	Bolt, thru (2 used)
31	R 11096 R	(-)	Washer, special, C.E.
32	1878077	(-)	Armature
33	26H 73	(-)	Key, Woodruff, 5/32" x 5/8"
34	1878418	(-)	Ring, snap
35	1916461	(-)	Washer, special (2 used)
36	1878421	(-)	Spring, drive
37	1878419	(-)	Screw, special
38	1902342	(-)	Shaft, Bendix drive
39	1859033	(-)	Ring, snap
40	1848528	(-)	Spring, anti-drift
41	1932442	(-)	Pinion
42	1932103	(-)	Drive, Bendix
43	R 11096 R	(-)	Washer, special, pinion thrust
44	R 39853	(-)	Housing, drive
45	810620	(-)	Bushing

Part listed below is an assembly of parts in this grouping.

AR 11156 R (-) Motor, cranking (6-volt) (Delco-Remy no. 1107186) (sub. for AR1203R)

CRANKING ENGINE CLUTCH


(Serial No. 7200000-)



60296

CRANKING ENGINE CLUTCH -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1A	JD 8511	(-7214899)	Bearing, outer
1B	JD 7678	(7214900-)	Bearing, outer
2A	F 1986 R	(-7214899)	Shaft, clutch, and gear
2B	F 3507 R	(7214900-)	Shaft, clutch, and gear
3	JD 8533	(-)	Bearing, inner
4	AF 2167 R	(-)	Seal, oil
5	AF 3453 R	(-)	Plug, with filter
6	8H 3751	(-)	Bolt, mach., 1/2" x 9"
7	F 2011 R	(-)	Cover, clutch adjusting
8	21H 1144	(-)	Screw, mach., rd. hd., 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
9	8H 4160	(-)	Screw, cap, 1/2" x 7-1/4"
10	19H 1983	(-)	Screw, cap, high-strength, 7/16" x 1-1/2" (3 used)
	12H 293	(-)	Washer, lock, 7/16" (3 used)
11	F 2010 R	(-)	Cover
12	19H 1227	(-)	Screw, cap, 1/4" x 1/2"
	12H 302	(-)	Washer, lock, 1/4"
13	19H 1227	(-)	Screw, cap, 1/4" x 1/2"
14	F 2341 R	(-)	Housing, clutch
15	24H 1292	(-)	Washer, 11/32" x 3/4" x .120" (quantity used as required)
16	R 26650 R	(-)	Pin, dowel cranking engine to main case (2 used) (sub. for A4879R)
17	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
18	19H 1925	(-)	Screw, cap, 3/8" x 4-1/4" (2 used)
	12H 304	(-)	Washer, lock, 3/8" (2 used)
19	C 1224 R	(-)	Spring
20	C 1067 R	(-)	Pin
21	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
22	C 284 R	(-)	Yoke, transmission operating link
23	F 1996 R	(-)	Link, transmission operating
24	11H 233	(-)	Pin, cotter, 3/32" x 1/2"
25	A 3126 R	(-)	Pin
26	F 2163 R	(-)	Link, clutch and transmission operating
	24H 1301	(7323121-)	Washer, 13/32" x 9/16" x .060", clutch and transmission operating link
	A 4847 R	(-)	Gasket, clutch and transmission operating link
	D 1995 R	(-)	Spring, clutch and transmission operating link
27	14H 732	(-)	Nut, jam, 3/8"
28	F 2164 R	(-)	Coupling, clutch and transmission operating link
29	F 3028 R	(-)	Link, starting control lever
30	24H 1292	(-)	Washer, 11/32" x 3/4" x .120"
31	F 1993 R	(-)	Link, clutch operating (2 used)
32	11H 233	(-)	Pin, cotter, 3/32" x 1/2" (2 used)
33	A 3114 R	(-)	Pin, clutch fork arm link (2 used)
34	F 1992 R	(-)	Link, clutch fork arm (2 used)
35	F 2208 R	(-)	Ring, retaining (2 used)
36	F 1989 R	(-)	Shaft, clutch fork
37	AF 2071 R	(-)	Arm, F1990R, clutch fork, with pin
38	F 2006 R	(-)	Pin, clutch fork arm
39	JD 7788	(-)	Fitting, grease, 45°, 1/4"
40	F 1988 R	(-)	Fork, clutch
41	A 4979 R	(-)	Spring
42	F 2387 R	(-)	Collar, clutch release bearing
43	AF 2408 R	(-)	Bearing, clutch release
44	(-)	Wire, 16 gauge x 30" long
45	D 916 R	(-)	Screw, cap, 3/8" x 3/4" (drilled) (6 used)
46	R 675 R	(-)	Screw, clutch adjusting (3 used)
47	14H 732	(-)	Nut, jam, 3/8" (3 used)
48	AR 548 R	(-)	Cover, clutch, with nuts
49	11H 233	(-)	Pin, cotter, 3/32" x 1/2" (6 used)
50	R 672 R	(-)	Pin, clutch toggle (3 used)
51	R 671 R	(-)	Toggle, clutch (3 used)
52	AR 905 R	(-)	Disk, clutch adjusting, with toggles
53	AR 546 R	(-7299999)	Disk, clutch, with facings (sub. AR20327R)
	AR 20327 R	(7300000-)	Disk, clutch, with facings
54	R 669 R	(-7299999)	Facing, clutch (2 used) (packed 2 in a pkg.)
55	D 1761 R	(-7299999)	Rivet (4 used) (packed 100 in a pkg.)
56	R 673 R	(-)	Spring (3 used)
57	14H 793	(-)	Nut, jam, 3/4"
58	F 1836 R	(-)	Plate, lock
59	R 619 R	(-)	Pin, clutch drive (3 used)
60	F 2265 R	(-)	Gear, starting ring
61	AF 2012 R	(-)	Flywheel, with starter gear

CRANKING ENGINE TRANSMISSION
(Serial No. 7200000-)

CRANKING ENGINE TRANSMISSION -- Continued
(Serial No. 7200000-)

Key	Part No.	Serial No.	Description
1	19H 1227	(-)	Screw, cap, 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
2	F 2008 R	(-)	Plate, transmission shifter lever stop
3	F 2235 R	(-)	Spring, transmission shifter lever stop
4	24H 1303	(-)	Washer, 13/32" x 11/16" x .060"
5	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
6	F 2353 R	(-)	Pin, special headed, transmission shifter lever stop
7	E 2302 RT	(-)	Cup, oiler
8	AF 2833 R	(-7214899)	Housing, F1985R or F2342R, transmission, with bushing and oiler
	AF 3712 R	(7214900-)	Housing, F3506R, transmission, with bushing and oiler
9	F 1840 R	(-)	Pin, dowel
10	R 796 R	(-)	Bushing
11	F 2719 R	(-)	Bushing
12	19H 1732	(-)	Screw, cap, high-strength, 3/8" x 1-1/4" (6 used)
	12H 304	(-)	Washer, lock, 3/8" (6 used)
13	29H 17	(-7319657)	Nipple (sub. 29H25 and R21632R)
	29H 25	(7319658-)	Nipple
14	15H 73	(-7319657)	Coupling, pipe (sub. 29H25 and R21632R)
	R 21632 R	(7319658-)	Coupling
15	AF 2236 R	(-)	Cock, oil level
16	R 10160 R	(-)	Plug, drain (sub. for 99-7)
17	29H 25	(-)	Nipple, pipe
18	15H 155	(-)	Elbow, pipe
19	R 26650 R	(-)	Pin, dowel (2 used) (sub. for A4879R)
20	F 1997 R	(-)	Gasket (packed 2 in a pkg.)
21	F 2004 R	(-)	Shaft, transmission shifter
22	A 120 R	(-)	Pin, dowel
23	AF 2367 R	(-)	Arm, F2354R, transmission, shifter, with pin
24	A 4681 R	(-)	Pin, dowel
25	AF 2366 R	(-)	Lever, F2350R, transmission shifter, with pins
26	F 2351 R	(-)	Pin, in transmission shifter lever
27	F 2352 R	(-)	Shaft, transmission shifter
28	34H 58	(-)	Pin, spring, 5/32" x 7/8" (2 used)
29	11H 211	(-)	Pin, cotter, 1/8" x 3/4"
30	24H 1341	(-)	Washer, 17/32" x 15/16" x .060" (2 used)
31	F 2355 R	(-)	Spring, transmission shifter arm
32	F 2003 R	(-)	Shifter, transmission
33	F 2002 R	(-)	Pinion, transmission sliding
34	19H 1227	(-)	Screw, cap, 1/4" x 1/2" (2 used)
	12H 302	(-)	Washer, lock, 1/4" (2 used)
35	AF 2075 R	(-)	Plate, transmission brake, with facing
36	R 805 R	(-)	Facing, brake
37	D 2309 R	(-)	Rivet (3 used) (packed 100 in a pkg.)
38	F 1998 R	(-)	Shaft, transmission drive
39	26H 30	(-)	Key, Woodruff, 1/4" x 1-1/4"
40	AR 531 R	(-)	Seal, oil
41	F 2001 R	(-)	Plate, over-running clutch (2 used) (packed 2 in a pkg.)
42	F 2000 R	(-)	Gear, transmission drive
43	F 1999 R	(-)	Hub, over-running clutch
44	R 820 R	(-)	Roller, over-running clutch (4 used) (packed 2 in a pkg.)
45	R 800 R	(-)	Plunger, over-running clutch (4 used)
46	R 801 R	(-)	Spring (4 used)
47	A 378 R	(-)	Snap ring
48	JD 7681	(-)	Bearing

MEMORANDA

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-1

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
99-7	85-29	16	1103021	40-3	7	1904083	40-15	66	1930611	40-19	33
264 R	15-13	10	1103021	40-5	..	1904370	40-5	10	1930611	85-23	29
264 R	80-1	..	1103021	40-43	1	1904370	40-7	19	1932102	85-23	41
264 R	80-2	..	1107155	40-41	2	1904377	40-5	6	1932103	85-23	50
264 R	80-3	..	1107155	85-23	..	1904377	40-7	7	1932103	85-25	42
405 R	35-13	22	1107186	85-25	..	1904377	40-10	6	1932442	85-23	43
405 R	65-3	11	1113801	40-12	9	1904377	40-11	15	1932442	85-25	41
602 R	85-19	41	1113801	40-15	..	1904669	85-23	26	1932513	85-23	36
1465	85-23	35	1113801	40-43	3	1904817	40-11	15	1947580	40-2	7
2179	85-21	13	1113830	40-19	..	1906909	40-15	39			
2965	85-21	16	1113830	40-43	3	1907038	85-23	7			
5446	85-21	15	1118786	40-2	8	1908829	40-7	5			
9261 B	85-21	1	1118786	40-7	18	1909560	40-15	8			
9262	85-21	20	1118786	40-11	..	1909654	40-15	65			
9268	85-21	10	1119799	85-23	35	1909654	40-19	63	A 76 R	45-11	22
31603 A	75-9	50	1212008	40-5	14	1910183	40-11	21	A 88 R	45-17	5A
125947	40-15	7	1843646	40-5	9	1911263	40-7	22	A 89 R	45-17	5A
125947	40-15	64	1843646	40-7	10	1911485	40-7	11	A 119 R	20-3	23
132688	40-5	5	1843646	40-15	35	1911485	40-11	22	A 120 R	20-3	15
132688	40-7	6	1848528	85-23	44	1911628	40-19	70	A 120 R	45-17	11
138549	40-24	15	1848528	85-25	40	1911644	40-15	53	A 120 R	50-13	33
138549	40-25	7	1857412	40-5	2	1911644	40-19	49	A 120 R	50-19	10
138549	40-26	13	1857412	40-7	3	1912008	40-7	23	A 120 R	85-29	22
138549	40-27	14	1858603	40-5	20	1912159	40-10	30	A 134 R	45-17	22
200362	40-7	37	1858603	40-7	30	1912159	40-11	12	A 134 R	45-19	43
804000	40-7	32	1858753	40-5	34	1912176	40-10	9	A 147 R	70-26	8
804080	40-5	48	1858753	40-7	40	1912176	40-11	14	A 147 R	70-31	47
804080	40-7	53	1859033	85-23	45	1913534	40-15	23	A 151 R	45-17	13
804485	85-23	31	1859033	85-25	39	1914491	40-5	26	A 151 R	45-19	18
804485	85-25	2	1861076	84-23	25	1914491	40-7	34	A 152 R	45-19	19
806915	40-2	12	1861785	40-15	40	1914618	40-5	27	A 159 R	45-5	11
806915	40-7	33	1864099	40-7	13	1914618	40-5	27	A 174 R	15-5	15
809053	85-23	2	1864099	40-11	9	1916324	40-7	35	A 174 R	65-5	18
809062	40-5	46	1864099	40-24	10	1916324	40-5	4	A 192 R	25-3	19
809062	40-7	51	1868137	40-7	14	1916461	85-23	47	A 198 R	70-33	5
809062	85-23	18	1868137	40-11	10	1916461	85-25	35	A 242 R	70-17	21
809593	40-7	20	1878077	85-23	52	1916529	85-25	4	A 258 R	15-5	19
809595	85-23	38	1878077	85-25	32	1917571	40-7	12	A 258 R	35-10	2
809945	40-5	40	1878183	40-5	3	1917571	40-11	23	A 258 R	35-13	30
809945	40-7	46	1878183	40-7	4	1921195	85-23	22	A 258 R	85-5	19
809961	40-5	17	1878418	85-23	49	1921196	85-23	21	A 310 R	45-5	4
809961	40-7	26	1878418	85-25	34	1921351	40-7	48	A 321 R	45-17	27
810226	85-23	12	1878419	85-23	54	1921356	40-7	36	A 321 R	45-19	41
810601	85-23	20	1878419	85-25	37	1921356	40-9	26	A 348 R	45-17	26
810601	85-25	13	1878421	85-23	48	1921362	40-5	29	A 348 R	45-19	42
810620	85-23	40	1878421	85-25	36	1921362	40-5	38	A 350 R	60-19	3
810620	85-25	28	1878503	40-10	26	1921362	40-7	45	A 350 R	60-19	40
810620	85-25	45	1878503	40-16	21	1921369	40-5	30	A 350 R	60-21	3
811553	85-23	13	1878505	40-10	25	1921369	40-5	39	A 350 R	60-21	39
811912	40-15	6	1878505	40-11	6	1921369	40-7	44	A 352 R	20-9	35
811912	40-15	19	1878507	40-10	22	1921860	40-7	38	A 364 R	65-5	9
811912	40-16	4	1878507	40-11	8	1922288	40-7	1	A 365 R	65-3	7
811912	40-17	20	1878516	40-10	24	1922289	40-5	1	A 369 R	25-7	23
811912	40-18	4	1878516	40-11	5	1922289	40-7	2	A 369 R	30-3	13
812015	85-23	8	1878517	40-11	11	1922408	40-10	8	A 369 R	50-3	13
812016	85-23	17	1878780	40-11	13	1922408	40-11	20	A 369 R	60-13	13
813521	85-23	9	1880641	40-5	18	1922599	40-10	23	A 378 R	15-15	31
813554	85-23	10	1880641	40-7	27	1922599	40-11	7	A 378 R	85-29	47
815018	40-5	51	1881869	85-23	39	1922996	40-11	2	A 487 R	85-7	7
815018	40-7	56	1885090	40-5	33	1923295	40-5	7	A 510 R	45-19	12
817114	85-23	1	1885090	40-7	39	1924689	40-7	31	A 511 R	45-19	36
817313	85-23	16	1886496	40-24	10	1924764	40-10	7	A 519 R	15-5	49
817314	85-23	6	1886496	40-24	13	1925097	40-5	19	A 521 R	15-5	17
818265	85-23	53	1886496	40-26	11	1925097	40-7	29	A 521 R	15-5	51
819104	40-5	16	1902342	85-23	46	1927447	40-5	45	A 522 R	15-5	50
819104	40-7	25	1902342	85-25	38	1927447	40-7	50	A 552 R	65-3	14
819362	85-23	19	1902692	40-24	16	1927448	40-5	44	A 562 R	15-1	1
823551	40-5	41	1902692	40-25	8	1927448	40-7	49	A 562 R	65-5	21
823551	40-7	28	1902692	40-26	14	1927980	40-11	3	A 562 R	65-5	47
826938	95-23	23	1902692	40-27	15	1927981	40-11	4	A 584 R	30-3	24
833602	40-15	46	1902694	40-24	17	1927982	40-11	1	A 597 R	45-3	49
838602	85-23	42	1902694	40-25	9	1928061	40-5	47	A 598 R	45-3	48
1100027	40-7	..	1902694	40-26	15	1928061	40-7	52	A 602 R	70-15	30
1100027	40-41	4	1902694	40-27	16	1929666	40-24	11	A 602 R	70-17	49
						1930611	40-15	26	A 602 R	70-29	15

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
A 602 R	85-7	28	A 1892 R	20-5	1	A 3190 R	25-7	12	A 3910 R	15-9	36
A 602 R	85-9	15	A 1892 R	20-7	1	A 3190 R	30-5	34	A 3910 R	70-3	23
A 655 R	70-9	17	A 1892 R	45-11	3	A 3190 R	80-5	..	A 3910 R	70-9	6
A 765 R	85-21	26	A 1892 R	45-14	2	A 3232 R	35-9	29	A 3910 R	70-29	1
A 765 R	85-23	14	A 1910 R	50-15	8	A 3232 R	40-33	9	A 3917 R	20-5	40
A 766 R	40-15	41	A 2069 R	15-5	8	A 3232 R	40-35	12	A 3917 R	40-19	55
A 766 R	40-19	21	A 2093 R	15-13	22	A 3232 R	40-37	11	A 3917 R	70-34	..
A 766 R	40-24	18	A 2159 R	50-15	17	A 3232 R	40-41	14	A 3959 R	15-7	6
A 766 R	40-25	10	A 2159 R	50-18	16	A 3232 R	60-10	13	A 3959 R	45-13	..
A 766 R	40-26	11	A 2161 R	50-15	17	A 3232 R	60-11	2	A 3959 R	65-7	9
A 766 R	40-27	17	A 2238 R	15-9	13	A 3232 R	60-11	11	A 4059 R	25-7	17
A 766 R	85-13	13	A 2299 R	45-19	38	A 3232 R	60-11	15	A 4059 R	25-7	18
A 766 R	85-23	11	A 2332 R	15-13	5	A 3232 R	60-12	2	A 4059 R	50-5	7
A 767 R	35-11	3	A 2333 R	15-13	6	A 3232 R	60-12	13	A 4059 R	50-5	8
A 767 R	40-16	9	A 2406 R	35-9	33	A 3256 R	65-11	8	A 4064 R	55-25	9
A 767 R	60-11	4	A 2428 R	65-3	41	A 3256 R	70-3	8	A 4064 R	55-25	20
A 767 R	60-11	5	A 2441 R	15-5	47	A 3311 R	15-8	6	A 4064 R	55-27	6
A 767 R	60-12	4	A 2444 R	15-5	44	A 3312 R	15-8	9	A 4117 R	55-5	6
A 767 R	60-13	3	A 2467 R	15-13	8	A 3324 R	15-9	21A	A 4118 R	55-5	5
A 767 R	85-23	15	A 2530 R	15-5	45	A 3332 R	60-26	2	A 4119 R	55-5	7
A 776 R	45-11	4	A 2610 R	35-9	17	A 3334 R	60-26	5	A 4125 R	30-7	28
A 776 R	45-13	12	A 2729 R	40-21	13	A 3335 R	60-26	6	A 4125 R	40-51	28
A 776 R	55-8	2	A 2729 R	40-22	2	A 3411 R	40-35	9	A 4125 R	60-14	15
A 776 R	55-12	2	A 2731 R	40-21	11	A 3411 R	40-39	12	A 4125 R	60-14	34
A 777 R	55-23	18	A 2731 R	40-21	22	A 3411 R	40-44	5	A 4125 R	60-15	20
A 819 R	70-29	24	A 2743 R	40-35	7	A 3411 R	40-45	4	A 4125 R	60-19	19
A 846 R	25-7	4	A 2743 R	40-39	10	A 3411 R	40-47	7	A 4130 R	50-5	22
A 877 R	55-8	5	A 2743 R	40-44	6	A 3411 R	40-49	7	A 4130 R	70-29	25
A 877 R	55-11	12	A 2743 R	40-45	5	A 3439 R	15-10	2	A 4138 R	85-19	20
A 877 R	55-12	10	A 2833 R	45-13	30	A 3439 R	15-13	3	A 4138 R	85-19	34
A 877 R	55-13	10	A 2875 R	30-3	43	A 3439 R	30-3	37	A 4192 R	60-26	16
A 877 R	55-14	10	A 2875 R	35-9	12	A 3439 R	65-7	18	A 4192 R	60-27	11
A 877 R	55-15	10	A 2875 R	35-15	38	A 3439 R	65-11	24	A 4192 R	85-19	5
A 890 R	55-11	18	A 2880 R	85-11	3	A 3439 R	70-5	42	A 4192 R	85-19	29
A 890 R	55-13	16	A 2899 R	40-21	3	A 3439 R	70-29	20	A 4201 R	55-5	1
A 890 R	55-15	15	A 2899 R	40-21	18	A 3439 R	70-29	33	A 4224 R	15-9	22
A 1129 R	50-13	8	A 2899 R	40-22	7	A 3439 R	80-1	..	A 4224 R	80-4	..
A 1129 R	50-19	14	A 3004 R	55-3	8	A 3439 R	80-2	..	A 4233 R	10-3	22
A 1130 R	50-13	10	A 3004 R	55-23	5	A 3439 R	80-3	..	A 4233 R	20-3	9
A 1130 R	50-19	16	A 3009 R	40-5	12	A 3471 R	55-5	14	A 4234 R	20-3	11
A 1131 R	50-13	9	A 3009 R	40-7	21	A 3472 R	55-5	14	A 4235 R	10-3	21
A 1131 R	50-19	15	A 3010 R	40-7	16	A 3474 R	55-5	10	A 4235 R	20-3	10
A 1149 R	15-5	40	A 3011 R	40-5	36	A 3475 R	55-5	11	A 4248 R	65-11	4
A 1152 R	15-5	39	A 3011 R	40-7	42	A 3476 R	55-5	16	A 4302 R	45-17	14
A 1163 R	45-19	14	A 3011 R	40-9	32	A 3477 R	55-5	20	A 4316 R	60-19	24
A 1197 R	20-5	4	A 3031 R	40-5	35	A 3478 R	55-5	19	A 4316 R	60-21	23
A 1197 R	20-7	4	A 3031 R	40-7	41	A 3479 R	55-5	34	A 4317 R	60-19	20
A 1248 R	60-10	11	A 3031 R	40-9	31	A 3479 R	55-23	5	A 4317 R	60-21	19
A 1248 R	60-11	6	A 3098 R	10-3	18	A 3539 R	70-35	..	A 4322 R	10-5	3
A 1248 R	60-11	10	A 3098 R	20-3	4	A 3581 R	70-31	50	A 4322 R	85-19	29
A 1248 R	60-12	6	A 3098 R	20-3	33	A 3581 R	75-5	11	A 4355 R	20-9	32
A 1280 R	70-19	24	A 3098 R	20-5	34	A 3581 R	75-9	53	A 4365 R	35-15	20
A 1280 R	70-23	4	A 3098 R	20-7	37	A 3606 R	70-3	3	A 4365 R	40-19	53
A 1280 R	70-23	23	A 3098 R	30-9	31	A 3606 R	70-5	9	A 4365 R	70-34	..
A 1280 R	85-5	3	A 3098 R	35-13	2	A 3606 R	70-19	26	A 4365 R	80-2	..
A 1401 R	15-15	32	A 3098 R	35-14	13	A 3606 R	70-23	3	A 4365 R	80-3	..
A 1401 R	45-5	12	A 3098 R	50-7	34	A 3606 R	70-23	21	A 4365 R	80-7	..
A 1421 R	55-3	3	A 3098 R	50-9	12	A 3606 R	70-25	14	A 4365 R	85-19	10
A 1421 R	55-5	15	A 3098 R	65-7	24	A 3606 R	70-31	42	A 4371 R	35-3	7
A 1424 R	55-11	15	A 3098 R	65-7	34	A 3606 R	70-34	..	A 4374 R	15-19	1
A 1424 R	55-13	14	A 3098 R	70-9	27	A 3606 R	80-6	..	A 4379 R	55-25	3
A 1424 R	55-15	14	A 3098 R	70-19	2	A 3612 R	85-15	29	A 4379 R	55-26	5
A 1441 R	45-14	17	A 3098 R	70-21	3	A 3645 R	25-7	19	A 4380 R	55-25	12
A 1555 R	55-3	16	A 3103 R	65-11	3	A 3645 R	50-5	9	A 4380 R	55-26	12
A 1555 R	55-5	27	A 3114 R	85-27	33	A 3749 R	45-3	54	A 4384 R	55-25	4
A 1555 R	55-23	14	A 3125 R	70-19	11	A 3749 R	45-6	9	A 4384 R	55-26	6
A 1556 R	55-3	14	A 3125 R	70-23	8	A 3750 R	45-14	10	A 4386 R	55-25	13
A 1556 R	55-5	28	A 3125 R	70-23	10	A 3816 R	20-3	25	A 4387 R	55-25	7
A 1556 R	55-23	13	A 3125 R	70-23	34	A 3817 R	20-3	26	A 4388 R	55-25	10
A 1712 R	60-10	5	A 3125 R	70-31	23	A 3817 R	80-4	..	A 4388 R	55-27	8
A 1712 R	60-11	3	A 3126 R	70-13	27	A 3817 R	80-6	..	A 4389 R	55-25	9
A 1712 R	60-11	4	A 3126 R	70-15	59	A 3907 R	15-9	32	A 4389 R	55-25	20
A 1712 R	60-12	3	A 3126 R	85-27	25	A 3907 R	70-29	2	A 4445 R	25-3	24
A 1892 R	10-5	15	A 3137 R	45-14	16	A 3909 R	65-5	42	A 4451 R	45-11	13

90-3

PC-532-(5-65) Litho in U.S.A.

PC-532-(5-65) Litho in U. S. A.

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-5

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AF 2083 R	85-8	16	AF 2231 R	30-3	44	AF 2654 R	45-5	10	AF 2816 R	35-3	5
AF 2097 R	25-5	12	AF 2233 R	35-9	32	AF 2655 R	45-5	46A	AF 2819 R	45-3	8A
AF 2111 R	30-3	39	AF 2235 R	50-13	..	AF 2659 R	15-7	26	AF 2820 R	45-3	32
AF 2114 R	60-13	8	AF 2236 R	85-29	15	AF 2664 R	75-11	13	AF 2821 R	45-3	30
AF 2116 R	25-7	21	AF 2243 R	80-7	..	AF 2676 R	40-29	18	AF 2822 R	45-3	52
AF 2118 R	25-7	29	AF 2243 R	85-3	4	AF 2676 R	40-35	6	AF 2833 R	85-29	8
AF 2123 R	40-29	17	AF 2244 R	30-3	..	AF 2687 R	65-7	3	AF 2841 R	45-1	11
AF 2123 R	40-33	8	AF 2244 R	80-5	..	AF 2691 R	50-15	7	AF 2843 R	45-1	3
AF 2123 R	40-35	11	AF 2247 R	30-7	26	AF 2692 R	40-29	15	AF 2845 R	30-9	18
AF 2124 R	40-29	21	AF 2248 R	10-2	..	AF 2692 R	40-33	5	AF 2846 R	30-9	9
AF 2124 R	40-33	12	AF 2248 R	15-11	..	AF 2692 R	40-35	5	AF 2847 R	30-9	4
AF 2124 R	40-35	15	AF 2248 R	80-2	..	AF 2693 R	40-29	11	AF 2848 R	45-19	23
AF 2132 R	70-29	..	AF 2275 R	15-11	28	AF 2693 R	40-33	..	AF 2849 R	45-19	23
AF 2133 R	70-29	23	AF 2276 R	15-11	27	AF 2693 R	40-35	..	AF 2853 R	10-5	..
AF 2134 R	70-29	32	AF 2277 R	15-11	28	AF 2698 R	60-13	1	AF 2854 R	10-5	..
AF 2135 R	70-29	9	AF 2278 R	15-11	27	AF 2699 R	60-13	1	AF 2855 R	10-5	..
AF 2138 R	85-9	4	AF 2291 R	35-18	..	AF 2703 R	65-8	1	AF 2862 R	70-7	1
AF 2143 R	40-24	12	AF 2291 R	35-19	..	AF 2704 R	75-6	8	AF 2863 R	45-11	1
AF 2143 R	40-26	10	AF 2319 R	25-7	..	AF 2704 R	75-7	8	AF 2864 R	45-11	1
AF 2143 R	40-29	24	AF 2320 R	85-5	18A	AF 2704 R	75-9	8	AF 2865 R	45-11	1
AF 2143 R	40-41	12	AF 2322 R	70-31	..	AF 2706 R	75-6	14	AF 2866 R	45-17	24
AF 2150 R	85-13	37	AF 2325 R	60-19	7	AF 2707 R	75-6	14	AF 2867 R	45-17	29
AF 2152 R	85-13	34	AF 2326 R	60-19	23	AF 2714 R	75-5	43	AF 2868 R	60-10	3
AF 2153 R	85-13	25	AF 2326 R	60-21	22	AF 2715 R	75-5	2	AF 2868 R	60-11	1
AF 2155 R	85-13	36	AF 2327 R	60-19	38	AF 2716 R	75-5	1	AF 2868 R	60-12	1
AF 2164 R	15-19	2	AF 2327 R	60-21	37	AF 2716 R	75-9	62	AF 2873 R	75-5	17
AF 2167 R	85-7	6	AF 2328 R	60-19	23	AF 2721 R	35-11	12	AF 2873 R	75-9	39
AF 2167 R	85-7	29	AF 2328 R	60-21	22	AF 2721 R	40-31	23	AF 2883 R	45-15	1
AF 2167 R	85-27	4	AF 2329 R	60-19	38	AF 2721 R	40-43	7	AF 2884 R	20-5	3
AF 2168 R	85-3	2	AF 2329 R	60-21	37	AF 2729 R	60-10	3	AF 2884 R	20-7	3
AF 2171 R	35-11	13	AF 2330 R	50-13	27	AF 2729 R	60-11	1	AF 2889 R	15-5	52
AF 2171 R	40-29	7	AF 2331 R	70-31	49	AF 2729 R	60-11	2	AF 2893 R	70-5	39
AF 2171 R	40-41	7	AF 2338 R	50-5	15	AF 2729 R	60-12	1	AF 2904 R	70-11	39
AF 2172 R	40-29	28	AF 2339 R	50-5	24	AF 2738 R	40-24	5	AF 2906 R	70-19	15
AF 2172 R	40-33	..	AF 2345 R	50-11	12	AF 2738 R	40-29	2	AF 2907 R	70-3	14
AF 2172 R	40-35	..	AF 2346 R	50-11	10	AF 2739 R	35-11	12	AF 2907 R	70-19	17
AF 2173 R	35-11	2	AF 2358 R	85-3	4	AF 2739 R	40-29	19	AF 2908 R	70-19	25
AF 2173 R	40-41	5	AF 2366 R	85-29	25	AF 2739 R	40-41	8	AF 2909 R	70-5	1
AF 2173 R	40-43	2	AF 2367 R	85-29	23	AF 2743 R	70-25	11	AF 2912 R	75-3	8
AF 2174 R	40-29	4	AF 2368 R	25-5	..	AF 2745 R	70-25	3	AF 2914 R	35-9	8
AF 2174 R	40-33	3	AF 2388 R	30-5	19	AF 2749 R	40-29	10	AF 2917 R	60-9	2
AF 2174 R	40-35	3	AF 2395 R	50-13	14	AF 2749 R	40-41	6	AF 2918 R	30-7	4
AF 2175 R	85-7	11	AF 2408 R	85-27	43	AF 2749 R	60-10	2	AF 2921 R	75-3	19
AF 2175 R	85-7	26	AF 2409 R	45-5	18	AF 2749 R	60-11	12	AF 2924 R	15-19	11
AF 2177 R	85-21	32	AF 2415 R	85-17	4	AF 2766 R	65-5	44	AF 2924 R	15-19	..
AF 2178 R	85-8	5	AF 2416 R	85-17	5	AF 2768 R	65-5	22	AF 2924 R	15-19	..
AF 2180 R	85-21	7	AF 2426 R	15-9	19B	AF 2774 R	60-10	1	AF 2924 R	15-19	..
AF 2181 R	85-11	4A	AF 2427 R	15-9	17	AF 2774 R	60-11	1	AF 2924 R	15-19	..
AF 2182 B	50-15	4A	AF 2440 R	15-11	22	AF 2777 R	10-5	1	AF 2924 R	15-19	..
AF 2184 R	50-15	20	AF 2449 R	75-12	16	AF 2779 R	15-9	27	AF 2924 R	15-19	..
AF 2188 R	10-2	..	AF 2460 R	40-24	14	AF 2785 R	45-17	16	AF 2924 R	15-19	..
AF 2188 R	15-11	9	AF 2460 R	40-29	23	AF 2786 R	45-17	31	AF 2924 R	15-19	..
AF 2193 R	10-2	..	AF 2597 R	20-9	9	AF 2787 R	45-17	2	AF 2924 R	15-19	..
AF 2193 R	15-7	10	AF 2606 R	70-9	5	AF 2788 R	45-17	20	AF 2924 R	15-19	..
AF 2194 R	15-9	12	AF 2610 R	65-7	17	AF 2788 R	70-11	33	AF 2924 R	15-19	..
AF 2199 R	15-7	5	AF 2611 R	45-11	23	AF 2788 R	75-3	28	AF 2924 R	15-19	..
AF 2203 R	15-7	5	AF 2612 R	65-5	17	AF 2789 R	45-17	25	AF 2924 R	15-19	..
AF 2209 R	60-10	10	AF 2614 R	35-5	10	AF 2792 R	75-11	15	AF 2924 R	15-19	..
AF 2209 R	60-11	9	AF 2614 R	35-7	10	AF 2793 R	75-11	42	AF 2924 R	15-19	..
AF 2209 R	60-12	9	AF 2616 R	10-3	12	AF 2797 R	75-5	20	AF 2924 R	15-19	..
AF 2215 R	85-3	4	AF 2619 R	20-3	12	AF 2797 R	75-9	29	AF 2924 R	15-19	..
AF 2218 R	25-7	24	AF 2628 R	45-7	12	AF 2798 R	75-9	40	AF 2924 R	15-19	..
AF 2218 R	30-3	23	AF 2628 R	45-9	11	AF 2799 R	75-5	12	AF 2924 R	15-19	..
AF 2218 R	50-3	22	AF 2633 R	65-3	29	AF 2799 R	75-9	24	AF 2924 R	15-19	..
AF 2221 R	15-11	20	AF 2635 R	45-5	7	AF 2801 R	60-23	13	AF 2924 R	15-19	..
AF 2222 R	15-11	20	AF 2635 R	65-3	22	AF 2802 R	60-23	13	AF 2924 R	15-19	..
AF 2223 R	15-11	20	AF 2639 R	40-29	18	AF 2802 R	60-25	15	AF 2924 R	15-19	..
AF 2224 R	15-11	29	AF 2639 R	40-33	6	AF 2805 R	60-9	7	AF 2924 R	15-19	..
AF 2225 R	15-11	29	AF 2642 R	70-3	11	AF 2806 R	60-9	9	AF 2924 R	15-19	..
AF 2226 R	15-11	26	AF 2643 R	70-3	12	AF 2807 R	60-9	10	AF 2924 R	15-19	..
AF 2227 R	15-11	26	AF 2647 R	45-5	43	AF 2809 R	60-9	24	AF 2924 R	15-19	..
AF 2228 R	15-11	26	AF 2648 R	45-5	40	AF 2810 R	60-9	15	AF 2924 R	15-19	..
AF 2229 R	35-3	15	AF 2652 R	45-5	24	AF 2811 R	60-9	15	AF 2924 R	15-19	..
AF 2230 R	35-3	12	AF 2653 R	15-7	23	AF 2812 R	60-9	8	AF 2924 R	15-19	..

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AF 3104 R	35-14	15	AF 3324 R	30-3	12	AF 3634 R	65-8	..	AF 3814 R	40-39	27
AF 3146 R	80-8	..	AF 3338 R	65-11	2	AF 3636 R	65-7	17	AF 3814 R	40-41	..
AF 3147 R	75-5	..	AF 3340 R	70-7	7	AF 3649 R	65-8	7	AF 3814 R	40-43	..
AF 3169 R	55-7	13	AF 3341 R	70-7	5	AF 3701 R	10-5	1	AF 3814 R	40-44	7
AF 3177 R	55-11	19	AF 3342 R	70-7	7	AF 3703 R	10-2	..	AF 3814 R	40-45	6
AF 3177 R	55-19	35	AF 3343 R	70-7	5	AF 3703 R	15-11	9	AF 3814 R	40-47	9
AF 3177 R	55-21	7	AF 3356 R	10-2	..	AF 3706 R	15-13	18	AF 3814 R	40-49	9
AF 3178 R	55-11	19	AF 3356 R	15-7	..	AF 3710 R	15-5	3	AF 3815 R	40-29	21
AF 3178 R	55-19	8	AF 3357 R	45-5	..	AF 3710 R	15-5	5	AF 3815 R	40-33	12
AF 3178 R	55-21	20	AF 3357 R	45-11	..	AF 3712 R	85-29	8	AF 3815 R	40-35	15
AF 3179 R	45-14	4	AF 3357 R	80-6	..	AF 3713 R	50-13	18	AF 3816 R	40-21	17
AF 3186 R	15-13	18	AF 3358 R	10-2	..	AF 3714 R	50-13	14	AF 3816 R	40-37	8
AF 3190 R	15-13	16	AF 3418 R	85-7	19	AF 3715 R	85-3	4	AF 3816 R	40-39	10
AF 3191 R	15-13	21	AF 3419 R	60-29	13	AF 3715 R	85-7	9	AF 3816 R	40-45	5
AF 3192 R	15-13	21	AF 3420 R	60-29	14	AF 3717 R	85-7	6	AF 3817 R	40-21	17
AF 3193 R	70-3	3	AF 3421 R	60-29	11	AF 3720 R	85-7	..	AF 3817 R	40-33	7
AF 3193 R	70-5	9	AF 3422 R	60-29	26	AF 3722 R	85-3	4	AF 3817 R	40-35	7
AF 3195 R	35-14	11	AF 3425 R	60-29	24	AF 3722 R	85-7	15	AF 3817 R	40-44	6
AF 3206 R	55-11	30A	AF 3426 R	60-29	8	AF 3723 R	85-3	4	AF 3818 R	60-9	7
AF 3207 R	55-11	24A	AF 3427 R	60-29	28	AF 3727 R	35-14	11	AF 3819 R	60-23	3
AF 3208 R	85-13	30	AF 3428 R	60-29	30	AF 3727 R	35-15	45	AF 3846 R	60-23	1
AF 3209 R	85-13	32	AF 3430 R	60-29	17	AF 3727 R	35-16	..	AF 3848 R	30-7	26
AF 3211 R	70-21	36	AF 3431 R	70-25	33	AF 3728 R	35-14	11	AF 3849 R	30-7	24
AF 3211 R	70-23	31	AF 3434 R	70-11	34A	AF 3728 R	35-15	45	AF 3851 R	20-9	3
AF 3212 R	70-25	27	AF 3435 R	35-13	5	AF 3728 R	35-17	..	AF 3852 R	30-7	18
AF 3212 R	70-26	18	AF 3437 R	35-14	11	AF 3731 R	35-16	2	AF 3853 R	35-13	..
AF 3213 R	70-19	38	AF 3439 R	35-15	36	AF 3733 R	35-17	..	AF 3855 R	35-13	31
AF 3214 R	60-9	12	AF 3439 R	35-18	14	AF 3734 R	35-15	56	AF 3856 R	50-7	3B
AF 3215 R	60-9	1	AF 3440 R	35-15	36	AF 3736 R	85-8	18	AF 3856 R	50-17	17
AF 3216 R	60-9	3	AF 3440 R	35-19	13	AF 3737 R	10-6	4	AF 3857 R	50-7	5B
AF 3221 R	35-3	22	AF 3442 R	70-3	3	AF 3737 R	85-11	6	AF 3858 R	45-3	30
AF 3221 R	85-10	5	AF 3442 R	70-5	9	AF 3738 R	85-11	4B	AF 3859 R	60-27	9
AF 3230 R	15-7	22	AF 3442 R	70-25	11	AF 3739 R	55-26	1	AF 3867 R	50-15	2B
AF 3232 R	15-7	22	AF 3445 R	35-15	45	AF 3740 R	55-26	1	AF 3867 R	50-17	17
AF 3233 R	15-7	22	AF 3445 R	35-17	..	AF 3743 R	85-9	4	AF 3868 R	50-15	4B
AF 3235 R	10-3	8	AF 3446 R	35-15	45	AF 3745 R	85-3	12	AF 3871 R	85-5	18B
AF 3236 R	35-5	9	AF 3446 R	35-16	..	AF 3746 R	50-13	37A	AF 3874 R	85-5	2
AF 3236 R	35-7	9	AF 3447 R	70-23	15	AF 3748 R	10-2	..	AF 3875 R	85-5	5
AF 3241 R	50-19	12	AF 3452 R	25-7	24	AF 3748 R	15-7	10	AF 3876 R	85-13	44
AF 3243 R	35-3	20	AF 3452 R	30-3	23	AF 3751 R	15-9	12	AF 3877 R	85-13	45
AF 3258 R	60-13	6	AF 3452 R	50-3	22	AF 3753 R	15-7	5	AF 3878 R	85-13	47
AF 3259 R	60-13	5	AF 3453 R	85-27	5	AF 3754 R	15-7	5	AF 3879 R	85-13	49
AF 3260 R	60-13	5	AF 3456 R	40-33	..	AF 3755 R	15-7	5	AF 3880 R	85-13	48
AF 3261 R	60-19	9	AF 3457 R	40-35	..	AF 3757 R	15-9	21B	AF 3882 R	40-41	9
AF 3268 R	60-26	13	AF 3464 R	45-2	3	AF 3759 R	75-11	14	AF 3882 R	85-13	16
AF 3269 R	60-26	13	AF 3464 R	45-3	8A	AF 3761 R	10-2	..	AF 3883 R	85-13	17
AF 3270 R	60-27	8	AF 3464 R	45-3	..	AF 3761 R	15-11	19	AF 3884 R	30-9	4
AF 3271 R	60-26	14	AF 3465 R	45-3	8B	AF 3763 R	15-11	19	AF 3891 R	40-21	21
AF 3271 R	60-27	7	AF 3465 R	45-3	10	AF 3765 R	15-11	19	AF 3891 R	40-22	1
AF 3272 R	60-26	11	AF 3472 R	60-7	..	AF 3765 R	15-11	29	AF 3892 R	40-21	20
AF 3272 R	60-27	5	AF 3473 R	60-7	..	AF 3767 R	15-11	19	AF 3893 R	40-21	20
AF 3276 R	60-29	..	AF 3475 R	20-9	9	AF 3767 R	15-11	29	AF 3894 R	40-24	9B
AF 3279 R	35-16	4	AF 3477 R	65-3	40	AF 3768 R	15-11	29	AF 3894 R	40-26	17
AF 3286 R	15-7	14	AF 3478 R	65-3	9	AF 3769 R	15-11	29	AF 3894 R	40-29	16
AF 3287 R	15-5	10	AF 3576 R	70-11	17	AF 3770 R	15-17	8A	AF 3894 R	40-29	26
AF 3288 R	15-5	11	AF 3580 R	35-7	20	AF 3772 R	75-11	13	AF 3894 R	40-41	10
AF 3290 R	50-13	..	AF 3581 R	35-7	1	AF 3774 R	85-13	23	AF 3906 R	10-2	..
AF 3291 R	50-13	..	AF 3583 R	35-7	23	AF 3775 R	85-15	38	AF 3906 R	15-11	..
AF 3292 R	15-7	13	AF 3584 R	35-7	21	AF 3775 R	85-15	..	AF 3906 R	80-3	..
AF 3293 R	15-7	13	AF 3585 R	70-27	..	AF 3776 R	85-13	37	AF 3907 R	15-13	..
AF 3294 R	15-7	13	AF 3586 R	70-27	..	AF 3778 R	85-13	42	AF 3907 R	80-1	..
AF 3298 R	30-3	..	AF 3587 R	70-27	..	AF 3779 R	85-13	28	AF 3908 R	10-2	..
AF 3298 R	30-5	..	AF 3588 R	70-27	..	AF 3797 R	55-26	11	AF 3911 R	85-5	..
AF 3300 R	15-7	13	AF 3597 R	65-5	17	AF 3798 R	70-25	29	AF 3912 R	85-5	5
AF 3301 R	15-7	13	AF 3599 R	65-8	9	AF 3798 R	70-26	19	AF 3915 R	75-7	14
AF 3302 R	15-7	13	AF 3600 R	65-8	11	AF 3799 R	50-10	5	AF 3915 R	75-9	14
AF 3303 R	15-7	13	AF 3602 R	30-3	44	AF 3806 R	70-13	3	AF 3922 R	15-7	22
AF 3304 R	15-11	26	AF 3604 R	60-9	10	AF 3807 R	70-13	6B	AF 3935 R	85-11	4B
AF 3305 R	15-11	26	AF 3614 R	35-17	4	AF 3809 R	70-11	34A	AF 3937 R	15-7	22
AF 3306 R	15-11	26	AF 3615 R	35-17	13	AF 3811 R	20-3	12	AF 3939 R	15-7	22
AF 3307 R	15-11	26	AF 3619 R	80-8	..	AF 3814 R	40-33	19	AF 3941 R	10-2	..
AF 3314 R	10-2	..	AF 3620 R	85-8	5	AF 3814 R	40-33	..			
AF 3314 R	15-11	19	AF 3634 R	65-5	..	AF 3814 R	40-35	22			
AF 3315 R	15-11	19	AF 3634 R	65-7	..	AF 3814 R	40-37	24			

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-7

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AL			AR 937 R	75-12	8	AR 11073 R	40-15	..	AR 20149 R	75-3	28
AL 2976 T	40-33	17	AR 997 R	60-7	..	AR 11073 R	40-19	..	AR 20161 R	50-15	7
AL 2976 T	40-35	20	AR 1020 R	15-11	24	AR 11073 R	40-43	3	AR 20168 R	50-7	12B
AL 2976 T	40-37	21	AR 1203 R	40-41	2	AR 11074 R	40-7	8	AR 20169 R	50-7	31
AL 2976 T	40-39	24	AR 1203 R	85-23	..	AR 11074 R	40-9	8	AR 20169 R	50-9	5
AL 2976 T	40-41	20	AR 1203 R	85-25	..	AR 11075 R	40-17	..	AR 20170 R	50-7	41
AL 2976 T	40-43	14	AR 1293 R	65-5	49	AR 11076 R	40-19	20	AR 20170 R	50-9	27
			AR 1294 R	65-5	51	AR 11077 R	40-17	6	AR 20181 R	40-31	3
			AR 1324 R	40-24	1	AR 11077 R	40-19	35	AR 20182 R	40-31	7
			AR 1324 R	40-29	12	AR 11078 R	40-17	15	AR 20182 R	40-37	9
AM			AR 1330 R	70-21	11	AR 11079 R	40-17	2	AR 20190 R	60-27	6
AM 1949 T	40-24	22	AR 1331 R	70-21	8	AR 11080 R	40-17	7	AR 20193 R	60-25	3
AM 1949 T	40-29	27	AR 1332 R	70-21	20	AR 11080 R	40-19	36	AR 20196 R	60-25	9
AM 2049 T	40-33	15	AR 1333 R	70-21	17	AR 11081 R	40-17	13	AR 20197 R	60-25	9
AM 2049 T	40-35	18	AR 1335 R	70-21	14	AR 11081 R	40-19	60	AR 20215 R	60-29	..
AM 2049 T	40-37	19	AR 1336 R	70-23	22	AR 11082 R	40-19	27	AR 20216 R	40-37	15
AM 2049 T	40-41	19	AR 1344 R	30-5	7A	AR 11083 R	40-19	58	AR 20216 R	40-39	18
AM 2049 T	40-43	16	AR 1370 R	40-41	1	AR 11084 R	40-19	17	AR 20216 R	40-43	11
AM 2049 T	60-23	19	AR 1370 R	85-21	..	AR 11085 R	40-18	8	AR 20217 R	40-37	16
AM 2049 T	60-25	21	AR 1395 R	15-11	23	AR 11086 R	40-19	61	AR 20217 R	40-39	19
AM 2091 T	40-24	19	AR 1426 R	85-11	6	AR 11087 R	40-19	62	AR 20217 R	40-43	12
AM 2091 T	40-26	20	AR 1428 R	85-11	8	AR 11088 R	40-19	47	AR 20218 R	40-37	22
AM 2151 T	40-24	20	AR 1428 R	85-11	9	AR 11097 R	40-2	10	AR 20218 R	40-39	25
AM 2151 T	40-25	15	AR 1487 R	70-23	40	AR 11097 R	40-7	31	AR 20218 R	40-43	18
AM 2151 T	40-26	21	AR 1627 R	25-3	15	AR 11100 R	40-7	1	AR 20218 R	40-43	..
AM 2152 T	40-24	21	AR 2693 R	40-35	21	AR 11100 R	40-9	1	AR 20231 R	60-26	12
AM 2152 T	40-25	16	AR 3356 R	80-4	..	AR 11102 R	40-5	47	AR 20234 R	40-25	6
AM 2949 T	40-39	22	AR 11007 R	40-3	7	AR 11102 R	40-7	52	AR 20234 R	40-27	13
			AR 11007 R	40-5	..	AR 11103 R	40-11	11	AR 20234 R	40-31	26
			AR 11007 R	40-43	1	AR 11117 R	40-5	47	AR 20234 R	40-43	9
			AR 11008 R	40-10	..	AR 11117 R	40-7	52	AR 20234 R	40-45	3
AP			AR 11008 R	40-31	19	AR 11117 R	40-9	43	AR 20235 R	40-25	1
AP 17808 H	45-1	13	AR 11008 R	40-43	5	AR 11119 R	40-9	38	AR 20235 R	40-27	8
AP 19170 H	85-21	7	AR 11009 R	40-12	9	AR 11134 R	40-17	3	AR 20235 R	40-31	4
AP 19547 H	70-31	45	AR 11009 R	40-15	..	AR 11135 R	40-19	47	AR 20235 R	40-43	10
AP 22529 H	55-25	1	AR 11009 R	40-43	3	AR 11137 R	40-10	16	AR 20237 R	60-27	8
			AR 11013 R	40-15	47	AR 11156 R	40-41	2	AR 20238 R	60-27	8
			AR 11014 R	40-15	15	AR 11156 R	85-23	..	AR 20241 R	40-31	12
			AR 11015 R	40-15	37	AR 11156 R	85-25	..	AR 20243 R	40-31	10
AR			AR 11016 R	40-15	12	AR 12004 R	85-21	8	AR 20243 R	40-37	13
AR 338 R	55-17	10	AR 11017 R	40-15	2	AR 12005 R	85-21	9	AR 20243 R	40-39	16
AR 338 R	55-19	20	AR 11018 R	40-15	51	AR 13000 R	85-15	38	AR 20244 R	40-31	13
AR 344 R	35-13	6	AR 11019 R	40-15	54	AR 13001 R	85-15	23	AR 20244 R	40-37	6
AR 358 R	55-23	5	AR 11020 R	40-15	62	AR 13002 R	85-15	7	AR 20244 R	40-39	6
AR 395 R	35-13	32	AR 11021 R	40-15	61	AR 13003 R	85-15	..	AR 20245 R	40-31	7
AR 445 R	15-3	4	AR 11022 R	40-15	28	AR 13004 R	85-15	23	AR 20245 R	40-39	8
AR 452 R	15-5	32	AR 11023 R	40-15	25	AR 13005 R	85-15	..	AR 20246 R	40-31	3
AR 453 R	15-5	1	AR 11023 R	40-16	..	AR 13006 R	85-15	38	AR 20246 R	40-39	9
AR 466 R	35-15	39	AR 11024 R	40-16	22	AR 13007 R	85-15	21	AR 20247 R	15-15	17
AR 467 R	35-15	39	AR 11025 R	40-16	25	AR 13008 R	85-15	40	AR 20247 R	35-10	..
AR 482 R	45-19	36	AR 11026 R	40-16	15	AR 13009 R	85-15	34	AR 20247 R	35-15	..
AR 505 R	50-15	2A	AR 11027 R	40-16	11	AR 13010 R	85-15	13	AR 20251 R	40-25	4
AR 515 R	85-5	5	AR 11028 R	40-15	27	AR 13011 R	85-15	33	AR 20251 R	40-31	2
AR 531 R	85-29	40	AR 11028 R	40-19	34	AR 13012 R	85-14	4	AR 20252 R	10-5	26
AR 546 R	85-27	53	AR 11029 R	40-15	24	AR 13013 R	85-15	8	AR 20324 R	10-6	17
AR 548 R	85-27	48	AR 11030 R	40-5	43	AR 13014 R	85-14	1	AR 20326 R	10-6	4
AR 573 R	55-23	1	AR 11031 R	40-5	28	AR 13015 R	85-15	..	AR 20327 R	85-27	53
AR 613 R	65-5	33	AR 11033 R	40-10	5	AR 20040 R	45-3	52	AR 20349 R	60-29	..
AR 664 R	55-23	18	AR 11035 R	40-10	28	AR 20040 R	45-6	7	AR 20350 R	60-29	26
AR 697 R	85-7	11	AR 11036 R	40-10	29	AR 20055 R	60-13	1	AR 20353 R	60-29	24
AR 697 R	85-7	26	AR 11037 R	40-10	16	AR 20056 R	60-13	1	AR 20354 R	60-29	13
AR 710 R	15-15	15	AR 11038 R	40-10	15	AR 20084 R	60-26	12	AR 20355 R	60-29	14
AR 711 R	15-15	25	AR 11039 R	40-10	12	AR 20086 R	60-26	7	AR 20399 R	60-21	7
AR 735 R	35-16	13	AR 11040 R	40-10	27	AR 20092 R	20-3	12	AR 20401 R	55-5	14
AR 736 R	35-18	4	AR 11041 R	40-10	21	AR 20094 R	20-7	19	AR 20402 R	55-5	14
AR 737 R	35-18	9	AR 11042 R	40-10	20	AR 20133 R	45-1	3	AR 20403 R	60-23	13
AR 771 R	55-25	1	AR 11062 R	85-23	8	AR 20133 R	45-6	1	AR 20403 R	60-25	15
AR 834 R	35-19	4	AR 11063 R	85-23	17	AR 20134 R	60-27	..	AR 20404 R	60-9	24
AR 835 R	35-19	9	AR 11064 R	85-23	10	AR 20143 R	60-7	..	AR 20426 R	60-29	18
AR 881 R	15-3	12	AR 11065 R	85-23	19	AR 20144 R	60-7	..	AR 20431 R	40-26	5
AR 905 R	85-27	52	AR 11068 R	40-5	1	AR 20145 R	60-7	..	AR 20431 R	40-41	16
AR 935 R	65-3	44	AR 11068 R	40-7	2	AR 20146 R	60-7	..	AR 20432 R	40-26	6
AR 937 R	75-11	36	AR 11068 R	40-9	2	AR 20147 R	15-9	17	AR 20432 R	40-27	9
			AR 11073 R	40-12	9	AR 20149 R	70-11	33	AR 20432 R	40-44	2

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AR 20432 R	40-45	2	AR 20715 R	40-44	8	AR 20946 R	60-21	11	AR 21634 R	70-27	..
AR 20432 R	40-47	2	AR 20715 R	40-45	7	AR 20958 R	45-11	17	AR 21661 R	60-13	1
AR 20432 R	40-49	2	AR 20715 R	40-47	4	AR 20959 R	40-25	11	AR 21664 R	60-13	1
AR 20438 R	40-25	17	AR 20715 R	40-49	4	AR 20959 R	40-31	25	AR 21667 R	50-7	..
AR 20438 R	40-27	21	AR 20716 R	40-41	3	AR 20990 R	50-13	37B	AR 21693 R	10-6	10
AR 20438 R	40-31	24	AR 20716 R	40-41	..	AR 21019 R	60-3	2	AR 21700 R	55-11	1
AR 20438 R	40-43	6	AR 20717 R	40-43	4	AR 21020 R	60-3	2	AR 21734 R	40-21	4
AR 20440 R	40-26	23	AR 20719 R	40-41	..	AR 21021 R	60-3	1	AR 21734 R	40-22	9
AR 20440 R	40-41	11	AR 20719 R	40-44	5	AR 21022 R	60-3	1	AR 21734 R	40-33	20
AR 20443 R	40-21	17	AR 20720 R	40-41	..	AR 21024 R	60-3	3	AR 21734 R	40-35	23
AR 20443 R	40-49	6	AR 20720 R	40-44	5	AR 21028 R	50-11	8	AR 21734 R	40-44	9
AR 20444 R	40-27	13	AR 20721 R	40-31	3	AR 21059 R	40-21	20	AR 21734 R	40-47	10
AR 20444 R	40-43	9	AR 20721 R	40-31	7	AR 21060 R	40-21	20	AR 21735 R	40-21	4
AR 20444 R	40-49	3	AR 20721 R	40-37	10	AR 21074 R	60-17	20	AR 21735 R	40-22	9
AR 20445 R	40-21	17	AR 20721 R	40-43	..	AR 21075 R	30-7	18	AR 21735 R	40-37	23
AR 20445 R	40-47	6	AR 20721 R	40-45	4	AR 21097 R	60-17	1	AR 21735 R	40-39	26
AR 20446 R	40-21	17	AR 20722 R	40-31	7	AR 21101 R	50-17	8	AR 21735 R	40-45	8
AR 20446 R	40-44	6	AR 20722 R	40-39	8	AR 21112 R	60-21	9	AR 21735 R	40-49	10
AR 20446 R	40-47	5	AR 20722 R	40-39	..	AR 21122 R	40-41	..	AR 21736 R	40-22	3
AR 20450 R	15-17	8B	AR 20722 R	40-43	..	AR 21123 R	40-41	..	AR 21737 R	40-22	3
AR 20466 R	40-25	4	AR 20722 R	40-45	4	AR 21124 R	40-41	..	AR 21738 R	40-22	8
AR 20466 R	40-26	3	AR 20723 R	40-41	..	AR 21125 R	40-43	..	AR 21739 R	40-21	7
AR 20466 R	40-27	3	AR 20723 R	40-43	..	AR 21126 R	40-43	..	AR 21739 R	40-22	8
AR 20466 R	40-31	2	AR 20723 R	40-47	8	AR 21127 R	40-43	..	AR 21742 R	10-3	8
AR 20466 R	40-44	1	AR 20723 R	40-49	8	AR 21140 R	80-8	..	AR 21750 R	60-27	..
AR 20466 R	40-45	1	AR 20724 R	40-41	..	AR 21140 R	80-9	..	AR 21751 R	60-27	..
AR 20466 R	40-47	1	AR 20724 R	40-43	..	AR 21148 R	80-8	..	AR 21753 R	15-9	21B
AR 20466 R	40-49	1	AR 20724 R	40-47	7	AR 21148 R	80-10	..	AR 21754 R	15-9	19B
AR 20482 R	65-7	1	AR 20724 R	40-49	7	AR 21155 R	40-51	..	AR 21755 R	15-9	19B
AR 20493 R	15-15	29B	AR 20737 R	70-26	..	AR 21156 R	45-11	1	AR 21761 R	60-27	..
AR 20494 R	15-9	17	AR 20738 R	70-26	26	AR 21158 R	60-13	5	AR 21763 R	85-3	4
AR 20495 R	15-9	17	AR 20739 R	70-26	3	AR 21159 R	60-13	5	AR 21772 R	70-31	..
AR 20496 R	15-9	27	AR 20750 R	55-7	8	AR 21162 R	40-26	12	AR 21777 R	15-5	43
AR 20511 R	65-5	17	AR 20762 R	50-18	13	AR 21162 R	40-41	15	AR 21789 R	35-7	16
AR 20515 R	25-3	2	AR 20783 R	60-11	13	AR 21162 R	40-44	4	AR 21790 R	35-7	19
AR 20517 R	15-17	7	AR 20783 R	60-12	11	AR 21162 R	40-47	3	AR 21803 R	20-9	23
AR 20529 R	10-3	8	AR 20816 R	35-14	15	AR 21163 R	40-27	5	AR 21823 R	40-25	1
AR 20552 R	70-11	34B	AR 20817 R	35-10	9	AR 21163 R	40-43	8	AR 21823 R	40-26	5
AR 20552 R	70-15	43	AR 20838 R	60-13	6	AR 21164 R	40-24	21	AR 21823 R	40-27	8
AR 20552 R	70-17	50	AR 20847 R	70-13	6B	AR 21164 R	40-25	16	AR 21823 R	40-31	4
AR 20587 R	50-17	8	AR 20848 R	70-13	25	AR 21164 R	40-26	22	AR 21823 R	40-41	16
AR 20591 R	40-37	..	AR 20848 R	70-15	14	AR 21164 R	40-27	20	AR 21823 R	40-43	10
AR 20592 R	40-39	..	AR 20849 R	70-13	32	AR 21165 R	70-16	10	AR 21837 R	70-27	..
AR 20595 R	35-9	5	AR 20849 R	70-14	11	AR 21166 R	70-16	4	AR 21839 R	70-27	..
AR 20596 R	35-9	9	AR 20852 R	85-7	21	AR 21167 R	65-8	7	AR 21840 R	70-27	..
AR 20630 R	60-16	24	AR 20869 R	60-6	2	AR 21173 R	70-7	13	AR 21841 R	35-3	16
AR 20630 R	60-17	23	AR 20870 R	60-6	2	AR 21195 R	50-17	4	AR 21841 R	70-27	..
AR 20631 R	60-16	32	AR 20871 R	40-47	7	AR 21219 R	40-26	5	AR 21842 R	70-27	..
AR 20631 R	60-17	24	AR 20871 R	40-49	7	AR 21219 R	40-41	16	AR 21843 R	60-7	..
AR 20632 R	30-7	26	AR 20874 R	15-15	..	AR 21235 R	45-3	32	AR 21847 R	15-9	17
AR 20648 R	60-16	1	AR 20874 R	35-10	..	AR 21256 R	75-11	13	AR 21848 R	15-9	17
AR 20650 R	85-13	37	AR 20874 R	35-15	..	AR 21263 R	50-5	13	AR 21855 R	40-22	1
AR 20655 R	50-9	1	AR 20885 R	70-15	21	AR 21263 R	50-5	26	AR 21856 R	40-22	1
AR 20668 R	35-5	1	AR 20886 R	70-15	47	AR 21268 R	15-5	38	AR 21860 R	60-2	3
AR 20668 R	35-5	12	AR 20888 R	70-15	32	AR 21272 R	60-16	24	AR 21880 R	35-13	11
AR 20669 R	35-7	1	AR 20889 R	70-14	6	AR 21272 R	60-17	23	AR 21887 R	15-11	29
AR 20669 R	35-7	12	AR 20890 R	70-15	36	AR 21294 R	60-7	..	AR 21888 R	15-11	29
AR 20670 R	35-5	11	AR 20891 R	70-14	2	AR 21303 R	15-19	11	AR 21891 R	15-3	12
AR 20670 R	35-7	11	AR 20899 R	70-17	16	AR 21305 R	15-19	..	AR 21892 R	15-3	..
AR 20674 R	45-11	1	AR 20907 R	70-17	20	AR 21307 R	15-19	2	AR 21893 R	35-13	9
AR 20675 R	45-11	1	AR 20909 R	70-17	54	AR 21404 R	60-16	27	AR 21894 R	35-13	10
AR 20695 R	35-10	1B	AR 20911 R	70-17	32	AR 21494 R	75-9	45	AR 21900 R	50-5	13
AR 20696 R	35-10	6	AR 20913 R	70-16	8	AR 21495 R	75-9	49	AR 21900 R	50-5	26
AR 20696 R	35-14	4	AR 20914 R	70-15	29	AR 21496 R	75-5	43	AR 21900 R	70-29	22
AR 20713 R	40-31	6	AR 20914 R	70-17	29	AR 21496 R	75-9	54	AR 21901 R	35-13	..
AR 20713 R	40-37	..	AR 20917 R	40-44	3	AR 21497 R	75-5	2	AR 21903 R	35-10	3
AR 20713 R	40-39	..	AR 20926 R	50-17	22	AR 21497 R	75-9	54	AR 21903 R	35-14	3
AR 20715 R	40-31	10	AR 20928 R	50-17	22	AR 21524 R	10-6	4	AR 21905 R	35-10	6
AR 20715 R	40-37	13	AR 20945 R	60-16	14	AR 21601 R	45-13	25	AR 21905 R	35-14	4
AR 20715 R	40-37	..	AR 20945 R	60-16	33	AR 21616 R	15-15	29B	AR 21907 R	40-2	7
AR 20715 R	40-39	16	AR 20945 R	60-17	18	AR 21629 R	70-27	..	AR 21907 R	40-7	..
AR 20715 R	40-39	..	AR 20945 R	60-21	18	AR 21630 R	70-27	..	AR 21907 R	40-9	..
AR 20715 R	40-41	..	AR 20946 R	60-16	18	AR 21631 R	70-27	..	AR 21907 R	40-41	4
AR 20715 R	40-43	..	AR 20946 R	60-17	11	AR 21632 R	70-27	..	AR 21913 R	60-26	14

90-9

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AR 21913 R	60-27	7	AR 34473 R	70-34	..	B 568 R	70-7	2	B 2571 R	40-37	12
AR 21914 R	60-26	14	AR 39629	70-27	..	B 634 R	55-25	10	B 2571 R	40-39	15
AR 21914 R	60-27	7	AR 39630	70-27	..	B 634 R	55-27	8	B 2571 R	40-41	14
AR 21917 R	75-5	27	AR 39631	70-27	..	B 1085 R	85-13	15	B 2571 R	40-43	12
AR 21944 R	55-11	19	AR 39632	70-27	..	B 1085 R	85-23	32	B 2579 R	60-23	26
AR 21944 R	55-19	35	AR 39633	70-27	..	B 1085 R	85-25	3	B 2641 R	35-13	28
AR 21944 R	55-21	7	AR 39634	70-27	..	B 1152 R	40-12	5	B 2671 R	60-26	3
AR 21945 R	55-11	19	AR 39635	70-27	..	B 1190 R	75-9	44	B 2683 R	55-7	9
AR 21945 R	55-19	8	AR 39636	70-27	..	B 1314 R	30-7	25	B 2688 R	55-8	12
AR 21945 R	55-21	20	AR 39637	70-27	..	B 1333 R	45-11	8	B 2688 R	55-12	6
AR 21950 R	15-9	..	AR 39959	85-23	35	B 1333 R	45-14	8	B 2688 R	55-14	6
AR 21951 R	15-9	..	AR 39959	85-25	5	B 1333 R	70-5	43	B 2693 R	55-11	17
AR 21952 R	15-9	..	AR 40171	40-15	17	B 1333 R	75-11	12	B 2693 R	55-13	15
AR 21957 R	40-43	4	AR 40217	40-9	2	B 1504 R	30-3	35	B 2693 R	55-15	16
AR 21957 R	40-43	..				B 1569 R	10-6	7	B 2694 R	55-8	15
AR 21959 R	80-8	..				B 1569 R	35-3	14	B 2694 R	55-11	2
AR 21959 R	80-9	..	AT			B 1569 R	85-11	9	B 2694 R	55-12	12
AR 21959 R	80-10	..				B 1588 R	70-25	10	B 2694 R	55-14	12
AR 21961 R	40-31	13	AT 514 T	85-25	24	B 1693 R	30-3	38	B 2700 R	55-12	15
AR 21961 R	40-37	6	AT 516 T	85-25	20	B 1745 R	15-5	41	B 2700 R	55-14	15
AR 21961 R	40-37	..	AT 517 T	85-25	29	B 1839 R	60-14	13	B 2762 R	70-21	18
AR 21961 R	40-39	6	AT 11339 T	40-10	7	B 1839 R	60-14	23	B 2762 R	70-34	..
AR 21961 R	40-39	..	AT 16884 T	85-25	14	B 1839 R	60-15	16	B 2762 R	80-7	..
AR 21965 R	60-26	14				B 1914 R	45-3	46	B 2762 R	85-17	20
AR 21965 R	60-27	7				B 1914 R	70-11	12	B 2804 R	60-19	2
AR 21966 R	60-26	14	AZN			B 1951 R	30-7	34	B 2804 R	60-21	2
AR 21966 R	60-27	7				B 1986 R	25-7	34	B 2804 R	75-6	12
AR 21983 R	15-11	29	AZN 1 R	85-15	38	B 1986 R	35-9	2	B 2804 R	75-7	12
AR 26595 R	60-6	2	AZN 2 R	85-15	23	B 1986 R	40-33	1	B 2804 R	75-9	12
AR 26932 R	60-26	13	AZN 3 R	85-15	21	B 1986 R	40-35	1	B 2842 R	55-13	22
AR 27139 R	60-3	2	AZN 4 R	85-15	40	B 1986 R	40-37	1	B 2979 R	35-16	18
AR 27746 R	45-13	37	AZN 5 R	85-15	34	B 1986 R	40-39	1	B 2979 R	35-17	15
AR 27977 R	40-41	9	AZN 6 R	85-15	13	B 1986 R	40-41	3	B 2979 R	35-18	8
AR 27977 R	85-13	16	AZN 7 R	85-15	33	B 1986 R	40-43	4	B 2979 R	35-19	8
AR 28110 R	15-5	43	AZN 8 R	85-15	4	B 1986 R	60-14	32	B 2986 R	10-6	3
AR 28242 R	55-7	13	AZN 9 R	85-15	7	B 1986 R	60-15	25	B 3267 R	40-24	2
AR 28243 R	55-7	13	AZN 10 R	85-15	8	B 1986 R	60-16	31	B 3267 R	40-25	2
AR 28247 R	55-5	1	AZN 11 R	85-15	1	B 1986 R	60-17	22	B 3267 R	40-26	1
AR 28249 R	55-5	1	AZN 12 R	85-15	..	B 1986 R	85-21	9	B 3267 R	40-26	7
AR 28301 R	60-26	13	AZN 13 R	85-15	..	B 2127 R	25-7	2	B 3267 R	40-27	1
AR 28611 R	35-13	6				B 2127 R	80-5	..	B 3267 R	40-27	10
AR 30003 R	60-2	4				B 2149 R	45-19	34	B 3310 R	10-5	13
AR 30007 R	40-10	1	B			B 2149 R	60-23	17	B 3310 R	10-5	28
AR 30155 R	40-10	..				B 2149 R	60-25	19	B 3310 R	55-11	8
AR 30155 R	40-31	19	B 89 R	55-7	18	B 2295 R	40-33	20	B 3310 R	55-13	6
AR 30155 R	40-43	5	B 90 R	55-7	17	B 2295 R	40-35	23	B 3310 R	55-15	6
AR 30156 R	40-10	11	B 139 R	70-7	9	B 2295 R	40-37	23	B 3310 R	55-17	22
AR 30180 R	60-26	13	R 214 R	15-10	2	B 2295 R	40-39	26	B 3310 R	55-19	40
AR 30181 R	60-26	13	B 228 R	30-9	15	B 2295 R	40-44	9	B 3315 R	35-9	6
AR 30476 R	50-9	..	B 246 R	15-3	13	B 2295 R	40-45	8	B 3682 R	70-26	9
AR 30476 R	50-13	..	B 251 R	15-3	2	B 2295 R	40-47	10	B 3685 R	70-34	..
AR 30963 R	40-7	11	B 276 R	30-3	26	B 2295 R	40-49	10	B 3690 R	50-7	6
AR 30963 R	40-10	11	B 280 R	30-3	25	B 2305 R	15-5	32	B 3690 R	50-15	6
AR 30963 R	40-11	22	B 280 R	65-5	48	B 2307 R	15-5	30	B 3690 R	50-17	15
AR 30963 R	40-21	19	B 290 R	25-7	29	B 2308 R	15-5	31	B 3727 R	45-19	34
AR 30963 R	40-22	4	B 293 R	25-7	27	B 2342 R	45-13	36	B 3727 R	60-23	17
AR 30963 R	40-29	11	B 293 R	80-5	..	B 2346 R	20-9	6	B 3858 R	65-5	29
AR 30963 R	40-31	5	B 297 R	25-7	10	B 2474 R	40-33	9			
AR 30963 R	40-33	18	B 298 R	25-7	11	B 2474 R	40-35	12			
AR 30963 R	40-35	21	B 350 R	45-14	24	B 2474 R	40-37	11	C		
AR 30963 R	40-37	17	B 353 R	60-4	1	B 2474 R	40-39	14			
AR 30963 R	40-39	20	B 375 R	45-3	6	B 2474 R	40-41	14	C 74 R	20-9	19
AR 30963 R	40-41	21	B 387 R	15-3	6	B 2474 R	40-43	12	C 167 R	55-23	14
AR 30963 R	70-35	..	B 387 R	45-1	15	B 2477 R	75-5	8	C 284 R	85-27	22
AR 31786 R	40-21	4	B 387 R	65-3	16	B 2477 R	75-9	60	C 434 R	20-9	20
AR 31786 R	40-22	9	B 387 R	70-19	43	B 2560 R	40-35	10	C 530 R	45-2	4
AR 31786 R	40-33	20	B 387 R	70-21	26	B 2560 R	40-39	13	C 535 R	45-5	15
AR 31786 R	40-35	23	B 427 R	15-5	35	B 2560 R	40-44	5	C 614 R	20-9	13
AR 31786 R	40-37	23	B 427 R	50-10	19	B 2560 R	40-45	4	C 677 R	55-23	13
AR 31786 R	40-39	26	B 427 R	70-5	16	B 2566 R	60-23	25	C 838 R	55-13	18
AR 31786 R	40-44	9	B 439 R	15-5	18	B 2566 R	60-25	27	C 838 R	55-15	18
AR 31786 R	40-45	8	B 548 R	55-7	22	B 2568 R	15-5	25	C 840 R	55-13	17
AR 31786 R	40-47	10	B 551 R	55-7	23	B 2571 R	40-33	10	C 840 R	55-15	17
AR 31786 R	40-49	10	B 568 R	55-27	1	B 2571 R	40-35	13	C 902 R	30-3	11

PC-532-(5-65) Litho in U. S. A.

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-11

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
F 1389 R	20-9	8	F 1642 R	60-7	..	F 1752 R	80-2	..	F 1841 R	85-7	13
F 1390 R	20-9	7	F 1643 R	60-7	..	F 1752 R	80-3	..	F 1843 R	85-7	25
F 1391 R	20-9	10	F 1644 R	60-7	..	F 1754 R	35-13	31	F 1844 R	85-8	18
F 1392 R	20-9	23	F 1645 R	60-7	..	F 1755 R	35-13	33	F 1845 R	80-7	..
F 1393 R	20-3	18	F 1646 R	60-7	..	F 1755 R	80-5	..	F 1845 R	85-8	19
F 1394 R	20-9	14	F 1647 R	60-7	..	F 1756 R	35-13	20	F 1848 R	85-8	20
F 1395 R	20-9	17	F 1648 R	50-7	39	F 1759 R	35-13	21	F 1849 R	85-8	14
F 1396 R	20-3	17	F 1648 R	50-9	25	F 1763 R	15-17	4	F 1850 R	85-8	13
F 1396 R	80-4	..	F 1649 R	50-7	40	F 1764 R	15-17	14	F 1851 R	85-8	12
F 1396 R	80-6	..	F 1649 R	50-9	26	F 1764 R	80-1	..	F 1852 R	85-5	15A
F 1397 R	20-3	20	F 1649 R	75-3	12	F 1764 R	80-2	..	F 1853 R	85-5	17
F 1398 R	20-5	17	F 1651 R	50-13	5	F 1764 R	80-3	..	F 1853 R	85-17	17
F 1399 R	20-5	14	F 1652 R	50-13	14	F 1771 R	35-13	1	F 1854 R	85-5	13A
F 1400 R	20-9	33	F 1656 R	50-3	11	F 1772 R	35-13	15	F 1855 R	85-5	11A
F 1401 R	20-5	13	F 1660 R	50-3	15	F 1775 R	35-13	11	F 1856 R	80-7	..
F 1401 R	20-7	13	F 1661 R	50-3	10	F 1776 R	15-11	12	F 1856 R	85-5	16
F 1402 R	20-5	18	F 1663 R	50-3	4	F 1777 R	15-11	11	F 1858 R	85-5	8
F 1402 R	20-7	24	F 1666 R	50-3	7	F 1777 R	80-2	..	F 1860 R	85-3	26
F 1413 R	40-2	15	F 1667 R	50-3	8	F 1777 R	80-3	..	F 1861 R	80-7	..
F 1413 R	40-3	16	F 1668 R	50-5	3	F 1777 R	80-7	..	F 1861 R	85-3	27
F 1425 R	70-31	17	F 1670 R	50-5	30	F 1779 R	25-4	15	F 1865 R	85-3	4
F 1426 R	70-31	10	F 1676 R	60-19	8	F 1779 R	80-1	..	F 1869 R	85-3	7
F 1427 R	70-31	11	F 1676 R	60-21	8	F 1779 R	80-2	..	F 1870 R	80-7	..
F 1428 R	70-31	29	F 1677 R	25-3	4	F 1779 R	80-3	..	F 1870 R	85-3	6
F 1430 R	70-31	31	F 1682 R	50-11	5	F 1781 R	80-2	..	F 1872 R	80-7	..
F 1431 R	70-31	12	F 1682 R	70-26	24	F 1781 R	80-3	..	F 1872 R	85-3	3
F 1432 R	70-31	44	F 1682 R	70-33	24	F 1783 R	85-9	14	F 1873 R	35-15	61
F 1440 R	70-31	41	F 1682 R	70-33	31	F 1783 R	85-19	40	F 1875 R	35-15	56
F 1441 R	70-31	24	F 1682 R	70-33	34	F 1786 R	85-3	12	F 1876 R	35-15	53
F 1443 R	45-13	37	F 1683 R	50-11	6	F 1787 R	80-7	..	F 1877 R	35-15	52
F 1446 R	20-5	27	F 1683 R	70-33	25	F 1787 R	85-3	10	F 1878 R	35-15	50
F 1451 R	15-19	8	F 1683 R	70-33	36	F 1788 R	85-3	18	F 1881 R	35-15	19
F 1452 R	15-19	12	F 1685 R	50-5	20	F 1789 R	85-19	9	F 1883 R	35-15	16
F 1459 R	65-7	31	F 1687 R	50-5	1	F 1790 R	85-19	14A	F 1885 R	35-14	14
F 1459 R	80-6	..	F 1693 R	50-13	24	F 1791 R	80-2	..	F 1890 R	15-15	24
F 1461 R	65-7	31	F 1694 R	50-13	23	F 1791 R	80-3	..	F 1891 R	15-15	21
F 1462 R	65-7	6	F 1695 R	50-13	21	F 1791 R	80-4	..	F 1892 R	15-15	20
F 1463 R	60-26	9	F 1696 R	50-13	3	F 1791 R	80-7	..	F 1893 R	15-15	22
F 1463 R	65-7	5	F 1697 R	50-13	2	F 1791 R	85-3	22	F 1894 R	15-15	14
F 1478 R	55-25	6	F 1698 R	50-13	18	F 1794 R	15-11	20	F 1895 R	15-15	13
F 1480 R	55-25	1	F 1699 R	50-13	19	F 1799 R	15-11	26	F 1896 R	15-15	5
F 1483 R	45-13	4	F 1700 R	50-13	15A	F 1801 R	10-3	5	F 1897 R	15-13	1
F 1484 R	45-13	5	F 1701 R	50-13	1	F 1802 R	10-3	2	F 1898 R	15-13	4
F 1489 R	45-13	..	F 1705 R	50-13	36	F 1803 R	10-3	6	F 1898 R	80-1	..
F 1500 R	55-25	6	F 1706 R	50-7	32	F 1803 R	10-6	18	F 1898 R	80-2	..
F 1513 R	25-7	13	F 1706 R	50-9	4	F 1803 R	80-2	..	F 1898 R	80-3	..
F 1514 R	40-2	6	F 1717 R	50-7	14	F 1803 R	80-3	..	F 1899 R	15-13	13
F 1514 R	40-3	6	F 1719 R	50-7	23	F 1803 R	80-4	..	F 1900 R	15-15	30A
F 1531 R	35-9	3	F 1722 R	50-7	9	F 1804 R	10-3	3	F 1906 R	30-9	32
F 1537 R	35-9	14	F 1723 R	50-7	11	F 1804 R	80-2	..	F 1907 R	30-9	30
F 1549 R	10-3	7	F 1724 R	50-7	41	F 1804 R	80-3	..	F 1912 R	15-7	11
F 1549 R	15-11	30	F 1729 R	50-10	15	F 1804 R	80-4	..	F 1913 R	15-9	12
F 1549 R	45-11	9	F 1733 R	50-10	18	F 1807 R	85-7	17	F 1916 R	15-7	17
F 1549 R	45-14	9	F 1734 R	50-10	17	F 1808 R	85-7	18	F 1920 R	15-7	5
F 1555 R	40-51	13	F 1739 R	50-10	27	F 1811 R	85-7	22	F 1921 R	15-7	7
F 1576 R	45-17	10	F 1740 R	50-10	26	F 1812 R	85-7	23	F 1922 R	15-7	21
F 1577 R	45-17	10	F 1741 R	50-10	22	F 1819 R	15-1	16	F 1922 R	80-4	..
F 1578 R	45-17	6	F 1743 R	15-9	..	F 1821 R	15-1	11	F 1925 R	15-7	4
F 1579 R	45-17	6	F 1743 R	15-15	12	F 1822 R	15-1	21	F 1925 R	15-9	30
F 1581 R	55-17	4	F 1743 R	35-13	26	F 1823 R	15-1	20	F 1926 R	15-9	23A
F 1582 R	55-17	24	F 1743 R	35-15	59	F 1825 R	15-1	20	F 1927 R	15-9	24
F 1582 R	55-19	41	F 1743 R	50-7	13A	F 1826 R	15-5	14	F 1928 R	15-9	19A
F 1583 R	55-17	2	F 1743 R	50-7	36	F 1832 R	60-10	9	F 1929 R	15-9	20A
F 1583 R	55-19	2	F 1743 R	50-9	10	F 1832 R	60-11	8	F 1929 R	15-9	..
F 1586 R	55-17	16	F 1743 R	55-11	16	F 1833 R	85-7	15	F 1932 R	15-8	5
F 1590 R	55-25	6	F 1743 R	55-13	12	F 1834 R	85-7	27	F 1934 R	85-9	10
F 1591 R	55-25	6	F 1743 R	55-15	12	F 1835 R	85-7	5	F 1935 R	85-9	12
F 1608 R	50-15	28	F 1744 R	50-7	2A	F 1836 R	85-7	2	F 1935 R	85-19	37
F 1608 R	50-17	26	F 1745 R	50-7	1	F 1836 R	85-27	58	F 1936 R	85-9	5A
F 1625 R	55-17	29	F 1747 R	50-5	16	F 1837 R	85-7	16	F 1937 R	85-9	7A
F 1625 R	55-19	28	F 1747 R	50-5	23	F 1838 R	85-7	9	F 1939 R	85-8	11A
F 1630 R	55-19	14	F 1751 R	35-3	18	F 1840 R	85-7	10	F 1940 R	85-8	3
F 1640 R	60-7	..	F 1752 R	35-3	25	F 1840 R	85-9	3	F 1941 R	80-7	..
F 1641 R	60-7	..	F 1752 R	80-1	..	F 1840 R	85-29	9	F 1941 R	85-8	2

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
F 1942 R	85-8	6	F 2059 R	30-3	18	F 2145 R	15-9	28	F 2270 R	85-3	21
F 1943 R	85-8	8	F 2059 R	30-5	8	F 2146 R	35-11	11	F 2271 R	15-11	13
F 1944 R	80-7	..	F 2060 R	30-5	39	F 2147 R	35-11	10	F 2271 R	70-21	30
F 1944 R	85-8	7	F 2061 R	30-3	17	F 2148 R	35-11	5	F 2271 R	85-19	36
F 1947 R	30-7	18	F 2062 R	30-5	36	F 2149 R	35-11	1	F 2272 R	15-8	2
F 1948 R	30-7	29	F 2063 R	25-7	24	F 2150 R	35-9	4	F 2272 R	15-17	13
F 1949 R	30-7	14	F 2063 R	50-3	22	F 2155 R	50-7	39	F 2272 R	20-5	33
F 1950 R	30-7	11	F 2064 R	25-7	24	F 2155 R	50-9	25	F 2272 R	20-7	36
F 1951 R	30-7	17	F 2064 R	50-3	22	F 2159 R	50-15	9	F 2272 R	40-33	13
F 1952 R	30-7	32	F 2067 R	30-5	16	F 2163 R	85-27	26	F 2272 R	40-35	16
F 1953 R	30-7	31	F 2068 R	30-5	15	F 2164 R	30-9	7	F 2272 R	40-41	17
F 1955 R	60-14	29	F 2068 R	80-5	..	F 2164 R	85-27	28	F 2272 R	50-11	3
F 1956 R	15-11	9	F 2069 R	30-3	32	F 2166 R	30-9	21	F 2272 R	60-15	21
F 1960 R	85-17	19	F 2070 R	30-3	31	F 2166 R	65-5	..	F 2272 R	60-17	19
F 1962 R	85-17	23	F 2070 R	80-5	..	F 2166 R	65-7	..	F 2272 R	60-23	8
F 1964 R	85-17	25	F 2071 R	60-13	11	F 2166 R	65-8	..	F 2272 R	60-23	26
F 1965 R	80-7	..	F 2073 R	60-13	10	F 2167 R	35-11	4	F 2272 R	60-25	11
F 1965 R	85-17	18	F 2073 R	80-5	..	F 2178 R	15-11	20	F 2272 R	65-7	2
F 1967 R	85-17	21	F 2074 R	30-7	6	F 2179 R	15-11	20	F 2272 R	70-21	2
F 1969 R	80-7	..	F 2076 R	25-7	26	F 2180 R	15-11	26	F 2272 R	70-25	8
F 1969 R	85-17	16	F 2077 R	25-7	25	F 2181 R	15-11	26	F 2272 R	70-33	27
F 1970 R	85-17	12	F 2077 R	50-3	21	F 2190 R	10-6	5	F 2272 R	85-17	10
F 1977 R	60-13	2	F 2077 R	80-5	..	F 2190 R	85-11	7	F 2273 R	20-7	14
F 1979 R	15-1	4	F 2080 R	85-21	2	F 2199 R	85-21	5	F 2273 R	30-3	27
F 1980 R	15-1	5	F 2081 R	85-21	3	F 2206 R	35-9	31	F 2273 R	30-5	17
F 1981 R	15-1	6	F 2082 R	85-21	4	F 2208 R	70-13	15	F 2273 R	30-7	15
F 1982 R	15-1	2	F 2083 R	80-7	..	F 2208 R	70-15	38	F 2273 R	35-13	29
F 1985 R	85-29	8	F 2083 R	85-21	6	F 2208 R	70-15	48	F 2273 R	40-3	15
F 1986 R	85-27	2 A	F 2084 R	40-33	2	F 2208 R	70-16	5	F 2273 R	45-1	9
F 1988 R	85-27	40	F 2084 R	40-35	2	F 2208 R	70-17	59	F 2273 R	45-2	1
F 1989 R	85-27	36	F 2084 R	40-37	5	F 2208 R	75-5	9	F 2273 R	45-13	1
F 1990 R	85-27	37	F 2084 R	40-39	5	F 2208 R	75-9	61	F 2273 R	55-23	16
F 1992 R	85-27	34	F 2084 R	40-41	3	F 2208 R	85-27	35	F 2273 R	60-4	1
F 1993 R	85-27	31	F 2084 R	40-43	4	F 2210 R	70-29	11	F 2273 R	70-11	16
F 1996 R	85-27	23	F 2087 R	80-7	..	F 2213 R	50-13	29	F 2274 R	50-10	24
F 1997 R	80-7	..	F 2087 R	85-8	15	F 2216 R	35-16	2	F 2275 R	60-23	27
F 1997 R	85-29	20	F 2087 R	85-10	10	F 2217 R	85-9	9	F 2275 R	60-25	10
F 1998 R	85-29	38	F 2088 R	35-3	29	F 2218 R	85-9	2	F 2278 R	50-13	25
F 1999 R	85-29	43	F 2088 R	85-10	2	F 2219 R	85-9	6	F 2300 R	70-31	48
F 2000 R	85-29	42	F 2090 R	50-3	20	F 2220 R	65-3	38	F 2303 R	50-13	27
F 2001 R	85-29	41	F 2091 R	50-3	10	F 2222 R	50-11	9	F 2311 R	50-5	24
F 2002 R	85-29	33	F 2093 R	50-3	2	F 2223 R	50-11	11	F 2313 R	50-5	15
F 2003 R	85-29	32	F 2094 R	50-3	1	F 2223 R	70-23	17	F 2317 R	50-10	5
F 2004 R	85-29	21	F 2096 R	70-29	23	F 2223 R	75-3	7	F 2320 R	50-10	12
F 2006 R	85-27	38	F 2098 R	70-29	31	F 2232 R	50-10	10	F 2321 R	50-10	1
F 2008 R	85-29	2	F 2099 R	70-29	28	F 2234 R	50-13	32	F 2323 R	50-10	2
F 2010 R	85-27	11	F 2100 R	70-29	30	F 2235 R	85-29	3	F 2324 R	50-5	18
F 2011 R	85-27	7	F 2102 R	70-29	29	F 2236 R	10-3	9	F 2332 R	50-7	31
F 2021 R	70-29	19	F 2103 R	70-29	32	F 2236 R	10-3	11	F 2332 R	50-9	5
F 2022 R	70-29	18	F 2104 R	70-29	4	F 2236 R	10-5	29	F 2333 R	50-7	20A
F 2030 R	45-1	1	F 2105 R	70-29	13	F 2236 R	15-11	17	F 2334 R	50-7	24
F 2040 R	30-3	39	F 2106 R	70-29	5	F 2241 R	25-3	23	F 2334 R	50-9	18
F 2041 R	30-3	40	F 2107 R	70-29	7	F 2241 R	25-5	9	F 2335 R	50-7	26
F 2041 R	80-4	..	F 2113 R	70-25	5	F 2244 R	25-5	10	F 2335 R	50-9	16
F 2041 R	80-5	..	F 2115 R	10-6	9	F 2245 R	25-4	10	F 2337 R	50-13	31
F 2043 R	30-5	18	F 2115 R	80-7	..	F 2248 R	25-4	13	F 2341 R	85-27	14
F 2043 R	80-2	..	F 2115 R	85-11	12	F 2251 R	15-11	18	F 2342 R	85-29	8
F 2043 R	80-3	..	F 2115 R	85-15	42	F 2251 R	80-2	..	F 2346 R	50-7	32
F 2043 R	80-5	..	F 2116 R	10-6	2	F 2251 R	80-3	..	F 2346 R	50-9	4
F 2046 R	30-5	29	F 2116 R	85-11	2	F 2253 R	45-11	24	F 2350 R	85-29	25
F 2048 R	30-7	9	F 2118 R	85-19	19	F 2259 R	35-17	9	F 2351 R	85-29	26
F 2049 R	30-3	30	F 2119 R	85-19	16	F 2260 R	30-5	19	F 2352 R	85-29	27
F 2050 R	60-13	9	F 2120 R	85-19	6	F 2261 R	30-5	35	F 2353 R	70-19	9
F 2050 R	60-13	15	F 2121 R	85-19	7	F 2262 R	30-5	33	F 2353 R	85-29	6
F 2051 R	30-3	21	F 2122 R	85-19	30	F 2262 R	85-10	4	F 2354 R	85-29	23
F 2052 R	30-3	9	F 2123 R	85-19	2	F 2265 R	85-7	4	F 2355 R	85-29	31
F 2053 R	30-3	22	F 2124 R	85-19	26	F 2265 R	85-27	60	F 2358 R	15-7	18
F 2053 R	60-13	14	F 2125 R	85-19	27	F 2270 R	10-6	11	F 2362 R	20-5	35
F 2054 R	30-3	14	F 2126 R	85-19	28	F 2270 R	55-3	17	F 2367 R	45-5	22
F 2055 R	30-3	2	F 2134 R	85-13	39	F 2270 R	55-5	25	F 2371 R	50-10	9
F 2056 R	30-3	4	F 2135 R	85-13	35	F 2270 R	55-23	16	F 2372 R	50-10	14
F 2056 R	80-5	..	F 2136 R	85-13	22	F 2270 R	70-25	18	F 2387 R	85-27	42
F 2057 R	30-3	4	F 2141 R	35-15	41	F 2270 R	70-26	23	F 2388 R	85-10	1
F 2057 R	80-5	..	F 2143 R	15-13	7	F 2270 R	70-33	23			

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-13

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
F 2389 R	85-17	15	F 2572 R	70-7	17	F 2662 R	70-11	21	F 2782 R	75-11	11
F 2390 R	85-17	2	F 2573 R	70-7	18	F 2663 R	55-8	4	F 2783 R	70-15	15
F 2391 R	85-17	3	F 2574 R	70-7	16	F 2663 R	55-12	16	F 2783 R	70-16	12
F 2393 R	85-17	8	F 2575 R	70-7	13	F 2663 R	55-14	17	F 2783 R	75-11	10
F 2398 R	35-9	28	F 2576 R	70-7	15	F 2664 R	55-8	9	F 2784 R	75-11	18
F 2411 R	45-3	17	F 2577 R	70-7	14	F 2664 R	55-11	7	F 2785 R	75-11	3
F 2419 R	45-5	17	F 2578 R	70-5	11	F 2664 R	55-12	4	F 2786 R	75-11	4
F 2420 R	85-7	13	F 2579 R	70-5	10	F 2664 R	55-13	8	F 2790 R	60-9	18
F 2431 R	70-29	16	F 2580 R	70-5	12	F 2664 R	55-14	4	F 2797 R	35-3	5
F 2432 R	15-11	22	F 2580 R	85-5	3	F 2664 R	55-15	8	F 2798 R	35-3	3
F 2438 R	35-15	17	F 2581 R	70-5	14	F 2665 R	65-11	2	F 2799 R	35-3	2
F 2438 R	80-2	..	F 2582 R	70-5	7	F 2666 R	45-15	1	F 2799 R	35-5	8
F 2438 R	80-3	..	F 2583 R	70-5	8	F 2670 R	75-6	15	F 2799 R	35-7	8
F 2439 R	70-31	30	F 2587 R	20-5	31	F 2671 R	75-6	13	F 2800 R	45-17	16
F 2443 R	15-9	20A	F 2588 R	15-9	27	F 2671 R	75-7	13	F 2801 R	45-17	3
F 2443 R	15-9	..	F 2589 R	15-9	29	F 2671 R	75-9	13	F 2802 R	45-17	21
F 2450 R	75-12	14	F 2589 R	80-4	..	F 2673 R	75-6	7	F 2813 R	75-5	17
F 2451 R	75-11	..	F 2589 R	80-6	..	F 2673 R	75-7	7	F 2813 R	75-9	39
F 2451 R	75-12	22	F 2590 R	45-11	1	F 2673 R	75-9	7	F 2814 R	75-5	18
F 2500 R	20-3	12	F 2591 R	45-11	1	F 2674 R	75-6	7	F 2814 R	75-9	38
F 2504 R	20-3	1	F 2592 R	45-11	1	F 2674 R	75-7	7	F 2816 R	75-5	16
F 2504 R	80-4	..	F 2593 R	45-11	5	F 2674 R	75-9	7	F 2816 R	75-9	28
F 2504 R	80-6	..	F 2593 R	45-14	5	F 2675 R	75-6	3	F 2820 R	75-5	27
F 2505 R	20-5	8	F 2593 R	80-6	..	F 2675 R	75-7	3	F 2820 R	75-9	34
F 2505 R	20-7	8	F 2594 R	45-11	20	F 2675 R	75-9	3	F 2821 R	75-5	29
F 2507 R	45-7	3	F 2595 R	65-3	42	F 2676 R	75-6	2	F 2821 R	75-9	36
F 2507 R	45-9	3	F 2596 R	65-8	1	F 2676 R	75-7	2	F 2822 R	75-5	28
F 2507 R	80-6	..	F 2597 R	20-5	2	F 2676 R	75-9	2	F 2822 R	75-9	35
F 2511 R	45-7	15	F 2597 R	20-7	2	F 2679 R	75-6	18	F 2823 R	75-5	26
F 2511 R	45-9	17	F 2597 R	65-8	5	F 2679 R	75-7	16	F 2823 R	75-9	33
F 2512 R	45-7	16	F 2598 R	65-8	16	F 2679 R	75-9	16	F 2824 R	75-5	23
F 2512 R	45-9	18	F 2599 R	65-8	16	F 2680 R	75-5	36	F 2824 R	75-9	21
F 2513 R	45-7	17	F 2601 R	10-3	8	F 2681 R	75-5	39	F 2825 R	75-5	32
F 2513 R	45-9	19	F 2603 R	45-5	35	F 2682 R	75-5	38	F 2825 R	75-9	19
F 2514 R	45-7	4	F 2604 R	45-5	52	F 2683 R	75-5	40	F 2827 R	75-5	33
F 2514 R	45-9	4	F 2605 R	45-5	50	F 2684 R	75-5	35	F 2827 R	75-9	18
F 2517 R	45-7	2	F 2606 R	45-5	49	F 2685 R	75-5	34	F 2828 R	75-5	22
F 2517 R	45-9	2	F 2608 R	45-5	44	F 2693 R	75-5	4	F 2828 R	75-9	23
F 2520 R	20-9	9	F 2609 R	45-5	34	F 2693 R	75-9	56	F 2830 R	75-5	13
F 2521 R	20-9	3	F 2610 R	45-5	39	F 2694 R	75-5	7	F 2830 R	75-9	25
F 2522 R	20-9	1	F 2611 R	45-5	42	F 2694 R	75-9	59	F 2831 R	70-19	38
F 2524 R	15-7	27	F 2613 R	45-5	41	F 2695 R	75-5	6	F 2832 R	70-19	35
F 2524 R	65-3	24	F 2614 R	45-5	56	F 2695 R	75-9	58	F 2833 R	70-19	46
F 2525 R	65-3	40	F 2615 R	45-5	55	F 2696 R	25-4	2	F 2834 R	70-19	44
F 2526 R	65-3	39	F 2618 R	45-5	21	F 2697 R	25-4	17	F 2836 R	70-19	7
F 2527 R	65-3	9	F 2619 R	45-5	31	F 2698 R	25-4	6	F 2841 R	70-5	32
F 2528 R	65-3	5	F 2620 R	45-5	32	F 2699 R	25-4	4	F 2841 R	70-19	34
F 2529 R	65-3	3	F 2621 R	45-5	33	F 2719 R	85-29	11	F 2842 R	70-5	33
F 2530 R	65-3	4	F 2622 R	45-5	28	F 2720 R	50-15	7	F 2842 R	70-9	9
F 2533 R	65-3	34	F 2623 R	45-5	27	F 2721 R	15-7	22	F 2842 R	70-19	33
F 2534 R	65-3	35	F 2624 R	45-5	24	F 2742 R	70-15	55	F 2843 R	70-5	34
F 2535 R	65-3	10	F 2625 R	45-5	10	F 2742 R	70-17	62	F 2843 R	70-19	32
F 2538 R	65-3	36	F 2626 R	45-5	1	F 2742 R	70-23	32	F 2844 R	70-19	36
F 2541 R	65-3	27	F 2633 R	75-11	29A	F 2749 R	70-25	4	F 2845 R	70-19	18
F 2542 R	65-3	17	F 2641 R	70-7	7	F 2749 R	80-6	..	F 2845 R	70-23	18
F 2543 R	45-15	4	F 2642 R	70-7	5	F 2750 R	70-25	1	F 2846 R	70-19	19
F 2543 R	70-3	10	F 2642 R	70-7	20	F 2754 R	35-3	8	F 2847 R	70-19	20
F 2543 R	80-6	..	F 2643 R	70-7	7	F 2760 R	70-9	5	F 2847 R	70-23	16
F 2545 R	45-5	7	F 2644 R	70-7	5	F 2761 R	70-9	3	F 2853 R	70-11	38
F 2545 R	65-3	22	F 2646 R	70-7	4	F 2762 R	70-9	32	F 2854 R	70-11	43
F 2547 R	30-3	22	F 2647 R	70-7	20	F 2763 R	70-9	25	F 2854 R	70-15	56
F 2547 R	60-13	14	F 2650 R	70-11	9	F 2764 R	70-9	24	F 2854 R	70-17	63
F 2549 R	60-10	4	F 2651 R	70-11	5	F 2769 R	70-9	18	F 2855 R	70-11	45
F 2559 R	15-15	11	F 2652 R	70-11	25	F 2770 R	70-9	13	F 2856 R	70-11	35
F 2560 R	70-3	3	F 2653 R	70-11	7	F 2771 R	70-9	12	F 2857 R	70-11	40
F 2560 R	70-5	9	F 2654 R	70-11	10	F 2772 R	70-9	8	F 2858 R	70-5	47
F 2563 R	70-3	2	F 2655 R	70-11	14	F 2773 R	70-9	10	F 2861 R	70-13	5
F 2564 R	70-3	4	F 2656 R	70-11	15	F 2774 R	70-9	11	F 2861 R	70-15	19
F 2567 R	65-11	1	F 2657 R	70-11	24	F 2775 R	70-9	19	F 2861 R	70-17	19
F 2567 R	65-11	15	F 2658 R	70-11	23	F 2776 R	70-9	34	F 2862 R	70-13	34
F 2567 R	70-3	16	F 2659 R	70-11	17	F 2778 R	75-11	15	F 2863 R	70-13	17
F 2568 R	70-7	6	F 2660 R	70-11	11	F 2779 R	75-11	42	F 2863 R	70-14	10
F 2569 R	70-7	10	F 2661 R	70-11	22	F 2780 R	75-11	19	F 2863 R	70-15	26
F 2570 R	70-7	12	F 2662 R	70-9	1	F 2781 R	75-5	10	F 2863 R	70-16	2

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
F 2863 R	70-17	26	F 2935 R	40-47	6	F 3014 R	30-9	14	F 3175 R	55-11	9
F 2864 R	70-13	8A	F 2935 R	40-47	10	F 3014 R	30-9	17	F 3176 R	55-11	32
F 2865 R	70-13	11	F 2935 R	40-49	5	F 3014 R	45-1	10	F 3190 R	70-21	36
F 2865 R	70-15	51	F 2935 R	40-49	6	F 3016 R	45-1	3	F 3190 R	70-23	31
F 2865 R	70-17	60	F 2935 R	40-49	10	F 3017 R	45-1	8	F 3191 R	70-21	37
F 2867 R	70-13	18	F 2945 R	60-23	24	F 3018 R	30-9	19	F 3195 R	60-4	3
F 2869 R	70-13	4	F 2945 R	60-25	26	F 3018 R	65-5	..	F 3195 R	60-5	1
F 2870 R	70-13	20	F 2946 R	60-23	22	F 3018 R	65-7	..	F 3196 R	60-5	4
F 2871 R	70-13	21	F 2946 R	60-25	24	F 3018 R	65-8	..	F 3197 R	60-5	13
F 2877 R	70-13	31	F 2948 R	70-13	24	F 3024 R	30-9	3	F 3200 R	55-19	34
F 2878 R	70-13	29	F 2948 R	70-14	12	F 3025 R	20-5	12	F 3200 R	55-21	19
F 2878 R	70-15	58	F 2948 R	70-16	3	F 3025 R	20-7	12	F 3201 R	55-19	47
F 2878 R	70-17	45	F 2949 R	75-5	31	F 3026 R	30-9	28	F 3201 R	55-21	26
F 2879 R	70-5	48	F 2949 R	75-9	20	F 3027 R	30-9	24	F 3202 R	55-21	21
F 2880 R	70-5	39	F 2950 R	70-13	35	F 3027 R	65-5	..	F 3203 R	55-21	25
F 2881 R	65-11	26	F 2951 R	70-13	37	F 3027 R	65-7	..	F 3204 R	55-21	12
F 2881 R	70-5	30	F 2953 R	70-25	17	F 3027 R	65-8	..	F 3205 R	55-21	13
F 2881 R	70-19	13	F 2955 R	45-11	23	F 3028 R	30-9	8	F 3206 R	55-19	7
F 2881 R	70-23	12B	F 2957 R	65-5	29	F 3028 R	85-27	29	F 3206 R	55-21	2
F 2883 R	65-11	11	F 2958 R	65-5	31	F 3030 R	45-14	4	F 3207 R	55-19	36
F 2883 R	70-5	22	F 2959 R	65-8	22	F 3032 R	45-19	26	F 3208 R	55-11	20
F 2884 R	20-5	19	F 2960 R	65-7	17	F 3042 R	10-5	12	F 3208 R	55-19	9
F 2884 R	65-11	17	F 2961 R	65-5	12	F 3044 R	10-5	..	F 3208 R	55-21	6
F 2884 R	70-5	23	F 2962 R	65-5	52	F 3047 R	65-5	57	F 3209 R	55-19	15
F 2885 R	65-11	23	F 2963 R	65-7	27	F 3048 R	65-5	26	F 3210 R	35-18	3
F 2885 R	70-5	26	F 2964 R	65-7	26	F 3062 R	15-19	13	F 3211 R	15-13	18
F 2886 R	65-11	12	F 2964 R	80-6	..	F 3066 R	70-25	30	F 3212 R	15-13	20
F 2886 R	70-5	21	F 2965 R	65-5	1	F 3067 R	70-25	24	F 3212 R	80-2	..
F 2887 R	65-11	28	F 2966 R	65-5	5	F 3067 R	70-26	14	F 3213 R	15-13	21
F 2888 R	70-3	7	F 2967 R	65-7	30	F 3068 R	70-25	32	F 3214 R	15-13	21
F 2894 R	70-5	2	F 2968 R	65-7	13	F 3068 R	70-26	1	F 3215 R	55-11	1
F 2895 R	65-11	19	F 2968 R	65-11	22	F 3069 R	70-25	28	F 3216 R	55-11	25
F 2895 R	70-3	18	F 2968 R	70-5	25	F 3069 R	70-26	16	F 3217 R	85-8	20
F 2896 R	45-15	2	F 2968 R	80-6	..	F 3070 R	70-25	20	F 3218 R	45-7	8
F 2896 R	65-11	6	F 2969 R	65-7	14	F 3076 R	70-19	27	F 3219 R	70-9	26
F 2896 R	70-3	5	F 2969 R	70-5	24	F 3077 R	70-23	15	F 3220 R	70-9	28
F 2897 R	70-7	19	F 2996 R	80-6	..	F 3078 R	70-23	18	F 3221 R	70-9	29
F 2898 R	75-3	24	F 2971 R	45-3	45	F 3083 R	35-9	7	F 3222 R	70-9	31
F 2899 R	70-11	32	F 2972 R	45-3	32	F 3090 R	35-5	7	F 3223 R	15-7	13
F 2899 R	75-3	26	F 2973 R	45-3	30	F 3090 R	35-7	7	F 3224 R	15-7	13
F 2900 R	70-11	30	F 2974 R	45-3	8A	F 3091 R	35-5	4	F 3225 R	15-7	13
F 2900 R	75-3	1	F 2975 R	45-3	33	F 3091 R	35-7	4	F 3226 R	15-7	13
F 2901 R	75-3	4	F 2976 R	45-3	31	F 3092 R	35-5	5	F 3227 R	15-11	26
F 2902 R	75-3	5	F 2977 R	45-3	10	F 3092 R	35-7	5	F 3230 R	15-11	26
F 2903 R	75-3	9	F 2978 R	45-3	52	F 3094 R	20-5	3	F 3253 R	30-5	3
F 2904 R	75-3	10	F 2979 R	45-3	35	F 3094 R	20-7	3	F 3257 R	75-3	24
F 2905 R	75-3	11	F 2980 R	45-3	24	F 3095 R	70-19	3	F 3258 R	35-16	8
F 2906 R	75-3	13	F 2981 R	45-3	43	F 3096 R	70-19	4	F 3260 R	35-16	21
F 2907 R	75-3	14	F 2982 R	45-3	22	F 3119 R	35-15	15	F 3261 R	35-16	17
F 2908 R	75-3	17	F 2983 R	45-3	15	F 3120 R	15-11	19	F 3262 R	35-16	15
F 2909 R	75-3	16	F 2984 R	45-3	51	F 3121 R	15-11	19	F 3263 R	35-16	16
F 2910 R	75-3	18	F 2985 R	45-3	36	F 3122 R	25-3	1	F 3264 R	15-7	13
F 2911 R	75-3	15	F 2986 R	45-3	26	F 3124 R	30-7	5	F 3265 R	15-7	13
F 2912 R	75-3	15	F 2987 R	45-2	3	F 3125 R	30-7	12	F 3268 R	35-15	58
F 2914 R	70-11	27	F 2988 R	45-3	19	F 3126 R	55-7	11	F 3270 R	70-7	7
F 2915 R	75-3	19	F 2988 R	45-3	36	F 3127 R	55-7	12	F 3271 R	70-7	5
F 2917 R	70-30	1	F 2988 R	45-3	41	F 3128 R	10-3	17	F 3271 R	70-7	20
F 2918 R	70-5	46	F 2989 R	45-3	23	F 3128 R	20-3	7	F 3272 R	70-7	7
F 2919 R	70-33	10	F 2989 R	45-3	34	F 3128 R	45-11	19	F 3273 R	70-7	5
F 2920 R	70-33	15	F 2990 R	45-3	7	F 3128 R	45-13	18	F 3274 R	70-7	20
F 2921 R	70-33	22	F 2991 R	45-3	40	F 3128 R	65-11	9	F 3293 R	60-29	12
F 2922 R	70-33	4	F 2992 R	45-3	18	F 3150 R	50-19	12	F 3294 R	60-29	27
F 2923 R	70-33	17	F 2993 R	45-3	16	F 3156 R	40-51	8	F 3295 R	60-29	22
F 2924 R	70-33	21	F 2994 R	45-3	20	F 3159 R	55-25	1	F 3296 R	60-29	4
F 2926 R	70-33	20	F 2995 R	15-9	38	F 3159 R	55-27	7	F 3297 R	60-29	5
F 2927 R	70-33	12	F 2996 R	15-9	37	F 3162 R	15-1	17	F 3298 R	60-29	10
F 2931 R	70-3	24	F 2999 R	45-1	21	F 3164 R	70-30	7	F 3299 R	60-29	23
F 2935 R	40-33	20	F 3002 R	45-1	18	F 3170 R	70-33	20	F 3300 R	85-7	19
F 2935 R	40-35	23	F 3003 R	45-1	19	F 3171 R	70-21	38	F 3302 R	60-29	9
F 2935 R	40-37	23	F 3004 R	45-1	12	F 3171 R	70-26	20	F 3303 R	60-27	9
F 2935 R	40-39	26	F 3004 R	80-6	..	F 3171 R	70-30	6	F 3305 R	35-15	44
F 2935 R	40-44	9	F 3010 R	10-5	1	F 3172 R	70-33	28	F 3307 R	35-15	48
F 2935 R	40-45	8	F 3011 R	10-5	1	F 3173 R	45-3	37	F 3313 R	15-7	13
F 2935 R	40-47	5	F 3013 R	45-1	11	F 3174 R	55-11	9	F 3316 R	50-13	15B

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-15

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
F 3317 R	20-9	6	F 3419 R	35-17	8	F 3561 R	15-7	10	F 3678 R	85-11	13
F 3319 R	55-5	18B	F 3420 R	35-17	16	F 3562 R	15-7	4	F 3881 R	35-14	11
F 3320 R	35-15	49	F 3422 R	35-17	17	F 3562 R	15-9	30			
F 3321 R	85-3	26	F 3423 R	35-17	19	F 3563 R	15-9	19B			
F 3322 R	35-15	43	F 3424 R	35-17	18	F 3564 R	15-9	20B			
F 3324 R	15-15	21	F 3425 R	35-17	7	F 3565 R	15-9	21B			
F 3326 R	30-3	11	F 3426 R	35-17	6	F 3566 R	15-9	23B			
F 3328 R	15-11	26	F 3427 R	35-17	5	F 3570 R	15-9	12			
F 3329 R	15-11	26	F 3428 R	35-17	3	F 3571 R	15-7	5			
F 3329 R	70-25	13	F 3429 R	35-17	1	F 3574 R	85-13	3			
F 3330 R	25-7	24	F 3431 R	65-7	25	F 3575 R	85-13	21			
F 3330 R	50-3	22	F 3436 R	35-17	14	F 3576 R	85-13	18			
F 3331 R	25-7	24	F 3446 R	35-7	22	F 3577 R	85-9	5B			
F 3331 R	50-3	22	F 3449 R	40-51	13	F 3578 R	85-9	7B			
F 3332 R	30-5	13B	F 3450 R	25-4	12	F 3579 R	85-8	11B			
F 3336 R	70-11	37	F 3450 R	50-13	22	F 3583 R	55-26	3			
F 3337 R	55-25	1	F 3450 R	80-2	..	F 3584 R	65-11	12			
F 3338 R	60-4	2	F 3450 R	80-3	..	F 3584 R	70-5	21			
F 3344 R	35-19	3	F 3451 R	60-29	21	F 3585 R	65-11	17			
F 3348 R	45-3	27	F 3452 R	60-29	22	F 3585 R	70-5	23			
F 3352 R	70-23	13	F 3463 R	15-5	18	F 3586 R	20-3	12			
F 3353 R	70-23	20	F 3468 R	15-5	25	F 3586 R	20-5	24			
F 3353 R	70-34	..	F 3501 R	10-5	1	F 3587 R	20-5	21			
F 3357 R	45-13	10	F 3502 R	10-5	1	F 3590 R	20-5	22			
F 3358 R	45-13	12	F 3504 R	85-17	19	F 3592 R	70-13	18			
F 3359 R	50-7	14	F 3505 R	50-3	11	F 3597 R	70-13	8B			
F 3360 R	45-3	8B	F 3506 R	85-29	8	F 3597 R	70-15	49			
F 3361 R	45-2	3	F 3507 R	85-27	2B	F 3597 R	70-17	58			
F 3361 R	45-3	8A	F 3510 R	15-11	9	F 3598 R	70-13	34			
F 3362 R	45-3	6	F 3511 R	15-13	18	F 3607 R	70-7	4			
F 3363 R	45-3	11	F 3512 R	15-13	20	F 3610 R	20-3	12			
F 3364 R	45-3	12	F 3512 R	80-1	..	F 3611 R	20-3	12			
F 3365 R	65-5	31	F 3512 R	80-3	..	F 3611 R	20-5	20			
F 3366 R	65-5	30	F 3513 R	50-13	14	F 3612 R	20-3	12			
F 3368 R	75-14	16	F 3514 R	50-13	18	F 3612 R	20-5	31			
F 3369 R	75-14	10	F 3515 R	50-13	16	F 3613 R	20-3	12			
F 3370 R	75-14	20	F 3516 R	85-3	4	F 3613 R	20-5	27			
F 3371 R	75-14	15	F 3517 R	85-3	4	F 3613 R	20-7	28			
F 3372 R	60-7	..	F 3517 R	85-7	9	F 3619 R	30-7	18			
F 3373 R	60-7	..	F 3518 R	85-3	4	F 3620 R	85-13	1			
F 3374 R	60-7	..	F 3518 R	85-7	15	F 3621 R	85-13	2			
F 3376 R	20-9	9	F 3519 R	85-7	13	F 3622 R	20-9	3			
F 3377 R	20-9	3	F 3520 R	80-7	..	F 3623 R	20-9	4			
F 3378 R	20-9	1	F 3520 R	85-7	13	F 3624 R	55-11	30B			
F 3379 R	20-3	18	F 3526 R	35-16	2	F 3625 R	55-11	24B			
F 3380 R	75-11	14	F 3527 R	35-17	2	F 3626 R	35-13	31			
F 3380 R	75-12	23	F 3527 R	35-17	..	F 3627 R	35-13	20			
F 3381 R	35-15	52	F 3528 R	35-15	53	F 3629 R	50-7	2B			
F 3381 R	35-16	..	F 3528 R	35-17	..	F 3629 R	50-17	14			
F 3381 R	35-17	..	F 3530 R	85-8	18	F 3630 R	50-15	5			
F 3382 R	35-14	11	F 3531 R	85-8	16	F 3630 R	50-17	14			
F 3382 R	35-15	50	F 3532 R	85-11	13	F 3631 R	45-3	30			
F 3382 R	35-16	..	F 3534 R	55-26	8	F 3632 R	45-3	24			
F 3391 R	65-7	17	F 3537 R	60-4	3	F 3633 R	85-5	15B			
F 3392 R	65-7	16	F 3538 R	75-11	29B	F 3634 R	85-5	13B			
F 3393 R	65-5	12	F 3539 R	75-11	37	F 3635 R	85-5	14B			
F 3395 R	65-5	19	F 3539 R	75-12	6	F 3636 R	85-5	11B			
F 3396 R	65-7	15	F 3541 R	75-11	39	F 3637 R	85-5	8			
F 3397 R	65-5	26	F 3541 R	75-12	4	F 3638 R	55-11	31			
F 3398 R	65-5	57	F 3542 R	75-11	38	F 3638 R	55-19	10			
F 3399 R	65-7	27	F 3542 R	75-12	5	F 3638 R	55-21	1			
F 3400 R	65-7	26	F 3547 R	85-9	12	F 3643 R	85-13	43			
F 3400 R	80-6	..	F 3547 R	85-19	37	F 3644 R	85-13	46			
F 3401 R	65-5	53	F 3548 R	85-9	13	F 3648 R	85-13	19			
F 3402 R	65-7	23	F 3548 R	85-19	38	F 3650 R	30-9	3			
F 3403 R	65-7	22	F 3549 R	85-9	14	F 3667 R	85-5	1			
F 3404 R	65-8	7	F 3549 R	85-19	40	F 3668 R	45-5	46B			
F 3405 R	65-8	9	F 3550 R	85-3	12	F 3669 R	45-5	47			
F 3406 R	65-8	8	F 3551 R	85-3	12	F 3670 R	75-7	18			
F 3407 R	65-8	6	F 3551 R	85-19	9	F 3671 R	75-7	21			
F 3408 R	65-8	11	F 3552 R	85-3	12	F 3672 R	75-7	20			
F 3415 R	50-3	20	F 3552 R	85-19	14B	F 3674 R	75-7	15			
F 3417 R	60-9	18	F 3553 R	85-19	6	F 3674 R	75-9	15			
F 3418 R	35-17	2	F 3560 R	15-7	10	F 3676 R	15-7	22			

H

JD

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
JD 254	80-11	1	JD 7448	45-11	26	JD 8111	45-11	25	M 316 T	85-13	38
JD 255	80-11	1	JD 7448	45-13	17	JD 8112	45-13	20	M 399 T	60-9	5
JD 256	80-11	1	JD 7502	45-5	23	JD 8128	65-5	7	M 886 T	15-5	15
JD 257	80-11	3	JD 7576	20-9	15	JD 8130	45-14	12	M 886 T	65-5	18
JD 258	80-11	3	JD 7654	25-7	8	JD 8133	55-23	3	M 2151 T	40-27	19
JD 259	80-11	3	JD 7654	30-3	8	JD 8149	45-5	38	M 2207 T	40-24	6
JD 259	80-11	4	JD 7654	50-3	19	JD 8149	45-13	6	M 2207 T	40-25	5
JD 260	80-11	5	JD 7655	25-7	5	JD 8149	45-14	21	M 2207 T	40-51	19
JD 261	80-11	5	JD 7655	30-3	5	JD 8167	45-11	12	M 2207 T	40-52	7
JD 262	80-11	5	JD 7655	50-3	18	JD 8186	55-3	10	M 2334 T	55-26	2
JD 263	80-11	5	JD 7656	25-7	7	JD 8186	55-5	32	M 3210 T	45-11	8
JD 264	80-11	5	JD 7656	30-3	7	JD 8186	55-23	7	M 3210 T	45-14	8
JD 265	80-11	5	JD 7656	50-3	16	JD 8172	50-7	29	M 3210 T	70-5	43
JD 267	80-11	1	JD 7657	25-7	6	JD 8172	50-9	7	M 3210 T	75-11	12
JD 268	80-11	5	JD 7657	30-3	6	JD 8172	50-15	19			
JD 269	80-11	5	JD 7657	50-3	17	JD 8172	50-18	12			
JD 1091	55-23	8	JD 7664	45-5	13	JD 8173	45-11	25			
JD 1274	55-23	8	JD 7674	65-5	10	JD 8182	45-5	53			
JD 1276	55-23	8	JD 7675	65-5	10	JD 8197	45-11	12	P 247 R	15-3	14
JD 1279	55-23	17	JD 7678	85-27	1B	JD 8214	45-11	11	P 1986 R	50-5	27
JD 1281	55-23	8	JD 7679	50-13	7	JD 8218	45-11	26	P 2509 R	35-9	25
JD 1290	55-23	8	JD 7679	50-19	13	JD 8223	45-5	54	P 3727 R	60-25	19
JD 5152	80-11	1	JD 7681	85-29	48	JD 8234	45-7	5	P 45750 H	70-34	..
JD 5153	80-11	1	JD 7688	65-3	6	JD 8234	45-9	5	P 46051 H	70-34	..
JD 5155	80-11	1	JD 7695	40-7	24	JD 8510	45-5	6	P 48347 H	70-34	..
JD 5165	80-11	5	JD 7695	40-9	16	JD 8510	65-3	20			
JD 5202	80-11	5	JD 7759	45-13	26	JD 8511	85-27	1A			
JD 5203	80-11	5	JD 7759	55-3	15	JD 8514	65-5	43			
JD 5204	80-11	5	JD 7759	55-5	26	JD 8515	25-5	3			
JD 5205	80-11	5	JD 7759	55-7	10	JD 8531	15-15	33			
JD 5206	80-11	1	JD 7759	55-8	11	JD 8533	85-27	3	R 2 R	55-7	18
JD 5207	80-11	5	JD 7759	55-11	13	JD 8556	45-5	29	R 2 R	55-23	2
JD 5208	80-11	1	JD 7759	55-12	7	JD 8588	25-7	8	R 3 R	55-7	17
JD 5240	80-11	5	JD 7759	55-13	11	JD 8588	30-3	8	R 3 R	55-23	1
JD 5241	80-11	5	JD 7759	55-14	7	JD 8588	50-3	19	R 4 R	35-3	19
JD 5242	80-11	5	JD 7759	55-15	11	JD 8589	25-7	5	R 7 R	35-3	17
JD 5243	80-11	5	JD 7759	55-16	19	JD 8589	30-3	5	R 8 R	35-3	16
JD 5244	80-11	5	JD 7759	55-17	13	JD 8589	50-3	18	R 31 R	45-7	10
JD 5260	80-11	5	JD 7759	55-17	27	JD 8590	25-7	7	R 31 R	45-11	23
JD 5261	80-11	5	JD 7759	55-19	22	JD 8590	30-3	7	R 31 R	45-13	38
JD 5262	80-11	5	JD 7759	55-19	38	JD 8590	50-3	16	R 42 R	55-17	11
JD 5263	80-11	5	JD 7759	55-23	15	JD 8591	25-7	6	R 42 R	55-19	21
JD 5264	80-11	5	JD 7759	70-3	13	JD 8591	30-3	6	R 47 R	55-17	26
JD 5265	80-11	5	JD 7759	70-3	21	JD 8591	50-3	17	R 47 R	55-19	42
JD 7142	50-5	12	JD 7759	70-15	23	JD 8618	45-5	48	R 59 R	15-13	11
JD 7180	40-5	15	JD 7759	75-5	3	JD 8619	45-5	51	R 60 R	15-10	3
JD 7222	55-7	19	JD 7759	75-6	9	JD 8900	45-7	7	R 61 R	15-10	4
JD 7224	55-3	6	JD 7759	75-7	9	JD 8900	45-9	7	R 61 R	80-1	..
JD 7224	55-5	36	JD 7759	75-9	9	JD 8913	55-5	36	R 61 R	80-2	..
JD 7224	55-23	3	JD 7759	75-9	55	JD 8913	55-7	19	R 61 R	80-3	..
JD 7253	50-7	30	JD 7760	20-9	5	JD 8913	55-23	3	R 71 R	45-7	6
JD 7253	50-9	6	JD 7760	55-13	23	JD 9281	40-9	16	R 71 R	45-9	6
JD 7253	50-15	18	JD 7760	55-15	28	JD 9281	40-7	24	R 80 R	15-6	1
JD 7253	50-18	11	JD 7760	55-17	31				R 80 R	15-9	31
JD 7266	55-3	9	JD 7760	55-19	26				R 81 R	45-5	36
JD 7266	55-5	33	JD 7760	70-7	8				R 81 R	45-13	13
JD 7266	55-7	20	JD 7777	70-17	23				R 129 R	15-15	19
JD 7266	55-23	6	JD 7778	55-5	13	K 2052 R	30-5	24	R 144 R	15-15	6
JD 7270	55-3	7	JD 7781	45-17	17	K 2172 R	30-7	21	R 145 R	15-15	10
JD 7270	55-5	35	JD 7781	70-33	8				R 146 R	15-15	4
JD 7270	55-23	4	JD 7788	85-27	39				R 170 R	35-9	24
JD 7278	55-23	4	JD 7797	70-15	35				R 183 R	25-3	5
JD 7298	45-11	11	JD 7806	70-13	16				R 197 R	15-1	19
JD 7395	65-3	33	JD 7806	70-13	26				R 198 R	15-1	18
JD 7418	65-3	32	JD 7806	70-13	38	L 324 T	70-13	11	R 200 R	15-1	18
JD 7424	65-5	3	JD 7806	70-14	9	L 324 T	70-17	60	R 220 R	15-3	3
JD 7438	65-5	8	JD 7806	70-14	13	L 409 T	55-11	22	R 223 R	35-13	25
JD 7444	45-5	37	JD 7806	70-16	1	L 409 T	55-19	13	R 224 R	35-13	18
JD 7444	45-13	11	JD 7806	70-16	7	L 409 T	55-21	9	R 226 R	35-13	19
JD 7444	45-14	20	JD 7939	15-1	3				R 227 R	35-13	23
JD 7445	55-5	35	JD 7943	20-9	16				R 228 R	15-9	33
JD 7445	55-7	20	JD 7951	65-3	8				R 228 R	45-13	32
JD 7445	55-23	4	JD 7997	45-5	26				R 228 R	65-11	21
JD 7446	45-14	13	JD 8100	65-5	4	M 33 X	85-21	31	R 228 R	70-3	19

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-17

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
R 229 R	15-9	34	R 495 R	80-4	..	R 1100 R	35-17	12	R 1811 R	70-23	7
R 229 R	35-15	42	R 495 R	80-7	..	R 1101 R	35-17	11	R 1811 R	70-23	26
R 229 R	45-13	31	R 495 R	85-17	7	R 1102 R	35-17	10	R 1812 R	70-19	23
R 229 R	50-13	28	R 495 R	85-17	11	R 1103 R	35-19	5	R 1812 R	70-23	6
R 229 R	65-11	20	R 561 R	85-5	14A	R 1105 R	35-19	2	R 1812 R	70-23	25
R 229 R	70-3	20	R 568 R	85-5	2	R 1106 R	35-19	7	R 1814 R	70-23	2
R 239 R	15-11	21	R 576 R	75-11	34	R 1107 R	35-19	6	R 1818 R	70-21	34
R 250 R	45-9	8	R 576 R	75-12	9	R 1108 R	35-19	10	R 1818 R	70-23	41
R 271 R	70-15	40	R 577 R	75-12	23	R 1109 R	35-19	11	R 1818 R	75-3	6
R 271 R	70-17	30	R 619 R	85-7	3	R 1110 R	35-19	11	R 1819 R	70-21	32
R 309 R	30-5	9	R 619 R	85-27	59	R 1111 R	35-19	11	R 1820 R	20-5	39
R 310 R	70-9	21	R 622 R	85-7	12	R 1112 R	35-19	11	R 1820 R	50-10	8
R 312 R	30-5	10	R 622 R	85-7	25	R 1113 R	35-19	11	R 1820 R	70-5	35
R 313 R	30-5	14A	R 623 R	85-5	1	R 1114 R	35-19	11	R 1820 R	70-19	31
R 316 R	30-5	6	R 638 R	85-13	33	R 1115 R	35-19	11	R 1820 R	70-21	31
R 316 R	80-5	..	R 640 R	80-7	..	R 1116 R	35-19	12	R 1821 R	70-23	30
R 317 R	30-5	5	R 640 R	85-15	28	R 1134 R	35-9	13	R 1821 R	70-23	37
R 318 R	30-5	7B	R 662 R	30-5	32	R 1138 R	30-5	28	R 1822 R	70-19	37
R 375 R	25-4	14	R 669 R	85-27	54	R 1138 R	50-17	2	R 1822 R	70-23	29
R 375 R	35-10	4	R 671 R	85-27	51	R 1138 R	70-34	..	R 1822 R	70-23	38
R 375 R	35-14	2	R 672 R	85-27	50	R 1138 R	80-2	..	R 1824 R	70-5	37
R 375 R	70-34	..	R 673 R	20-5	32	R 1138 R	80-3	..	R 1824 R	70-19	29
R 394 R	40-19	15	R 673 R	20-7	35	R 1138 R	80-5	..	R 1824 R	70-23	27
R 394 R	70-34	..	R 673 R	85-27	56	R 1143 R	15-15	2	R 1826 R	70-23	42
R 394 R	80-7	..	R 675 R	85-27	46	R 1149 R	30-9	23	R 1827 R	70-23	1
R 394 R	85-11	5	R 693 R	85-3	14	R 1156 R	85-13	31	R 1839 R	70-19	45
R 394 R	85-17	6	R 726 R	15-1	8	R 1160 R	75-12	6	R 1839 R	70-21	28
R 398 R	15-3	12	R 726 R	15-15	16	R 1225 R	15-13	17	R 1840 R	70-19	45
R 400 R	15-3	10	R 741 R	15-5	29	R 1225 R	70-34	..	R 1865 R	30-5	13A
R 410 R	15-3	7	R 776 R	65-8	2	R 1234 R	35-18	12	R 1870 R	70-11	3
R 413 R	15-3	9	R 776 R	65-8	10	R 1236 R	15-11	25	R 1870 R	70-31	47
R 415 R	15-3	2	R 793 R	85-3	15	R 1254 R	15-11	8	R 1884 R	15-11	23
R 420 R	15-5	24	R 796 R	20-3	13	R 1349 R	30-5	12	R 1887 R	20-7	18
R 425 R	15-5	2	R 796 R	85-29	10	R 1360 R	15-15	7	R 1888 R	65-3	30B
R 431 R	35-15	55	R 800 R	85-29	45	R 1407 R	15-7	8	R 1888 R	65-5	34B
R 432 R	35-15	54	R 801 R	85-29	46	R 1445 R	10-3	20	R 1888 R	70-9	14
R 437 R	35-15	18	R 805 R	85-29	36	R 1472 R	20-5	41	R 1888 R	70-11	2
R 438 R	35-15	21	R 820 R	85-29	44	R 1529 R	25-5	4	R 1901 R	65-5	14
R 446 R	85-5	7	R 832 R	55-23	18	R 1548 R	45-13	9B	R 1906 R	10-6	8
R 459 R	20-3	12	R 911 R	35-16	7	R 1548 R	45-14	28B	R 1906 R	85-11	11
R 459 R	20-5	23	R 912 R	35-16	6	R 1589 R	10-3	14	R 1910 R	85-11	9
R 459 R	20-7	25	R 913 R	35-16	5	R 1590 R	10-3	13	R 1911 R	85-11	10
R 459 R	70-34	..	R 914 R	35-16	3	R 1608 R	70-29	27	R 1917 R	15-13	6
R 459 R	80-7	..	R 916 R	35-16	1	R 1646 R	40-41	13	R 1952 R	70-21	29
R 459 R	85-3	17	R 917 R	35-16	12	R 1652 R	70-23	12A	R 1953 R	70-21	33
R 460 R	70-15	46	R 918 R	35-16	12	R 1662 R	70-25	7	R 2057 R	60-2	..
R 460 R	70-17	53	R 919 R	35-16	12	R 1662 R	70-25	21	R 2061 R	60-2	..
R 460 R	70-34	..	R 920 R	35-16	12	R 1662 R	80-6	..	R 2086 R	60-2	..
R 463 R	35-15	40	R 921 R	35-16	11	R 1678 R	70-15	41	R 2514 R	35-15	22
R 463 R	35-18	1	R 922 R	35-16	9	R 1678 R	70-17	35	R 2515 R	35-15	23
R 463 R	35-19	1	R 923 R	35-16	20	R 1678 R	70-21	15	R 2516 R	35-15	24
R 463 R	50-10	13	R 928 R	35-16	19	R 1768 R	65-7	38	R 2529 R	45-6	3
R 463 R	80-1	..	R 929 R	35-16	14	R 1791 R	70-5	31	R 2579 R	40-33	14
R 463 R	80-2	..	R 931 R	35-18	5	R 1791 R	70-21	35	R 2579 R	40-35	8
R 463 R	80-3	..	R 933 R	35-18	2	R 1792 R	70-19	39	R 2579 R	40-35	17
R 464 R	35-15	34	R 934 R	35-18	10	R 1792 R	70-21	22	R 2579 R	40-37	18
R 465 R	35-15	35	R 935 R	35-18	12	R 1793 R	70-19	41	R 2579 R	40-39	11
R 468 R	35-15	29	R 936 R	35-18	12	R 1793 R	70-21	24	R 2579 R	40-39	21
R 469 R	35-15	30	R 937 R	35-18	12	R 1794 R	70-19	40	R 2579 R	40-41	18
R 471 R	35-13	4	R 938 R	35-18	12	R 1794 R	70-21	23	R 2579 R	40-43	15
R 473 R	35-13	14	R 939 R	35-18	11	R 1795 R	70-19	42	R 2579 R	40-44	5
R 491 R	45-19	36	R 940 R	35-18	13	R 1795 R	70-21	25	R 2579 R	40-45	4
R 495 R	45-17	15	R 941 R	35-18	6	R 1797 R	70-21	27	R 2579 R	40-52	4
R 495 R	45-19	16	R 942 R	35-18	7	R 1798 R	70-21	11	R 2579 R	60-23	10
R 495 R	50-15	23	R 1017 R	15-15	15	R 1799 R	70-21	8	R 2579 R	60-25	12
R 495 R	50-18	8	R 1019 R	15-15	25	R 1800 R	30-7	27	R 2589 R	55-25	1
R 495 R	70-5	40	R 1021 R	35-13	7	R 1800 R	50-5	17	R 2591 R	25-3	12
R 495 R	70-9	33	R 1048 R	35-18	12	R 1800 R	70-21	9	R 2608 R	15-15	25
R 495 R	70-19	12	R 1086 R	35-17	20	R 1801 R	70-15	28	R 2609 R	15-15	15
R 495 R	70-23	11	R 1089 R	35-17	21	R 1801 R	70-15	65	R 2700 R	55-8	7
R 495 R	70-26	17	R 1096 R	35-17	12	R 1801 R	70-17	28	R 2768 R	85-11	7
R 495 R	70-34	..	R 1097 R	35-17	12	R 1809 R	70-21	4	R 2772 R	35-17	10
R 495 R	80-2	..	R 1098 R	35-17	12	R 1810 R	70-21	5	R 3382 R	35-17	..
R 495 R	80-3	..	R 1099 R	35-17	12	R 1811 R	70-19	22	R 5834 R	70-11	4

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
R 10093 R	70-34	..	R 11057 R	40-10	14	R 11114 R	40-10	23	R 11201 R	40-9	44
R 10160 R	85-29	16	R 11084 R	40-7	14	R 11114 R	40-11	7	R 11202 R	40-9	42
R 11002 R	40-15	38	R 11084 R	40-10	26	R 11115 R	40-11	2	R 11203 R	40-9	19
R 11003 R	40-15	38	R 11084 R	40-11	10	R 11120 R	40-19	13	R 11204 R	40-9	17
R 11003 R	40-19	28	R 11084 R	40-17	5	R 11121 R	40-19	50	R 11205 R	40-9	15
R 11004 R	40-15	36	R 11085 R	40-15	7	R 11122 R	40-18	6	R 11231 R	40-10	3
R 11005 R	40-15	17	R 11085 R	40-15	64	R 11122 R	40-19	46	R 11232 R	40-10	2
R 11005 R	40-19	25	R 11085 R	40-18	5	R 11123 R	40-18	7	R 11253 R	40-15	23
R 11006 R	40-15	16	R 11086 R	40-5	46	R 11124 R	40-19	14	R 11275 R	40-15	66
R 11007 R	40-15	10	R 11086 R	40-7	51	R 11125 R	40-19	46	R 11281 R	85-23	2
R 11008 R	40-15	44	R 11086 R	40-9	41	R 11126 R	40-17	10	R 11283 R	40-2	10
R 11008 R	40-19	10	R 11086 R	85-23	18	R 11126 R	40-19	39	R 11283 R	40-7	31
R 11009 R	40-16	13	R 11087 R	40-5	11	R 11127 R	40-17	9	R 13000 R	85-15	22
R 11009 R	40-17	16	R 11087 R	40-7	20	R 11127 R	40-19	38	R 13001 R	85-15	24
R 11010 R	40-16	23	R 11087 R	40-9	12	R 11128 R	40-17	11	R 13002 R	85-15	25
R 11011 R	40-15	9	R 11087 R	85-23	38	R 11128 R	40-19	40	R 13003 R	85-15	39
R 11011 R	40-15	18	R 11087 R	85-25	12	R 11129 R	40-17	12	R 13004 R	85-15	10
R 11011 R	40-16	5	R 11088 R	40-5	40	R 11129 R	40-19	41	R 13005 R	85-15	12
R 11011 R	40-19	16	R 11088 R	40-7	46	R 11130 R	40-17	18	R 13006 R	85-15	17
R 11012 R	40-15	11	R 11088 R	40-9	36	R 11131 R	40-17	19	R 13007 R	85-15	36
R 11013 R	40-15	43	R 11089 R	40-5	17	R 11132 R	40-17	3	R 13008 R	85-15	25
R 11013 R	40-19	11	R 11089 R	40-7	26	R 11133 R	40-19	51	R 13009 R	85-15	27
R 11014 R	40-15	42	R 11089 R	40-9	18	R 11134 R	40-17	1	R 13010 R	85-15	32
R 11014 R	40-15	68	R 11090 R	85-23	12	R 11135 R	40-19	24	R 13011 R	85-15	9
R 11015 R	40-15	50	R 11091 R	85-23	9	R 11136 R	40-19	54	R 13012 R	85-15	10
R 11016 R	40-15	49	R 11092 R	85-23	16	R 11137 R	40-19	65	R 13013 R	85-14	2
R 11017 R	40-15	52	R 11093 R	85-23	6	R 11138 R	40-17	8	R 13014 R	85-15	15
R 11017 R	40-19	56	R 11094 R	40-5	16	R 11138 R	40-19	37	R 13015 R	85-15	12
R 11018 R	40-15	48	R 11094 R	40-7	25	R 11139 R	40-17	13	R 20028 R	35-3	17
R 11018 R	40-19	57	R 11096 R	40-15	46	R 11139 R	40-19	42	R 20037 R	35-3	10
R 11019 R	40-15	63	R 11096 R	40-19	59	R 11140 R	40-19	52	R 20037 R	80-2	..
R 11020 R	40-15	67	R 11096 R	85-23	42	R 11141 R	40-19	31	R 20037 R	80-3	..
R 11021 R	40-15	55	R 11096 R	85-25	31	R 11142 R	40-19	32	R 20047 R	70-7	13
R 11021 R	40-19	70	R 11096 R	85-25	43	R 11143 R	40-19	30	R 20062 R	45-3	52
R 11022 R	40-15	56	R 11097 R	40-5	9	R 11144 R	40-15	56	R 20062 R	45-6	7
R 11023 R	40-15	57	R 11097 R	40-7	10	R 11144 R	40-19	71	R 20063 R	45-5	21
R 11024 R	40-15	58	R 11097 R	40-9	10	R 11145 R	40-19	67	R 20063 R	45-6	6
R 11024 R	40-19	68	R 11097 R	40-15	35	R 11146 R	40-19	26	R 20064 R	45-6	10
R 11025 R	40-15	59	R 11097 R	40-19	45	R 11147 R	40-19	64	R 20065 R	45-6	5
R 11026 R	40-15	60	R 11098 R	40-5	34	R 11148 R	40-15	40	R 20066 R	45-6	4
R 11026 R	40-19	48	R 11098 R	40-7	40	R 11148 R	40-19	23	R 20068 R	45-1	3
R 11027 R	40-15	33	R 11098 R	40-9	30	R 11149 R	40-19	66	R 20068 R	45-6	1
R 11028 R	40-15	31	R 11099 R	85-23	25	R 11150 R	40-19	69	R 20092 R	45-6	1
R 11029 R	40-15	29	R 11100 R	40-7	13	R 11151 R	40-17	14	R 20095 R	20-3	12
R 11030 R	40-15	30	R 11100 R	40-11	9	R 11151 R	40-19	43	R 20096 R	20-7	19
R 11031 R	40-16	19	R 11100 R	40-24	10	R 11152 R	40-19	29	R 20097 R	20-7	20
R 11032 R	40-16	18	R 11101 R	40-10	25	R 11156 R	40-11	2	R 20098 R	20-7	21
R 11033 R	40-16	17	R 11101 R	40-11	6	R 11158 R	40-5	51	R 20099 R	20-7	22
R 11034 R	40-16	16	R 11102 R	40-10	22	R 11158 R	40-7	56	R 20100 R	20-7	16
R 11035 R	40-16	14	R 11102 R	40-11	8	R 11158 R	40-9	47	R 20101 R	20-7	17
R 11036 R	40-16	12	R 11103 R	40-10	24	R 11159 R	40-5	41	R 20102 R	20-7	33
R 11036 R	40-17	17	R 11103 R	40-11	5	R 11159 R	40-7	28	R 20103 R	20-7	26
R 11037 R	40-16	7	R 11104 R	85-23	39	R 11160 R	40-5	26	R 20104 R	20-7	31
R 11038 R	40-16	6	R 11104 R	85-25	11	R 11160 R	40-7	34	R 20105 R	20-3	3
R 11039 R	40-16	10	R 11105 R	40-5	10	R 11160 R	40-9	24	R 20105 R	20-3	..
R 11042 R	40-5	32	R 11105 R	40-9	11	R 11161 R	40-5	27	R 20106 R	20-3	2
R 11042 R	40-7	38	R 11106 R	40-5	6	R 11161 R	40-7	35	R 20112 R	30-9	19
R 11042 R	40-9	28	R 11106 R	40-7	7	R 11161 R	40-9	25	R 20113 R	45-6	2
R 11043 R	40-5	31	R 11107 R	85-23	26	R 11162 R	40-5	30	R 20116 R	25-7	13
R 11043 R	40-9	27	R 11108 R	40-15	8	R 11162 R	40-5	39	R 20118 R	55-5	1
R 11046 R	40-3	11	R 11109 R	40-5	13	R 11162 R	40-7	44	R 20123 R	60-7	..
R 11046 R	40-5	23	R 11109 R	40-7	22	R 11162 R	40-9	34	R 20124 R	60-7	..
R 11047 R	40-3	9	R 11109 R	40-9	13	R 11163 R	40-7	38	R 20127 R	60-7	..
R 11047 R	40-5	21	R 11110 R	40-5	14	R 11163 R	40-9	28	R 20128 R	60-7	..
R 11048 R	40-3	10	R 11110 R	40-7	23	R 11164 R	40-5	45	R 20129 R	85-8	14
R 11048 R	40-5	22	R 11110 R	40-9	14	R 11164 R	40-7	50	R 20131 R	15-8	7
R 11049 R	40-3	13	R 11111 R	40-10	30	R 11164 R	40-9	40	R 20132 R	15-8	8
R 11049 R	40-5	25	R 11111 R	40-11	12	R 11165 R	40-5	44	R 20133 R	25-4	17
R 11049 R	40-9	23	R 11112 R	40-10	9	R 11165 R	40-7	49	R 20134 R	15-11	15
R 11051 R	40-10	1	R 11112 R	40-11	14	R 11165 R	40-9	39	R 20135 R	70-33	5
R 11052 R	40-10	4	R 11113 R	40-5	29	R 11168 R	40-11	3	R 20136 R	15-7	31
R 11053 R	40-10	2	R 11113 R	40-5	38	R 11169 R	40-11	4	R 20136 R	20-9	26
R 11054 R	40-10	10	R 11113 R	40-7	45	R 11170 R	40-11	1	R 20136 R	55-8	8
R 11056 R	40-10	13	R 11113 R	40-9	35	R 11200 R	40-9	20	R 20136 R	55-12	17

NUMERICAL INDEX
Tractors -- 720 and 730 Diesel Series

90-19

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
R 20136 R	55-14	18	R 20370 R	50-17	21	R 20777 R	70-15	39	R 21130 R	10-5	..
R 20138 R	40-31	21	R 20373 R	15-15	30B	R 20785 R	70-15	63	R 21136 R	40-2	15
R 20139 R	35-13	34	R 20374 R	15-15	28	R 20786 R	40-26	4	R 21136 R	40-3	16
R 20143 R	50-15	7	R 20380 R	15-9	27	R 20786 R	40-26	9	R 21156 R	35-11	13
R 20144 R	60-15	22	R 20391 R	35-9	6	R 20786 R	40-27	4	R 21156 R	40-26	5
R 20149 R	30-7	8	R 20400 R	10-3	8	R 20772 R	70-15	42	R 21156 R	40-27	8
R 20158 R	50-7	31	R 20405 R	75-11	29B	R 20779 R	70-15	16	R 21156 R	40-41	16
R 20158 R	50-9	5	R 20413 R	70-3	26B	R 20780 R	70-15	17	R 21156 R	40-43	10
R 20159 R	50-7	20B	R 20415 R	70-15	25	R 20786 R	40-27	12	R 21157 R	35-11	13
R 20159 R	50-9	22	R 20415 R	70-17	25	R 20797 R	70-17	36	R 21157 R	40-26	5
R 20160 R	50-7	21	R 20415 R	70-30	1	R 20799 R	70-17	38	R 21157 R	40-27	8
R 20160 R	50-9	21	R 20438 R	25-3	7	R 20800 R	70-16	6	R 21157 R	40-41	16
R 20161 R	50-7	19	R 20440 R	50-17	22	R 20801 R	70-17	47	R 21157 R	40-43	10
R 20161 R	50-9	23	R 20443 R	15-17	12	R 20802 R	70-17	48	R 21158 R	20-7	30
R 20162 R	50-7	18	R 20448 R	20-5	27	R 20803 R	70-16	13	R 21207 R	75-12	14
R 20162 R	50-9	24	R 20453 R	60-11	14	R 20804 R	70-16	11	R 21229 R	60-7	..
R 20164 R	50-7	13B	R 20453 R	60-12	12	R 20805 R	70-16	14	R 21230 R	60-7	..
R 20164 R	50-9	2	R 20454 R	60-11	11	R 20809 R	70-17	41	R 21231 R	50-13	17
R 20165 R	50-7	23	R 20455 R	60-12	10	R 20817 R	60-14	13	R 21328 R	40-41	14
R 20165 R	50-9	19	R 20506 R	60-16	30	R 20817 R	60-14	23	R 21333 R	75-11	29A
R 20166 R	50-7	41	R 20506 R	60-17	21	R 20817 R	60-15	16	R 21334 R	75-13	11
R 20166 R	50-9	27	R 20531 R	50-17	22	R 20817 R	60-16	12	R 21334 R	75-14	11
R 20167 R	40-12	2	R 20536 R	60-16	27	R 20817 R	60-16	20	R 21335 R	75-13	3
R 20168 R	50-7	44	R 20537 R	60-16	28	R 20817 R	60-17	13	R 21335 R	75-14	3
R 20168 R	50-9	30	R 20538 R	85-13	35	R 20818 R	60-16	34	R 21336 R	75-14	15
R 20169 R	40-12	7	R 20543 R	30-7	14	R 20818 R	60-17	17	R 21342 R	75-9	51
R 20169 R	80-3	..	R 20546 R	50-17	9	R 20818 R	60-21	17	R 21343 R	75-9	46
R 20169 R	80-4	..	R 20549 R	50-17	6	R 20826 R	50-17	25	R 21346 R	70-7	10
R 20172 R	60-25	8	R 20573 R	60-6	6	R 20827 R	50-17	25	R 21449 R	15-13	20
R 20201 R	40-29	1	R 20590 R	45-11	1	R 20830 R	45-11	1	R 21449 R	80-1	..
R 20201 R	60-10	4	R 20591 R	15-10	3	R 20871 R	30-5	19	R 21449 R	80-2	..
R 20204 R	40-31	1	R 20592 R	35-15	15	R 20878 R	60-3	4	R 21449 R	80-3	..
R 20204 R	60-11	3	R 20594 R	35-10	3	R 20912 R	60-19	17	R 21480 R	55-25	22
R 20208 R	35-3	21	R 20594 R	35-14	3	R 20912 R	60-21	13	R 21480 R	45-13	25
R 20214 R	50-10	18	R 20600 R	45-11	1	R 20913 R	50-7	14	R 21523 R	15-15	29B
R 20216 R	10-5	23	R 20605 R	50-17	20	R 20925 R	85-19	24	R 21527 R	75-9	48
R 20217 R	60-2	..	R 20606 R	50-17	18	R 20925 R	85-19	36	R 21531 R	70-27	..
R 20222 R	30-9	12	R 20608 R	50-17	23	R 20926 R	40-43	5	R 21532 R	70-27	..
R 20226 R	10-6	14	R 20613 R	45-17	5B	R 20927 R	30-7	18	R 21533 R	70-27	..
R 20227 R	70-30	1	R 20614 R	45-17	5B	R 20937 R	60-29	27	R 21534 R	70-27	..
R 20228 R	55-11	4	R 20615 R	45-19	13B	R 20940 R	35-15	46	R 21535 R	70-27	..
R 20228 R	55-19	5	R 20616 R	45-19	13B	R 20942 R	55-5	12	R 21570 R	55-11	1
R 20228 R	55-21	3	R 20628 R	60-11	8	R 21025 R	40-51	13	R 21571 R	55-11	25
R 20232 R	15-9	20B	R 20628 R	60-12	8	R 21028 R	75-12	1	R 21591 R	35-10	3
R 20232 R	80-4	..	R 20634 R	70-11	44	R 21028 R	75-12	21	R 21591 R	35-14	3
R 20232 R	80-6	..	R 20640 R	70-26	12	R 21047 R	70-7	13	R 21606 R	60-12	8
R 20236 R	60-29	25	R 20647 R	55-7	13	R 21057 R	15-17	11	R 21610 R	10-3	8
R 20242 R	15-15	22	R 20648 R	55-7	11	R 21057 R	35-5	15	R 21625 R	15-9	19B
R 20244 R	25-5	16	R 20649 R	55-7	2	R 21057 R	35-7	15	R 21626 R	15-9	19B
R 20245 R	25-5	12	R 20650 R	55-7	3	R 21059 R	50-15	12	R 21626 R	15-9	..
R 20248 R	15-5	39	R 20653 R	55-7	22	R 21059 R	50-18	5	R 21628 R	15-9	19B
R 20249 R	15-5	40	R 20654 R	55-7	9	R 21060 R	50-17	4	R 21628 R	15-13	18
R 20250 R	15-5	38	R 20655 R	55-7	7	R 21062 R	50-7	11	R 21629 R	35-15	25
R 20251 R	55-5	1	R 20656 R	55-7	12	R 21062 R	50-17	1	R 21629 R	70-21	13
R 20252 R	55-5	1	R 20663 R	50-18	1	R 21065 R	70-30	1	R 21630 R	30-5	27
R 20253 R	55-5	1	R 20696 R	60-2	..	R 21068 R	15-15	12	R 21630 R	70-21	21
R 20254 R	55-5	14	R 20699 R	60-2	..	R 21076 R	15-15	27	R 21630 R	85-3	8
R 20255 R	55-5	15	R 20703 R	60-2	..	R 21081 R	45-3	32	R 21632 R	85-29	14
R 20256 R	55-5	11	R 20758 R	40-47	5	R 21082 R	45-3	36	R 21635 R	15-5	16
R 20258 R	55-5	14	R 20758 R	40-47	6	R 21083 R	45-3	35	R 21644 R	35-7	17
R 20259 R	55-5	10	R 20758 R	40-49	5	R 21085 R	35-13	31	R 21645 R	35-7	18
R 20260 R	55-5	16	R 20758 R	40-49	6	R 21094 R	75-11	29B	R 21676 R	15-8	6
R 20261 R	55-5	18B	R 20759 R	60-6	1	R 21095 R	65-11	19	R 21676 R	15-9	17
R 20262 R	55-5	23	R 20759 R	60-6	2	R 21095 R	70-3	18	R 21677 R	15-8	6
R 20263 R	55-5	22	R 20763 R	40-47	8	R 21110 R	55-27	3	R 21677 R	15-9	17
R 20276 R	55-5	34	R 20763 R	40-49	8	R 21112 R	70-13	21	R 21678 R	15-9	17
R 20276 R	55-23	5	R 20764 R	70-15	20	R 21113 R	65-11	11	R 21679 R	15-9	17
R 20277 R	55-5	37	R 20769 R	70-15	45	R 21113 R	70-5	22	R 21685 R	60-2	2
R 20277 R	55-23	2	R 20769 R	70-17	52	R 21120 R	60-7	..	R 21686 R	60-2	1
R 20279 R	55-5	38	R 20770 R	70-15	54	R 21121 R	65-3	3	R 21713 R	15-3	12
R 20279 R	55-23	1	R 20770 R	70-17	61	R 21122 R	65-3	4	R 21714 R	15-3	10
R 20317 R	60-29	19	R 20771 R	70-15	57	R 21125 R	10-5	..	R 21715 R	15-3	7
R 20320 R	40-10	31	R 20771 R	70-17	64	R 21129 R	50-13	1	R 21716 R	15-3	9
R 20370 R	50-17	5	R 20776 R	70-15	62	R 21129 R	50-13	4	R 21717 R	75-11	18

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
R 21718 R	75-11	3	R 32007 R	50-21	19	R 34802 R	70-34	..			
R 21720 R	50-5	26	R 32007 R	70-35	..	R 34812 R	70-34	..			
R 21720 R	70-29	22	R 32008 R	40-33	18	R 34828 R	55-25	7	ZN 1 H	85-15	24
R 21722 R	70-25	26	R 32008 R	40-35	21	R 34828 R	55-26	9	ZN 2 H	85-15	19
R 21723 R	35-13	23	R 32008 R	40-37	17	R 36295 R	45-5	30	ZN 3 H	85-15	20
R 21724 R	35-14	5	R 32008 R	40-39	20	R 36295 R	45-19	1	ZN 4 R	85-15	25
R 21725 R	35-14	10	R 32008 R	40-41	21	R 36307 R	55-17	8	ZN 5 R	85-15	39
R 21726 R	35-14	9	R 32008 R	40-43	13	R 36307 R	55-19	17	ZN 6 R	85-15	36
R 21727 R	35-14	6	R 32008 R	70-35	..	R 36846 R	25-4	5	ZN 7 H	85-15	37
R 21728 R	35-14	8	R 32009 R	70-35	..	R 39613	60-14	2	ZN 8 R	85-15	27
R 21729 R	35-14	7	R 32011 R	70-35	..	R 39613	60-15	3	ZN 9 R	85-15	32
R 21736 R	35-9	24	R 32012 R	70-35	..	R 39613	60-16	2	ZN 10 R	85-15	9
R 21736 R	35-9	33	R 32013 R	70-35	..	R 39613	60-17	2	ZN 11 R	85-15	10
R 21752 R	35-10	16	R 32014 R	70-35	..	R 39687	70-27	..	ZN 12 R	85-15	2
R 21753 R	45-17	26	R 32016 R	40-21	19	R 39688	70-27	..	ZN 13 R	85-15	15
R 21753 R	45-19	42	R 32016 R	40-22	4	R 39689	70-27	..	ZN 14 R	85-15	12
R 21803 R	15-9	..	R 32016 R	40-29	11	R 39852	85-25	8	ZN 15 H	85-15	17
R 21804 R	15-9	..	R 32016 R	40-31	5	R 39853	85-25	44			
R 21962 R	35-13	11	R 32016 R	40-35	21	R 39860	60-27	..			
R 26650 R	15-7	16	R 32016 R	70-35	..	R 40137	85-23	36			
R 26650 R	15-11	10	R 32017 R	70-35	..	R 40337	40-15	65			
R 26650 R	20-3	16	R 32018 R	40-7	11	R 40337	40-19	63			
R 26650 R	30-9	16	R 32018 R	40-11	22						
R 26650 R	40-12	6	R 32018 R	70-35	..						
R 26650 R	45-1	2	R 32019 R	70-35	..						
R 26650 R	45-1	6	R 32021 R	40-7	11						
R 26650 R	65-5	40	R 32021 R	40-11	22						
R 26650 R	65-7	4	R 32021 R	70-35	..						
R 26650 R	65-7	39	R 32022 R	40-33	18						
R 26650 R	70-29	12	R 32022 R	40-35	21						
R 26650 R	85-3	9	R 32022 R	40-37	17						
R 26650 R	85-3	28	R 32022 R	40-39	20						
R 26650 R	85-27	16	R 32022 R	40-41	21						
R 26650 R	85-27	17	R 32022 R	40-43	13						
R 26650 R	85-29	19	R 32022 R	70-35	..						
R 26861 R	70-35	..	R 32023 R	70-35	..						
R 26976 R	70-34	..	R 32024 R	40-31	5						
R 27149 R	70-34	..	R 32024 R	70-35	..						
R 27181 R	35-11	5	R 32025 R	70-35	..						
R 27314 R	45-11	4	R 32026 R	40-33	18						
R 27314 R	45-13	12	R 32026 R	40-35	21						
R 27314 R	45-14	3	R 32026 R	40-37	17						
R 27314 R	55-8	2	R 32026 R	40-39	20						
R 27314 R	55-12	2	R 32026 R	40-41	21						
R 27314 R	55-14	2	R 32026 R	40-43	13						
R 27423 R	70-31	48	R 32026 R	70-35	..						
R 27490 R	70-34	..	R 32027 R	40-31	5						
R 28002 R	55-5	1	R 32027 R	70-35	..						
R 28794 R	35-7	22	R 32028 R	70-35	..						
R 28819 R	70-25	4	R 32029 R	70-35	..						
R 28819 R	80-6	..	R 32042 R	20-3	23						
R 29463 R	70-34	..	R 32072 R	55-25	1						
R 30319 R	70-34	..	R 32196 R	70-35	..						
R 30391 R	55-5	23	R 32224 R	55-25	13						
R 30392 R	55-5	22	R 32618 R	55-5	1						
R 31076 R	45-11	4	R 32622 R	25-5	7						
R 31076 R	45-14	3	R 32736 R	60-26	..						
R 31076 R	55-8	2	R 33224 R	55-26	13						
R 31076 R	55-12	1	R 34324 R	50-7	2B						
R 31076 R	55-14	2	R 34324 R	50-7	3A						
R 31225 R	55-7	2	R 34324 R	50-17	14						
R 31226 R	55-7	3	R 34570 R	55-16	13						
R 31250 R	40-22	..	R 34644 R	70-27	..						
R 31490 R	55-25	1	R 34645 R	70-27	..						
R 31491 R	55-25	1	R 34646 R	70-27	..						
R 31491 R	55-27	7	R 34647 R	70-27	..						
R 32006 R	70-35	..	R 34757 R	50-13	13						
R 32007 R	40-7	11	R 34757 R	65-5	20						
R 32007 R	40-10	11	R 34790 R	70-27	..						
R 32007 R	40-11	22	R 34791 R	70-27	..						
R 32007 R	40-22	4	R 34792 R	70-27	..						
R 32007 R	40-29	11	R 34793 R	70-27	..						
R 32007 R	40-31	5	R 34794 R	70-27	..						
R 32007 R	40-35	21	R 34795 R	70-27	..						